

Issuing laboratory:

Toys and Hardlines Division of Intertek Testing Services Hong Kong Ltd.
This laboratory is accredited by the China National Accreditation Services(CNAS) for specific tests and /or measurements and the result shown in this report have been determined in accordance with the laboratory's terms of accreditation.



中国认可
国际互认
检测
TESTING
CNAS L3256

发布实验室:

本获准认可实验室获得中国合格评定国家认可委员会(CNAS) 正式承认特定的测试和测量范围, 並依照获准认可实验室的条款,测定本报告显示的结果。

TEST REPORT

Applicant: KIDS II FAR EAST LTD
SUITE 3001 30/F TOWER 6 THE GATEWAY
9 CANTON RD
TSIM SHA TSUI KLN
HK

Number: HKGH0294274902

Date: Dec 20, 2022

Attn: ANNY MAI


Sample and Information provided by Customer :

Item Name : **Magic Touch Piano™ Musical Toy**
Item No. : **11649 (800802, 800802K63)**
Style : --
No of Sample Submitted : 14 pieces
Labelled Age Group : 6m+
Packaging Provided : Yes
Vendor : Hape International (Ningbo) Ltd
Country of Origin : China

*Appropriate Age Grade : For ages over 6 months
*Tested Age Grade : For ages over 6 months

* Information by Intertek

Prepared and checked by:
For Intertek Testing Services HK Ltd.


Wong, Siu Kai William
Assistant General Manager
CNAS Approved Signatory


Wong, Chun Man Francis
Senior Manager
CNAS Approved Signatory



Issuing laboratory:

Toys and Hardlines Division of Intertek Testing Services Hong Kong Ltd.
This laboratory is accredited by the China National Accreditation Services(CNAS) for specific tests and /or measurements and the result shown in this report have been determined in accordance with the laboratory's terms of accreditation.



中国认可
国际互认
检测
TESTING
CNAS L3256

发布实验室:

本获准认可实验室获得中国合格评定国家认可委员会(CNAS) 正式承认特定的测试和测量范围, 並依照获准认可实验室的条款,测定本报告显示的结果。

TEST REPORT

Number : HKGH0294274902



Conclusion:

The submitted sample was tested under the following requirements requested by the applicant, subject to the information stated in the remark and attached page(s) for details :

<u>Requirement</u>	<u>Result</u>
(1) EN71-1: 2014 + A1: 2018 - Mechanical and Physical Properties	Pass
(2) EN 71-2:2020 - Flammability Test	Pass
(3) BS EN 71-1:2014 + A1:2018 / EN 71-1:2014 + A1:2018 - Mechanical and physical properties	Pass
(4) BS EN 71-2:2020 / EN 71-2:2020 - Flammability Test	Pass
(5) EN71-3 : 1994 and amendment A1 : 2000 and AC : 2002 - Toxic elements test ∞	Pass

Decision Rule(s):

When a statement of conformity to a specification or standard is provided on test report, the decision rule shall be applied. For details, please refer to Intertek's "Decision Rule Document" and is available on Intertek's website. <https://intertekhk.grd.by/decision-rule-doc>.

If decision rule already inhered in the requested specification or standard, Intertek's "Decision Rule Document" is not applicable and indication of "∞" was shown as above table.



Issuing laboratory:

Toys and Hardlines Division of Intertek Testing Services Hong Kong Ltd.
This laboratory is accredited by the China National Accreditation Services(CNAS) for specific tests and /or measurements and the result shown in this report have been determined in accordance with the laboratory's terms of accreditation.



中国认可
国际互认
检测
TESTING
CNAS L3256

发布实验室:

本获准认可实验室获得中国合格评定国家认可委员会(CNAS) 正式承认特定的测试和测量范围, 并依照获准认可实验室的条款,测定本报告显示的结果。

TEST REPORT

Number : HKGH0294274902

(1) Physical and Mechanical Tests

Test Standard : European Standard on Safety of Toys EN71-1:2014 + A1: 2018

Age group for testing : For Ages Over 6 Months

The submitted samples were undergone the following abuse tests:	
Clause	Testing Items
8.3	Torque test (0.34 Nm)
8.4.2.1	Tension test (90 N)
8.5	Drop Test (850 mm x 5)
8.7	Impact test (1 kg)
8.8	Compression test (110 N)

Clause	Requirement	Assessment
4	General requirements	
4.1	Material cleanliness	P
4.2	Assembly	NA
4.3	Flexible plastic sheeting	NA
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding Materials	NA
4.7	Edges	P
4.8	Points and Metallic wires	P
4.9	Protruding parts	NA
4.10	Parts moving against each other	NA
4.11	Mouth actuated toys and other toys intended to be put into mouth	NA
4.12	Balloons	NA
4.13	Cords of toy kites and other flying toys	NA
4.14	Enclosures	NA
4.15	Toys intended to bear the mass of a child	NA
4.16	Heavy immobile toys	NA
4.17	Projectiles	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA
4.20	Acoustics	P
4.21	Toys containing non -electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	NA
4.24	Yo-yo balls	NA
4.25	Toys attached to food	NA
4.26	Toy Disguise Costumes	NA
4.27	Flying toys	NA



Issuing laboratory:

Toys and Hardlines Division of Intertek Testing Services Hong Kong Ltd.
This laboratory is accredited by the China National Accreditation Services(CNAS) for specific tests and /or measurements and the result shown in this report have been determined in accordance with the laboratory's terms of accreditation.



中国认可
国际互认
检测
TESTING
CNAS L3256

发布实验室:

本获准认可实验室获得中国合格评定国家认可委员会(CNAS) 正式承认特定的测试和测量范围, 並依照获准认可实验室的条款,测定本报告显示的结果。

TEST REPORT

Number : HKGH0294274902

Clause	Requirement	Assessment
5	Toys intended for children under 36 months	
5.1	General requirements for toys intended for children under 36 months	P
5.2	Soft-filled toys and soft-filled parts of a toy	NA
5.3	Plastic sheeting	NA
5.4	Cords, chains and electrical cables in toys	NA
5.5	Liquid filled toys	NA
5.6	Speed limitation of electrically driven ride-on toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size of certain toys	P
5.9	Toys comprising monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15	Sledges with cords for pulling (7.24)	NA
6	Packaging	NA
7	Warnings, markings and instructions for use	
7.1	General	P
7.2	Toys not intended for children under 36 months	NA
7.3	Latex balloons	NA
7.4	Aquatic toys	NA
7.5	Functional toys	NA
7.6	Hazardous sharp functional edges and points	NA
7.7	Projectile Toys	NA
7.8	Imitation protective masks and helmets	NA
7.9	Toy kites	NA
7.10	Roller skates, inline skates, skateboards and certain other ride-on toys	NA
7.11	Toys intended to be attached to or strung across a cradle, cot, or perambulator	NA
7.12	Liquid-filled teethers	NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA
7.16	Toys intended to bear the mass of a child	NA
7.17	Toys comprising monofilament fibres	NA
7.18	Toy scooters	NA
7.19	Rocking horses and similar toys	NA
7.20	Magnetic / electrical experimental sets	NA
7.21	Toys with electrical cables exceeding 300 mm in length	NA
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NA
7.23	Toys intended to be attached to a cradle, cot or perambulator	NA
7.24	Sledges with cords for pulling	NA



Issuing laboratory:

Toys and Hardlines Division of Intertek Testing Services Hong Kong Ltd.
This laboratory is accredited by the China National Accreditation Services(CNAS) for specific tests and /or measurements and the result shown in this report have been determined in accordance with the laboratory's terms of accreditation.



中国认可
国际互认
检测
TESTING
CNAS L3256

发布实验室:

本获准认可实验室获得中国合格评定国家认可委员会(CNAS) 正式承认特定的测试和测量范围, 并依照获准认可实验室的条款,测定本报告显示的结果。

TEST REPORT

Number : HKGH0294274902

Clause	Requirement	Assessment
7.25	Flying toys	NA
7.26	Improvised projectiles	NA

Abbreviation : P = Pass NA = Not Applicable

The submitted samples were undergone the abuse tests for Clause 5.1 in according to 8.3 (Torque test), 8.4 (Tension test), 8.5 (Drop test), 8.7 (Impact test), 8.8 (Compression test) and specific tests for different types of toys whichever applicable.

Below are additional information according to the Toy Safety Directive 2009/48/EC requirement. These information also appears as a note within the EN71 but are not standard requirements and not accredited:

Marking

The manufacturer's and importer's name, registered trade name or registered trade mark, the address and type, batch, serial or model number or other element allowing their identification shall be indicated on the product itself. In addition, toys or packagings shall also bear the CE-marking. After checking, it was found that

	Toy	Packaging
Manufacturer's name	Present	Present
Manufacturer's address	Present	Present
Importer's name	Present	Present
Importer's address	Present	Present
Product identification code	Present	Present
CE-marking	Present	Present

Cleaning instruction

A toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. The toy shall fulfill the safety requirements also after having been cleaned in accordance with this point and the manufacturer's instructions. The manufacturer should, if applicable, provided instructions on how the toy has to be cleaned.

After checking, the cleaning instruction was found on the submitted samples.

Date sample received : Nov 08, 2022

Test Period : Nov 08, 2022 to Nov 14, 2022



Issuing laboratory:

Toys and Hardlines Division of Intertek Testing Services Hong Kong Ltd.
This laboratory is accredited by the China National Accreditation Services(CNAS) for specific tests and /or measurements and the result shown in this report have been determined in accordance with the laboratory's terms of accreditation.



中国认可
国际互认
检测
TESTING
CNAS L3256

发布实验室:

本获准认可实验室获得中国合格评定国家认可委员会(CNAS) 正式承认特定的测试和测量范围, 並依照获准认可实验室的条款, 测定本报告显示的结果。

TEST REPORT

Number : HKGH0294274902

(2) Flammability Test

Test Standard : European Standard on Safety of Toys EN 71-2:2020

Clause	Requirement	Assessment
4.1	General requirements	P
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by a child in play	NA
4.4	Toys intended to be entered by a child	NA
4.5	Soft filled toys	NA

Abbreviation : P = Pass NA = Not Applicable

Date sample received : Nov 08, 2022

Test Period : Nov 08, 2022 to Nov 14, 2022



Issuing laboratory:

Toys and Hardlines Division of Intertek Testing Services Hong Kong Ltd.
This laboratory is accredited by the China National Accreditation Services(CNAS) for specific tests and /or measurements and the result shown in this report have been determined in accordance with the laboratory's terms of accreditation.



中国认可
国际互认
检测
TESTING
CNAS L3256

发布实验室:

本获准认可实验室获得中国合格评定国家认可委员会(CNAS) 正式承认特定的测试和测量范围, 並依照获准认可实验室的条款,测定本报告显示的结果。

TEST REPORT

Number : HKGH0294274902

(3) Mechanical and Physical Test

Test Standard : Standard on Safety of toys BS EN 71-1:2014 + A1:2018 / EN 71-1:2014 + A1:2018

Age group for testing : For Ages Over 6 Months

The submitted samples were undergone the following abuse tests:	
Clause	Testing Items
8.3	Torque test (0.34 Nm)
8.4.2.1	Tension test (90 N)
8.5	Drop Test (850 mm x 5)
8.7	Impact test (1 kg)
8.8	Compression test (110 N)

Clause	Requirement	Assessment
4	General requirements	
4.1	Material cleanliness	P
4.2	Assembly	NA
4.3	Flexible plastic sheeting	NA
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding Materials	NA
4.7	Edges	P
4.8	Points and Metallic wires	P
4.9	Protruding parts	NA
4.10	Parts moving against each other	NA
4.11	Mouth actuated toys and other toys intended to be put into mouth	NA
4.12	Balloons	NA
4.13	Cords of toy kites and other flying toys	NA
4.14	Enclosures	NA
4.15	Toys intended to bear the mass of a child	NA
4.16	Heavy immobile toys	NA



Issuing laboratory:

Toys and Hardlines Division of Intertek Testing Services Hong Kong Ltd.
This laboratory is accredited by the China National Accreditation Services(CNAS) for specific tests and /or measurements and the result shown in this report have been determined in accordance with the laboratory's terms of accreditation.



中国认可
国际互认
检测
TESTING
CNAS L3256

发布实验室:

本获准认可实验室获得中国合格评定国家认可委员会(CNAS) 正式承认特定的测试和测量范围, 並依照获准认可实验室的条款,测定本报告显示的结果。

TEST REPORT

Number : HKGH0294274902

Clause	Requirement	Assessment
4.17	Projectiles	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA
4.20	Acoustics	P
4.21	Toys containing non -electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	NA
4.24	Yo-yo balls	NA
4.25	Toys attached to food	NA
4.26	Toy Disguise Costumes	NA
4.27	Flying toys	NA
5	Toys intended for children under 36 months	
5.1	General requirements for toys intended for children under 36 months	P
5.2	Soft-filled toys and soft-filled parts of a toy	NA
5.3	Plastic sheeting	NA
5.4	Cords, chains and electrical cables in toys	NA
5.5	Liquid filled toys	NA
5.6	Speed limitation of electrically driven ride-on toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size of certain toys	P
5.9	Toys comprising monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15	Sledges with cords for pulling (7.24)	NA
6	Packaging	NA
7	Warnings, markings and instructions for use	
7.1	General	P
7.2	Toys not intended for children under 36 months	NA
7.3	Latex balloons	NA
7.4	Aquatic toys	NA



Issuing laboratory:

Toys and Hardlines Division of Intertek Testing Services Hong Kong Ltd.
This laboratory is accredited by the China National Accreditation Services(CNAS) for specific tests and /or measurements and the result shown in this report have been determined in accordance with the laboratory's terms of accreditation.



中国认可
国际互认
检测
TESTING
CNAS L3256

发布实验室:

本获准认可实验室获得中国合格评定国家认可委员会(CNAS) 正式承认特定的测试和测量范围, 並依照获准认可实验室的条款,测定本报告显示的结果。

TEST REPORT

Number : HKGH0294274902

Clause	Requirement	Assessment
7.5	Functional toys	NA
7.6	Hazardous sharp functional edges and points	NA
7.7	Projectile Toys	NA
7.8	Imitation protective masks and helmets	NA
7.9	Toy kites	NA
7.10	Roller skates, inline skates, skateboards and certain other ride-on toys	NA
7.11	Toys intended to be attached to or strung across a cradle, cot, or perambulator	NA
7.12	Liquid-filled teethingers	NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA
7.16	Toys intended to bear the mass of a child	NA
7.17	Toys comprising monofilament fibres	NA
7.18	Toy scooters	NA
7.19	Rocking horses and similar toys	NA
7.20	Magnetic / electrical experimental sets	NA
7.21	Toys with electrical cables exceeding 300 mm in length	NA
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NA
7.23	Toys intended to be attached to a cradle, cot or perambulator	NA
7.24	Sledges with cords for pulling	NA
7.25	Flying toys	NA
7.26	Improvised projectiles	NA

Abbreviation : P = Pass NA = Not Applicable



Issuing laboratory:

Toys and Hardlines Division of Intertek Testing Services Hong Kong Ltd.
This laboratory is accredited by the China National Accreditation Services(CNAS) for specific tests and /or measurements and the result shown in this report have been determined in accordance with the laboratory's terms of accreditation.



中国认可
国际互认
检测
TESTING
CNAS L3256

发布实验室:

本获准认可实验室获得中国合格评定国家认可委员会(CNAS) 正式承认特定的测试和测量范围, 並依照获准认可实验室的条款, 测定本报告显示的结果。

TEST REPORT

Number : HKGH0294274902

The submitted samples were undergone the abuse tests for Clause 5.1 in according to 8.3 (Torque test), 8.4 (Tension test), 8.5 (Drop test), 8.7 (Impact test), 8.8 (Compression test) and specific tests for different types of toys whichever applicable.

Cleaning instruction

A toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. The toy shall fulfill the safety requirements also after having been cleaned in accordance with this point and the manufacturer's instructions. The manufacturer should, if applicable, provided instructions on how the toy has to be cleaned.

After checking, the cleaning instruction was found on the submitted samples.

Below are additional information according to the Toy Safety Directive 2009/48/EC requirement. These information also appears as a note within the EN71 but are not standard requirements and not accredited:

Marking

The manufacturer's and importer's name, registered trade name or registered trademark, the address and type, batch, serial or model number or other element allowing their identification shall be indicated on the product itself. In addition, toys or packagings shall also bear the CE-marking. After checking, it was found that

	Toy	Packaging
Manufacturer's name	Present	Present
Manufacturer's address	Present	Present
EU Importer's name	Present	Present
EU Importer's address	Present	Present
Product identification code	Present	Present
CE-marking	Present	Present

Date sample received : Nov 08, 2022

Test Period : Nov 08, 2022 to Nov 14, 2022



Issuing laboratory:

Toys and Hardlines Division of Intertek Testing Services Hong Kong Ltd.
This laboratory is accredited by the China National Accreditation Services(CNAS) for specific tests and /or measurements and the result shown in this report have been determined in accordance with the laboratory's terms of accreditation.



中国认可
国际互认
检测
TESTING
CNAS L3256

发布实验室:

本获准认可实验室获得中国合格评定国家认可委员会(CNAS) 正式承认特定的测试和测量范围, 並依照获准认可实验室的条款,测定本报告显示的结果。

TEST REPORT

Number : HKGH0294274902

(4) Flammability Test

Test Standard : Standard on Safety of Toys BS EN 71-2:2020 / EN 71-2:2020

Clause	Requirement	Assessment
4.1	General requirements	P
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by a child in play	NA
4.4	Toys intended to be entered by a child	NA
4.5	Soft filled toys	NA

Abbreviation : P = Pass NA = Not Applicable

Date sample received : Nov 08, 2022

Test Period : Nov 08, 2022 to Nov 14, 2022



Issuing laboratory:

Toys and Hardlines Division of Intertek Testing Services Hong Kong Ltd.
This laboratory is accredited by the China National Accreditation Services(CNAS) for specific tests and /or measurements and the result shown in this report have been determined in accordance with the laboratory's terms of accreditation.



中国认可
国际互认
检测
TESTING
CNAS L3256

发布实验室:

本获准认可实验室获得中国合格评定国家认可委员会(CNAS) 正式承认特定的测试和测量范围, 並依照获准认可实验室的条款, 测定本报告显示的结果。

TEST REPORT

Number : HKGH0294274902

(5) Toxic Elements Analysis

Test Method : European Standard on Safety of toys EN71-3 : 1994 and amendment A1 : 2000 and AC : 2002, acid extraction method was used and toxic elements content were determined by Inductively Coupled Plasma Optical Emission Spectrometry.

Materials other than modelling clay:

	Result (mg/kg)			Limit (mg/kg)
	(1)	(3)	(4)	
Soluble Barium (Ba)	<5	<5	<5	1000
Soluble Lead (Pb)	<5	<5	<5	90
Soluble Cadmium (Cd)	<5	<5	<5	75
Soluble Antimony (Sb)	<5	<5	<5	60
Soluble Selenium (Se)	<5	<5	<5	500
Soluble Chromium (Cr)	<5	<5	<5	60
Soluble Mercury (Hg)	<5	<5	<5	60
Soluble Arsenic (As)	<2.5	<2.5	<2.5	25

	Result (mg/kg)			Limit (mg/kg)
	(5)	(6)	(7)	
Soluble Barium (Ba)	<5	<5	<5	1000
Soluble Lead (Pb)	<5	<5	<5	90
Soluble Cadmium (Cd)	<5	<5	<5	75
Soluble Antimony (Sb)	<5	<5	<5	60
Soluble Selenium (Se)	<5	<5	<5	500
Soluble Chromium (Cr)	<5	<5	<5	60
Soluble Mercury (Hg)	<5	<5	<5	60
Soluble Arsenic (As)	<2.5	<2.5	<2.5	25



Issuing laboratory:

Toys and Hardlines Division of Intertek Testing Services Hong Kong Ltd.
This laboratory is accredited by the China National Accreditation Services(CNAS) for specific tests and /or measurements and the result shown in this report have been determined in accordance with the laboratory's terms of accreditation.



中国认可
国际互认
检测
TESTING
CNAS L3256

发布实验室:

本获准认可实验室获得中国合格评定国家认可委员会(CNAS) 正式承认特定的测试和测量范围, 並依照获准认可实验室的条款,测定本报告显示的结果。

TEST REPORT

Number : HKGH0294274902

	Result (mg/kg)			Limit (mg/kg)
	(8)	(9)	(10)	
Soluble Barium (Ba)	<5	<5	<5	1000
Soluble Lead (Pb)	<5	<5	<5	90
Soluble Cadmium (Cd)	<5	<5	<5	75
Soluble Antimony (Sb)	<5	<5	<5	60
Soluble Selenium (Se)	<5	<5	<5	500
Soluble Chromium (Cr)	<5	<5	<5	60
Soluble Mercury (Hg)	<5	<5	<5	60
Soluble Arsenic (As)	<2.5	<2.5	<2.5	25

mg/kg = milligram per kilogram

@ : Since the sample weight of the component was less than 10 mg, soluble heavy metal analysis was not applicable.

Tested Components:

- (1) Coatings on wood (piano).
- (2) @ Black coating on plastic (marking).
- (3) Coatings on plastic (music sheet).
- (4) Shiny white ABS plastic (upper housing).
- (5) White PP plastic (bottom housing).
- (6) Dark blue ABS plastic (button).
- (7) Blue ABS plastic (switch).
- (8) Aqua HDPE plastic (stand).
- (9) White PP plastic (music sheet).
- (10) Light brown plywood (plywood).



Issuing laboratory: Toys and Hardlines Division of Intertek Testing Services Hong Kong Ltd. This laboratory is accredited by the China National Accreditation Services(CNAS) for specific tests and /or measurements and the result shown in this report have been determined in accordance with the laboratory's terms of accreditation.



中国认可
国际互认
检测
TESTING
CNAS L3256

发布实验室: 本获准认可实验室获得中国合格评定国家认可委员会(CNAS) 正式承认特定的测试和测量范围, 并依照获准认可实验室的条款, 测定本报告显示的结果。

TEST REPORT

Number : HKGH0294274902

Decision Rule:

∞ : Materials are deemed to comply with the requirements if the adjusted analytical result is less than or equal to the limit of this table.

The analytical result of materials shall be adjusted by subtracting the analytical correction in below table to obtain an adjusted analytical of result.

Elements	Sb	As	Ba	Cd	Cr	Pb	Hg	Se
Analytical Correction(%)	60	60	30	30	30	30	50	60

Date sample received : Nov 08, 2022
Test Period : Nov 08, 2022 to Nov 11, 2022

End of report

This report is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to and subject to our standard Terms and Conditions which can be obtained at our website: <http://www.intertek.com/terms/>. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this report. Intertek is responsible for all the information provided in the reports, except when information is provided by the Client or when the Client requires the item to be tested acknowledging a deviation from specified conditions that can affect the validity of results.

The observations and test results in this report are relevant to the sample(s) tested and submitted by client. The report is not intended to be a recommendation for any particular course of action, you are responsible for acting as you see fit on the basis of the report results. This report does not discharge or release you from your legal obligations and duties to any other person. Only the Client is authorized to permit copying or distribution of this report and the report shall not be reproduced except in full. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. This report by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

