

Issuing laboratory:
Toys and Hardlines Division of Intertek Testing Services Hong Kong Ltd.
This laboratory is accredited by the China National Accreditation Services(CNAS) for specific tests and /or measurements and the result shown in this report have been determined in accordance with the laboratory's terms of accreditation.



Number:

Date:



HKGH0294274701

Feb 09, 2023

中国认可 国际互认 检测 TESTING **CNAS L3256**

发布实验室:

本获准认可实验室获得中国合格评定国家认可委员会(CNAS) 正式承认特定的测试和测 量范围, 並依照获准认可实验室的条款, 測定本报告显示的结果。

TEST REPORT

Applicant:

KIDS II FAR EAST LTD

SUITE 3001 30/F TOWER 6 THE GATEWAY

9 CANTON RD TSIM SHA TSUI KLN

HK

Attn:

ANNY MAI

Item Name

Sample and Information provided by Customer

Item No.

Magic Touch Drums™ Wooden Musical Toy

11650 (800803, 800803K63)

Style

No of Sample Submitted Labelled Age Group

14 pieces

6m+ Yes

Packaging Provided Vendor

Hape International (Ningbo) Ltd

Country of Origin China

*Appropriate Age Grade

For Ages Over 6 Months : For Ages Over 6 Months

*Tested Age Grade

* Information by Intertek

Prepared and checked by:

For Intertek Testing Services HK Ltd.

Wong, Siu Kai William Assistant General Manager **CNAS Approved Signatory**

Wong, Chun Man Francis Senior Manager **CNAS Approved Signatory**



Page 1 of 14





Toys and Hardlines Division of Intertek Testing Services Hong Kong Ltd. This laboratory is accredited by the China National Accreditation Services(CNAS) for specific tests and /or measurements and the result shown in this report have been determined in accordance with the laboratory's terms of accreditation.





中国认可 国际互认 检测 TESTING **CNAS L3256**

发布实验室:

本获准认可实验室获得中国合格评定国家认可委员会(CNAS) 正式承认特定的测试和测 量范围,並依照获准认可实验室的条款,測定本报告显示的结果。

TEST REPORT

HKGH0294274701 Number:







Conclusion:

The submitted sample was tested under the following requirements requested by the applicant, subject to the information stated in the remark and attached page(s) for details:

Requirement

(1) U.S. ASTM F963-17

- Physical and Mechanical tests

(2) ASTM F963-17

- Flammability Test of Materials other than textile materials

(3) ASTM F963-17

- Soluble heavy elements test ∞

(4) ASTM F963-17

- Total Lead content

(5) U.S. CFR Title 16 (CPSC Regulations)

- mechanical and physical tests

1500.48 Sharp point

1500.49 Sharp edge

1501 Small part

(6) U.S. CFR Title 16 (CPSC Regulations) - Part 1500.3(c)(6)(vi)

- Flammability test on rigid and pliable solids

Result

Pass

Pass

Pass

Pass

Pass

Pass









Toys and Hardlines Division of Intertek Testing Services Hong Kong Ltd. This laboratory is accredited by the China National Accreditation Services(CNAS) for specific tests and /or measurements and the result shown in this report have been determined in accordance with the laboratory's terms of accreditation.





中国认可 国际互认 检测 TESTING **CNAS L3256**

发布实验室:

本获准认可实验室获得中国合格评定国家认可委员会(CNAS) 正式承认特定的测试和测 量范围, 並依照获准认可实验室的条款, 測定本报告显示的结果。

TEST REPORT

Number: HKGH0294274701

Requirement

Result

(7) U.S. Consumer Product Safety Improvement Act 2008 Title I Section 101

Pass

- Total Lead content in non-surface coating materials (substrate)

(8) U.S. CFR Title 16 (CPSC Regulations) - Part 1303

Pass

- Total Lead content in surface coating

U.S. Consumer Product Safety Improvement Act 2008 Title I Section 101

Pass

- Total Lead content in surface coating

Decision Rule(s):

When a statement of conformity to a specification or standard is provided on test report, the decision rule shall be applied. For details, please refer to Intertek's "Decision Rule Document" and is available on Intertek's website. https://intertekhk.grd.by/decision-rule-doc..

If decision rule already inhered in the requested specification or standard, Intertek's "Decision Rule Document" is not applicable and indication of """

was shown as above table.





Toys and Hardlines Division of Intertek Testing Services Hong Kong Ltd. This laboratory is accredited by the China National Accreditation Services(CNAS) for specific tests and /or measurements and the result shown in this report have been determined in accordance with the laboratory's terms of accreditation.





中国认可 国际互认 检测 TESTING **CNAS L3256**

发布实验室:

本获准认可实验室获得中国合格评定国家认可委员会(CNAS) 正式承认特定的测试和测 量范围, 並依照获准认可实验室的条款, 測定本报告显示的结果。

TEST REPORT

HKGH0294274701 Number:

(1) Physical and Mechanical Tests

Test Standard

: ASTM Standard Consumer Safety Specification for Toy Safety F963-17

Age group for testing

: For Ages Over 6 Months

The submitted samples were undergone the use and abuse tests in accordance with the Federal

Hazardous Substances Act (FHSA), Title 16, Code of Federal Regulations : -

FHSA Parameter Compression test Section 1500.53(g) 30 lbf **Drop Test** Section 1500.51(b) 10 x 4.5 ft Tension test Section 1500.53(f) 15 lbf Torque test Section 1500.53(e) 4 in-lbf

<u>Clause</u>	Requirement	Assessment
4.1	Material quality	Р
4.5	Sound producing toys	Р
4.6.1	Toys intended for children under 36 months of age	Р
4.6.2	Mouth actuated toys	NA
4.6.3	Toys and games for 36 months to 72 months - Small part warning	NA
4.7	Accessible edges	P
4.8	Projection	NA
4.9	Accessible points	Р
4.10	Wires or rods	NA
4.11	Nails and fasteners	P
4.12	Plastic film	NA
4.13	Folding mechanisms and hinges	NA
4.14	Cords, straps, and elastics	NA
4.15	Stability and overload requirement	NA
4.16	Confined spaces	NA
4.17	Wheels, tires, and axles (96 months of age or less)	NA
4.18	Holes, clearance, and accessibility of mechanisms	NA
4.19	Simulated protective devices	NA
4.20	Pacifiers	NA
4.21	Projectile toys	NA
4.22	Teethers and teething toys	NA
4.23	Rattles	NA
4.24	Squeeze toys	NA
4.25	Battery operated toys	P
4.26	Toys intended to be attached to a crib or playpen	NA
4.27	Stuffed and beanbag type toys	NA
4.28	Stroller and carriage toys	NA







Toys and Hardlines Division of Intertek Testing Services Hong Kong Ltd.

This laboratory is accredited by the China National Accreditation Services(CNAS) for specific tests and /or measurements and the result shown in this report have been determined in accordance with the laboratory's terms of accreditation.





中国认可 国际互认 检测 TESTING **CNAS L3256**

发布实验室:

本获准认可实验室获得中国合格评定国家认可委员会(CNAS) 正式承认特定的测试和测 量范围,並依照获准认可实验室的条款,測定本报告显示的结果。

TEST REPORT

Number: HKGH0294274701

Clause	Requirement	Assessment
4.29	Art materials	NA
4.30	Toy gun marking	NA
4.31	Balloons	NA
4.32	Certain toys with nearly spherical ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispherical shaped objects	NA
4.37	Yo Yo elastic tether toys	NA
4.38	Magnets	NA
4.39	Jaw Entrapment in Handles and Steering Wheels	NA
4.40	Expanding materials	NA
4.41	Toy chests	NA
5	Labeling requirements	Р
6	Instructional literature	Р
7	Producer's marking	
	- Name of producer / distributor	Yes
	- Address	Yes

Abbreviation:

P = Pass

NA = Not Applicable

The submitted samples were undergone the tests in accordance with section 8.5 through section 8.17 and 8.19 through 8.26 on normal use, abuse and specific tests for different types of toys whichever is applicable.

Date sample received: Nov 08, 2022







Issuing laboratory:
Toys and Hardlines Division of Intertek Testing Services Hong Kong Ltd.
This laboratory is accredited by the China National Accreditation Services(CNAS) for specific tests and /or measurements and the result shown in this report have been determined in accordance with the laboratory's terms of accreditation.





中国认可 国际互认 检测 TESTING **CNAS L3256**

发布实验室:

本获准认可实验室获得中国合格评定国家认可委员会(CNAS) 正式承认特定的测试和测 量范围, 並依照获准认可实验室的条款, 測定本报告显示的结果。

TEST REPORT

Number: HKGH0294274701

(2)Flammability Tests

Test Standard

: Section 4.2 of the ASTM Standard Consumer Safety Specification for Toy Safety

F963-17.

Result: Ignited but self-extinguished before burn rate could be determined.

Date sample received: Nov 08, 2022







Issuing laboratory:
Toys and Hardlines Division of Intertek Testing Services Hong Kong Ltd.
This laboratory is accredited by the China National Accreditation Services(CNAS) for specific tests and /or measurements and the result shown in this report have been determined in accordance with the laboratory's terms of accreditation.





中国认可 国际互认 检测 TESTING **CNAS L3256**

发布实验室:

本获准认可实验室获得中国合格评定国家认可委员会(CNAS)正式承认特定的测试和测 量范围,並依照获准认可实验室的条款,測定本报告显示的结果。

TEST REPORT

Number: HKGH0294274701

(3)**Heavy Elements Analysis**

Test Method

: Sections 8.3.2, 8.3.3, 8.3.4 and 8.3.5 of the ASTM Standard Consumer Safety Specification for Toy Safety F963-17. Acid extraction and analysed by Inductively Coupled Argon Plasma Spectrometry.

Materials other than modelling clay:

	Result (ppm)			Limit
	(1)	(3)	(4)	(ppm)
Soluble Barium (Ba)	<5	<5	<5	1000
Soluble Lead (Pb)	<5	<5	<5	90
Soluble Cadmium (Cd)	<5	<5	<5	75
Soluble Antimony (Sb)	<5	<5	<5	60
Soluble Selenium (Se)	<5	<5	<5	500
Soluble Chromium (Cr)	<5	<5	<5	60
Soluble Mercury (Hg)	<5	<5	<5	60
Soluble Arsenic (As)	<2.5	<2.5	<2.5	25

	Result (ppm)			Limit	
	(5)	(6)	(7)	(ppm)	
Soluble Barium (Ba)	<5	<5	<5	1000	
Soluble Lead (Pb)	<5	<5	<5	90	
Soluble Cadmium (Cd)	<5	<5	<5	75	
Soluble Antimony (Sb)	<5	<5	<5	60	
Soluble Selenium (Se)	<5	<5	<5	500	
Soluble Chromium (Cr)	<5	<5	<5	60	
Soluble Mercury (Hg)	<5	<5	<5	60	
Soluble Arsenic (As)	<2.5	<2.5	<2.5	25	







Toys and Hardlines Division of Intertek Testing Services Hong Kong Ltd. This laboratory is accredited by the China National Accreditation Services (CNAS) for specific tests and /or measurements and the result shown in this report have been determined in accordance with the laboratory's terms of accreditation.





中国认可 国际互认 检测 TESTING **CNAS L3256**

发布实验室:

本获准认可实验室获得中国合格评定国家认可委员会(CNAS) 正式承认特定的测试和测 量范围, 並依照获准认可实验室的条款, 測定本报告显示的结果。

TEST REPORT

Number: HKGH0294274701

The above limit was quoted according to Section 4.3.5 of the ASTM Standard Consumer Safety Specification for Toy Safety F963-17

ppm = parts per million = mg/kg

Since the sample weight of the component was less than 10 mg, soluble heavy metal analysis was not applicable.

Tested Components:

Coatings on wood (drum).

Black coating on plastic (marking). White PP plastic (housing).

Dark blue ABS plastic (button).

Blue ABS plastic (switch).

Light brown plywood (plywood).

Deep blue HDPE plastic (handle).

Decision Rule:

∞: Materials are deems to comply with the requirements if the adjusted analytical result is less than or equal to the limit of this table.

The analytical result of materials shall be adjusted by subtracting the analytical correction in below table to obtain an adjusted analytical of result.

Elements	Sb	As	Ba	Cd	Cr	Pb	Hg	Se
Analytical Correction(%)	60	60	30	30	30	30	50	60

Date sample received: Nov 08, 2022







Toys and Hardlines Division of Intertek Testing Services Hong Kong Ltd.
This laboratory is accredited by the China National Accreditation Services(CNAS) for specific tests and /or measurements and the result shown in this report have been determined in accordance with the laboratory's terms of accreditation.





中国认可 国际互认 检测 TESTING **CNAS L3256**

发布实验室:

本获准认可实验室获得中国合格评定国家认可委员会(CNAS)正式承认特定的测试和测 量范围, 並依照获准认可实验室的条款, 測定本报告显示的结果。

TEST REPORT

Number: HKGH0294274701

(4) Total Lead (Pb) Content

Test Method

: CPSC-CH-E1001-08.3, CPSC-CH-E1002-08.3 or/and CPSC-CH-E1003-09.1,

analysed by Inductively Coupled Argon Plasma Spectrometry.

Coating:

Tested Component	Result in ppm	Limit in ppm
(1)	<20	90
(2)	<20	90

Substrate:

Tested Component	Result in ppm	Limit in ppm
(3)	<20	100
(4)	<20	100
(5)	<20	100
(6)	<20	100
(7)	<20	100
(8)	<20	100

The above limit was quoted according to Section 4.3.5.1 (1) and 4.3.5.2 (2)(a) of the ASTM standard Consumer Safety Specification for Toy Safety F963-17.

ppm = parts per million = mg/kg







Issuing laboratory:
Toys and Hardlines Division of Intertek Testing Services Hong Kong Ltd.
This laboratory is accredited by the China National Accreditation Services(CNAS) for specific tests and /or measurements and the result shown in this report have been determined in accordance with the laboratory's terms of accreditation.





中国认可 国际互认 检测 TESTING **CNAS L3256**

发布实验室:

本获准认可实验室获得中国合格评定国家认可委员会(CNAS)正式承认特定的测试和测 量范围, 並依照获准认可实验室的条款, 測定本报告显示的结果。

TEST REPORT

HKGH0294274701 Number:

Tested Components:

(1)	Coatings on wood (drum).
(2)	Black coating on plastic (marking).
(3)	White PP plastic (housing).
(4)	Dark blue ABS plastic (button).
(5)	Blue ABS plastic (switch).
(6)	Light brown plywood (plywood).
(7)	Silver color metal (crosshead screw).
(8)	Deep blue HDPE plastic (handle).

Date sample received: Nov 08, 2022







Toys and Hardlines Division of Intertek Testing Services Hong Kong Ltd.
This laboratory is accredited by the China National Accreditation Services(CNAS) for specific tests and /or measurements and the result shown in this report have been determined in accordance with the laboratory's terms of accreditation.





中国认可 国际互认 检测 TESTING CNAS L3256

发布实验室:

本获准认可实验室获得中国合格评定国家认可委员会(CNAS)正式承认特定的测试和测量范围,並依照获准认可实验室的条款,測定本报告显示的结果。

TEST REPORT

Number: HKGH0294274701

(5) Physical and Mechanical Test

Test Standard

: U.S. code of Federal Regulations Title 16 Part 1500.50, the hazards of sharp points, sharp edge and small parts are assessed both before and after applicable use and abuse tests.

Age group for testing

: For Ages Over 6 Months

	No. of sample tested	Sharp point (1500.48)	Sharp edge (1500.49)	Small part (1501)
As Received	1	Р	P	Р
Impact (1500.51(b))	1	Р	P	Р
Flexure (1500.53(d))	0	NA	NA	NA
Torque (1500.53(e))	1	Р	Р	Р
Tension (1500.53(f))	1	Р	Р	Р
Compression (1500.53(g))	1	Р	Р	Р

Abbreviation : P= Pass NA = Not applicable

Date sample received: Nov 08, 2022







Toys and Hardlines Division of Intertek Testing Services Hong Kong Ltd.
This laboratory is accredited by the China National Accreditation Services(CNAS) for specific tests and /or measurements and the result shown in this report have been determined in accordance with the laboratory's terms of accreditation.





中国认可 国际互认 检测 TESTING **CNAS L3256**

发布实验室:

本获准认可实验室获得中国合格评定国家认可委员会(CNAS)正式承认特定的测试和测 量范围, 並依照获准认可实验室的条款, 測定本报告显示的结果。

TEST REPORT

Number: HKGH0294274701

(6) Flammability Tests

Test Standard

: U.S. Code of Federal Regulations Title 16 Part 1500.44 for rigid and pliable solids.

Result: Ignited but self-extinguished before burn rate could be determined.

Date sample received: Nov 08, 2022







Toys and Hardlines Division of Intertek Testing Services Hong Kong Ltd. This laboratory is accredited by the China National Accreditation Services(CNAS) for specific tests and /or measurements and the result shown in this report have been determined in accordance with the laboratory's terms of accreditation.





中国认可 国际互认 检测 TESTING **CNAS L3256**

发布实验室:

本获准认可实验室获得中国合格评定国家认可委员会(CNAS)正式承认特定的测试和测 量范围, 並依照获准认可实验室的条款, 測定本报告显示的结果。

TEST REPORT

Number: HKGH0294274701

(7)Total Lead (Pb) Content in Non-Surface Coating Materials (Substrate)

Test Method

: Standard Operating Procedures for Determining Total Lead (Pb) in Children's

Products, test methods CPSC-CH-E1002-08.3 and/or CPSC-CH-E1001.08.3, analysed

by Inductively Coupled Argon Plasma Spectrometry.

Tested Component	Result in ppm	Limit in ppm
(1)	<20	100
(2)	<20	100
(3)	<20	100
(4)	<20	100
(5)	<20	100
(6)	<20	100

The above limit was quoted according to U.S. Consumer Product Safety Improvement Act 2008 Title I, Section 101.

ppm = parts per million = mg/kg

Tested Components:

(1)	White PP plastic (housing).
-----	-----------------------------

Dark blue ABS plastic (button).

(3) (4) (5) Blue ABS plastic (switch).

Light brown plywood (plywood).

Silver color metal (crosshead screw).

Deep blue HDPE plastic (handle).

Date sample received: Nov 08, 2022







Toys and Hardlines Division of Intertek Testing Services Hong Kong Ltd.
This laboratory is accredited by the China National Accreditation Services(CNAS) for specific tests and /or measurements and the result shown in this report have been determined in accordance with the laboratory's terms of accreditation.





中国认可 国际互认 检测 TESTING **CNAS L3256**

发布实验室:

本获准认可实验室获得中国合格评定国家认可委员会(CNAS)正式承认特定的测试和测 量范围, 並依照获准认可实验室的条款, 測定本报告显示的结果。

TEST REPORT

Number: HKGH0294274701

(8) Total Lead (Pb) Content in Surface Coating

Test Method

: Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings, test method CPSC-CH-E1003-09.1, analysed by Inductively Coupled Argon Plasma Spectrometry.

Tested Component	Result in ppm	Limit in ppm
(1)	<20	90
(2)	<20	90

The Above limit was quoted according to U.S. CFR Title 16 Part 1303 and U.S. Consumer Product Safety Improvement Act 2008 Title I, Section 101.

ppm = parts per million = mg/kg

Tested Components:

Coatings on wood (drum).

(1)(2)Black coating on plastic (marking).

Date sample received: Nov 08, 2022

Test Period: Nov 08, 2022 to Nov 14, 2022

End of report

This report is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to and subject to our standard Terms and Conditions which can be obtained at our website: http://www.intertek.com/terms/. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this report. Intertek is responsible for all the information provided in the reports, except when information is provided by the Client or when the Client requires the item to be tested acknowledging a deviation from specified conditions that can affect the validity of results.

The observations and test results in this report are relevant to the sample(s) tested and submitted by client. The report is not intended to be a recommendation for any particular course of action, you are responsible for acting as you see fit on the basis of the report results. This report does not discharge or release you from your legal obligations and duties to any other person. Only the Client is authorized to permit copying or distribution of this report and the report shall not be reproduced except in full. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. This report by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.





