



Test Report No.: T52110311120TY Date: OCT 30, 2021 Page 1 of 15

HAPPY ARTS&CRAFTS(NINGBO)CO.,LTD HAPE INTERNATIONAL (NINGBO) LTD 9-27 NANHAI ROAD, DAGANG INDUSTRIAL CITY, BEILUN, NINGBO, CHINA PC:315800

The following samples were submitted and identified by/on behalf of the client as:

E1010 ALL-IN-1 EASEL

Item No. : E1010

Asin No : B00II021GK

Country of Origin : CHINA
Country of Destination : GLOBAL

Client Reference Information : E1010A,E1010B

Labeled Age Grading : 3Y+
Requested Age Grading : 3Y+

Age Group Assessed by SGS As Per Age : OVER 3 YEARS

Guideline

Age Group Applied in Testing : OVER 3 YEARS
Sample Receiving Date : OCT 20, 2021

Testing Period : OCT 20, 2021 TO OCT 30, 2021





Test Report No.: T52110311120TY Date: OCT 30, 2021 Page 2 of 15

Test	Requested	Conclusion
1.	For compliance with the test requirement of ASTM F963-17 Standard Consumer Safety Specification on Toy Safety. (Except tool)	
	ASTM F963-17 Standard Consumer Safety Specification for Toy Safety	PASS
2.	For compliance with test requirement of the Physical & Mechanical, Flammability test requirement of Title 16, Code of Federal Regulations, Chapter II – Consumer Products Safety Commission of U.S.A	
	Physical and mechanical tests consisting US CPSC 16 CFR 1500.48, US CPSC 16 CFR 1500.49 and US CPSC 16 CFR 1501:	
	- US CPSC 16 CFR 1500.48 – Technical requirements for determining a sharp point in toys and other articles intended for use by children under 8 years of ages	
	- US CPSC 16 CFR 1500.49 – Technical requirements for determining a sharp metal or glass edge in toys and other articles intended for use by children under 8 years of age	PASS
	- US CPSC 16 CFR 1501 – Method for identifying toys and other articles intended for use by children under 3 years of age which present choking, aspiration, or ingestion hazards because of small parts	
	US CPSC 16 CFR 1500.44 – Method for determining extremely flammable and flammable solids	PASS
3.	Title 16, Code of Federal Regulations, Chapter II - Consumer Products Safety Commission of U.S.A Part 1303 - Ban of Lead - Containing Paint and Certain Consumer Products Bearing Lead - Containing Paint – Lead Content	PASS
4.	Tracking label per Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103 tracking labels for children's products.	PASS*



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307



Test Report No.: T52110311120TY Date: OCT 30, 2021 Page 3 of 15

Test	Requested	Conclusion
5.	CPSIA section 101 - Total Lead content	
	CPSIA section 101(f) (1) – Lead in paint/similar surface coating material	PASS
	Client's Requirement – Lead in paint/similar surface coating material	PASS
	CPSIA section 101(a) (2) – Lead in accessible substrate materials (Including Children's Metal Jewelry)	PASS
	Client's Requirement –Lead in accessible substrate materials (Including Children's Metal Jewelry)	PASS

Remark: Test item(s) with "*" is(are) not accredited by CNAS.

******* FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) ********

Signed for and on behalf of SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Testing Center

Liu Junjie, Tony Section Manager CNAS Approved Signatories

CNAS Approved Signatories

Qu Ping, Kiky

Dept. Manager







Test Report No.: T52110311120TY Date: OCT 30, 2021 Page 4 of 15

Results:

ASTM F963-17 STANDARD CONSUMER SAFETY SPECIFICATION FOR TOY SAFETY

AS SPECIFIED IN ASTM F963-17 STANDARD CONSUMER SAFETY SPECIFICATION ON TOYS SAFETY

Clauses relevant to the item:

<u>Clause</u>	Description	<u>on</u>	Result
4	Safety Re	equirements	
4.1	Material (Quality **	<u>Pass</u>
4.2	Flammab	ility Test	<u>Pass</u>
			(See Result Page)
4.3	Toxicolog		
4.3.2	Manufact	turing and Packaging of Food	<u>N/A</u>
4.3.3	Indirect F	ood Additives	<u>N/A</u>
4.3.4	Cosmetic	es	<u>N/A</u>
4.3.5	Heavy El	ements	
	4.3.5.1	Heavy Elements in Paint/Similar Surface Coating Materials	<u>Pass</u>
			(See Result Page)
	4.3.5.2	Heavy Metal in Substrate Materials	<u>Pass</u>
			(See Result Page)
4.3.6	Cosmetic Feather C	c, Liquids, Pastes, Putties, Gels, Powders and Item of Avian Origin	<u>N/A</u>
4.3.7	Stuffing N	Materials	N/A
4.3.8	DEHP (D	OP)	N/A
4.4	Electrical	/Thermal Energy	N/A
4.5	Sound-Pr	roducing Toys	N/A
4.6.1	Small Ob	jects	N/A
4.6.2	Mouth-Ac	ctuated Toys	N/A
4.6.3	Labelling	Requirements	N/A
	Remark:	The toy does not contain as-received small part.	(See Remark)
4.7	Accessib	le Edges	<u>Pass</u>
4.8	Projection	ns	N/A
4.9	Accessib	le Points	<u>Pass</u>
4.10	Wires or	Rods	N/A
4.11	Nails and	Fasteners	<u>Pass</u>
4.12	Plastic Fi	lm	<u>Pass</u>
4.13.1	Folding M	Mechanisms	N/A
4.13.2	Hinge-Lir	ne Clearance	N/A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Comment.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / insection reports.



Test Report No.: T52110311120TY Date: OCT 30, 2021 Page 5 of 15

ClauseDescription4.14Cords, Straps and Elastic4.15Stability and Over-Load Requirements4.16Confined Spaces4.17Wheels, Tires, and Axles4.18Holes, Clearance & Accessibility of Mechanisms4.19Simulated Protective Devices4.20Pacifiers4.21Projectile Toys4.22Teethers and Teething Toys4.23Rattles	Result N/A Pass N/A
4.24 Squeeze Toys	N/A
4.25 Battery-Operated Toys (Rechargeable battery/Non-rechargeable battery)	<u>N/A</u>
4.26 Toys Intended to be Attached to a Crib or Playpen	N/A
4.27 Stuffed and Beanbag-Type Toys	N/A
4.28 Stroller and Carriage Toys	N/A
4.29 Art Materials	N/A
4.30 Toy Gun Marking	N/A
4.31 Balloons	N/A
4.32 Certain Toys and Nearly Spherical Ends	N/A
4.33 Marbles	N/A
4.34 Balls	N/A
4.35 Pompoms	<u>N/A</u>
4.36 Hemispheric-Shaped Objects	N/A
4.37 Yo Yo Elastic Tether Toys	<u>N/A</u>
4.38 Magnets	<u>N/A</u>
4.39 Jaw Entrapment in Handles and Steering Wheels	<u>N/A</u>
4.40 Expanding Materials	<u>N/A</u>
4.41 Toy Chest	N/A
5 Safety Labeling Requirements	
5.2 Age Grading Labeling	<u>Pass</u>
5.3 Safety Labeling Requirements	N/A
5.4 AquaticToys	N/A
5.5 Crib & Playpen Toys	N/A
5.6 Mobile	N/A
5.7 Stroller and Carriage Toys	N/A
Toys Intended to be Assembled by an Adult	<u>N/A</u>



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sqs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-75) 8307



Test Report No.: T52110311120TY Date: OCT 30, 2021 Page 6 of 15

<u>Clause</u>	Description	Result
5.9	Simulated Protective Devices	N/A
5.10	Toys with Functional Sharp Edges and Sharp Points	N/A
5.11	Small Objects, Small Balls, Marbles, and Balloons	N/A
5.12	Toy Caps	N/A
5.13	Art Materials	N/A
5.14	Electric Toys	N/A
5.15	Battery-Operated Toys	N/A
5.16	Promotional Materials	<u>Pass</u>
5.17	Magnets	N/A
6	Instructional Literature	
6.2	Crib & Playpen Toys	N/A
6.3	Mobiles	N/A
6.4	Toys Intended to be Assembled by an Adult	N/A
6.5	Battery-Operated Toys	N/A
6.6	Battery Powered Ride-on Toys	N/A
6.7	Toys in Contact with Food	N/A
6.8	Toy Chests	N/A
7	Producer's Markings	
7.1	Producer's Markings	<u>Pass</u>
7.2	Battery-Powered Ride-on Toys	N/A
7.3	Toy Chests	N/A
8.5	Normal Use Testing	<u>Pass</u>
8.7	Impact Test	<u>Pass</u>
8.8	Torque Test	<u>Pass</u>
8.9	Tension Test	Pass Pass
8.10	Compression Test	<u>Pass</u>
8.12	Flexure Test	<u>N/A</u>
8.16	Tension Test for Pompoms	<u>N/A</u>

N/A = Not Applicable

** Visual Examination



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/terms-and-Conditions/Terms-and-Comment.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307



Test Report No.: T52110311120TY Date: OCT 30, 2021 Page 7 of 15

Result Page:

Flammability Test (Clause 4.2)

Flammability Test on Solid

Sample E1010 ALL-IN-1 EASEL Burning Rate (inch/sec) 0.03

Requirement: A toy / component is considered a "flammable solid" if it ignites and burns with a self-sustaining flame at a rate greater than 0.10 in/sec along its major axis.

ASTM F963-17, Clause 4.3.5.1 – Heavy Elements in Paint/Similar Surface Coating Materials

Method: With reference to CPSC-CH-E1003-09.1

Method: With reference to ASTM F963-17 Clause 8.3

Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)

Total Lead Content

Test Item(s)					
MDL (ppm)			10		
Total Limit (ppm)			90		
Specimen Description Alias Tracing No. No.					
 Black w/ pale grey coating on wood (Board) + Light green w/ cream coating on wood (Frame) + Dark blue w/ white coating on wood (Frame) 	2	2	ND		
2. White coating on metal (Board)	2	3	ND		
3. Red w/ white coating on wood (Holder) w/ Black coating on wood (Lettering) w/ Brown coating on wood (Pattern)	01T-1	1	33		
4. Dark red w/ light red coating on wood (Board)	01T-1	2	ND		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.spx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Condit



Test Report No.: T52110311120TY Date: OCT 30, 2021 Page 8 of 15

Soluble Heavy Metal Content

Test Item(s)				Pb	Sb	As	Ва	Cd	Cr	Hg	Se
MDL (ppm)				5	5	2.5	10	5	5	5	10
Migration Limit (ppm)				90	60	25	1000	75	60	60	500
Specimen No.	Alias No.	Tracing No.	Mass of trace amount (mg)	Adjusted Migration Result(s) (ppm)							
1	1	1	/	ND	ND	ND	ND	ND	ND	ND	ND
2	1	2	/	ND	ND	ND	ND	ND	ND	ND	ND
3	1	3	/	ND	ND	ND	ND	ND	ND	ND	ND
4	1	4	/	ND	ND	ND	ND	ND	ND	ND	ND
5	1	5	/	ND	ND	ND	ND	ND	ND	ND	ND
6	1	6	/	ND	ND	ND	ND	ND	ND	ND	ND

Specimen Description:

- 1. Red w/ white coating on wood (Holder)
- 2. Dark red w/ light red coating on wood (Board)
- 3. Black w/ pale grey coating on wood (Board)
- 4. White coating on metal (Board)
- 5. Light green w/ cream coating on wood (Frame)
- 6. Dark blue w/ white coating on wood (Frame)

Note: - ppm = parts per million

- $-1\% = 10000 \text{ mg/kg} = 10000 \text{ ppm} = 10000 \text{ } \mu\text{g/g}$
- MDL = Method Detection Limit
- ND = Not Detected (lower than MDL)
- Migration results of eight elements shown are of the adjusted analytical results
- For Soluble Heavy Metal Content & Total Lead Content in composite: The decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.
- The result(s) is (are) calculated using the minimum specimen weight for composite test.

Remark: As received, below test portion(s) is(are) less than 10 mg, therefore such component(s) was(were) not tested for certain migration elements, as specified in ASTM F963-17 Clause 8.3.3.6 (2) – Selection of Test Portions

Black coating on wood (Lettering), brown coating on wood (Pattern)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.spx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Condit



Test Report No.: T52110311120TY Date: OCT 30, 2021 Page 9 of 15

ASTM F963-17, Clause 4.3.5.2 – Heavy Elements in Substrate Materials

Method (non-metallic materials): With reference to CPSC-CH-E1002-08.3 Method (metal materials): With reference to CPSC-CH-E1001-08.3

Method: With reference to ASTM F963-17 Clause 8.3

Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)

Total Lead Content

Test Item(s)						
M	DL (ppm)			10		
То	otal Limit (ppm)			100		
Specimen Description Alias Tracing No. No.						
1.	Transparent plastic (Cup) (PP) + Blue plastic (Cover) (PE) + Yellow plastic (Cover) (PE)	3	1	ND		
2.	Red plastic (Cover) (PE) + Red plastic (Screw) (ABS)	3	2	ND		
3.	Dark blue plastic (Screw) + Cream plastic (Screw)	3	3	ND		
4.	Brown hardboard (Frame) + Light brown hardboard (Board)	3	4	ND		
5.	Silvery metal big screw	4	1	ND		
6.	Silvery metal small screw	4	2	ND		
7.	Silvery metal piece (Board)	4	3	ND		

Soluble Heavy Metal Content

Test Item(s)				Pb	Sb	As	Ва	Cd	Cr	Hg	Se
MDL (ppm)	MDL (ppm)				5	2.5	10	5	5	5	10
Migration Limit (ppm) Other Than Modeling Clays				90	60	25	1000	75	60	60	500
Migration Limit (ppm) Modeling Clays				90	60	25	250	50	25	25	500
Specimen	Alias	Tracing	Mass of trace	Adjusted Migration Result(s) (ppm)							
No.	No.	No.	amount (mg)		Auj	usieu i	nigratio	ii ixesu	ii(ə) (þ	oiii)	
1	1	7	/	ND	ND	ND	ND	ND	ND	ND	ND
2	1	8	/	ND	ND	ND	ND	ND	ND	ND	ND
3	1	9	/	ND	ND	ND	ND	ND	ND	ND	ND
4	1	10	/	ND	ND	ND	ND	ND	ND	ND	ND
5	1	11	/	ND	ND	ND	ND	ND	ND	ND	ND
6	1	12	/	ND	ND	ND	ND	ND	ND	ND	ND
7	1	13	/	ND	ND	ND	ND	ND	ND	ND	ND
8	1	14	/	ND	ND	ND	ND	ND	ND	ND	ND
9	1	15	/	ND	ND	ND	ND	ND	ND	ND	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-



Test Report No.: T52110311120TY Date: OCT 30, 2021 Page 10 of 15

Specimen Description:

- 1. Transparent plastic (Cup) (PP)
- 2. Blue plastic (Cover) (PE)
- 3. Yellow plastic (Cover) (PE)
- 4. Red plastic (Cover) (PE)
- 5. Dark blue plastic (Screw)
- 6. Cream plastic (Screw)
- 7. Brown hardboard (Frame)
- 8. Light brown hardboard (Board)
- 9. Red plastic (Screw) (ABS)

Note: - ppm = parts per million

- $1\% = 10000 \text{ mg/kg} = 10000 \text{ ppm} = 10000 \text{ } \mu\text{g/g}$
- ND = Not Detected (lower than MDL)
- MDL = Method Detection Limit
- Migration results of eight elements shown are of the adjusted analytical results
- For Soluble Heavy Metal Content & Total Lead Content in composite: The decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.
- The result(s) is (are) calculated using the minimum specimen weight for composite test.
- Soluble Heavy Metal Content: Result(s) of specimen No.7 is(are) extracted from report No. T52110271709TY Result(s) of specimen No.8 is(are) extracted from report No. T52110311119TY Result(s) of specimen No.9 is(are) extracted from report No. T52010321603TY



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-



Test Report No.: T52110311120TY Date: OCT 30, 2021 Page 11 of 15

US CPSC

PHYSICAL AND MECHANICAL TESTS CONSISTING US CPSC 16 CFR 1500.48, US CPSC 16 CFR 1500.49 AND US CPSC 16 CFR 1501

AS SPECIFIED IN PHYSICAL AND MECHANICAL TESTS CONSISTING US CPSC 16 CFR 1500.48, US CPSC 16 CFR 1500.49 AND US CPSC 16 CFR 1501

	No. of	Sharp point	Sharp edge	
	<u>sample</u>	(16 CFR	(16 CFR	Small part
	tested	<u>1500.48)</u>	<u>1500.49)</u>	(16 CFR 1501)
As received	1	Pass	Pass	N/A
Impact test (16 CFR 1500.53b)	1	Pass	Pass	N/A
Bite test (16 CFR 1500.52c)	0	N/A	N/A	N/A
Flexure test (16 CFR 1500.53d)	0	N/A	N/A	N/A
Torque test (16 CFR 1500.53e)	1	Pass	Pass	N/A
Tension test (16 CFR 1500.53f)	1	Pass	Pass	N/A
Compression test (16 CFR	1	Pass	Pass	N/A
1500.53g)				

N/A = Not Applicable

US CPSC 16 CFR 1500.44 – METHOD FOR DETERMINING EXTREMELY FLAMMABLE AND FLAMMABLE SOLIDS

AS SPECIFIED IN US CPSC 16 CFR 1500.44 – METHOD FOR DETERMINING EXTREMELY FLAMMABLE AND FLAMMABLE SOLIDS

Sample Burning Rate (inch/sec) E1010 ALL-IN-1 EASEL 0.03

Requirement: A toy / component is considered a "flammable solid" if it ignites and burns with a self-sustaining flame at a rate greater than 0.10 in/sec along its major axis.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Comment.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / insection reports.



Test Report No.: T52110311120TY Date: OCT 30, 2021 Page 12 of 15

CPSC 16 CFR 1303 - Lead in Paint/Similar Surface Coating Materials

Method: With reference to CPSC-CH-E1003-09.1 - Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings

Test Item(s)	Lead (Pb)		
Permissible Limit (ppm)	90		
Specimen Description	Result(s) (ppm)		
 Black w/ pale grey coating on wood (Board) + Light green w/ cream coating on wood (Frame) + Dark blue w/ white coating on wood (Frame) 	8	2	ND
2. White coating on metal (Board)	8	3	ND
3. Red w/ white coating on wood (Holder) w/ Black coating on wood (Lettering) w/ Brown coating on wood (Pattern)	01T-3	1	33
4. Dark red w/ light red coating on wood (Board)	01T-3	2	ND

Note: - ppm = parts per million

- ND = Not Detected (lower than MDL)

- MDL = Method Detection Limit = 10 ppm

- 1% = 10000 mg/kg = 10000 ppm

- For composite test: The result(s) is (are) calculated using the minimum specimen weight and the decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.

As specified in Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103 tracking labels for children's products.

- Tracking label found on the packaging:

1) Name: Hape international AG.

2) Location: Made in China, P2122400573 NBCN 06/2021

3) Date: P2122400573 NBCN 06/2021 4) Cohort information: P2122400573 NBCN 06/2021

- Tracking label found on the product:

1) Name: Hape international AG.

2) Location: Made in China, P2122400573 NBCN 06/2021

3) Date: P2122400573 NBCN 06/2021 4) Cohort information: P2122400573 NBCN 06/2021

Note: The tracking label assessment was based on the submitted samples and the information provided by the applicant. There was no verification on the validity of such information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Comment.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / insection reports.



Test Report No.: T52110311120TY Date: OCT 30, 2021 Page 13 of 15

CPSIA - Lead in Paint/Similar Surface Coating Materials

Method: With reference to CPSC-CH-E1003-09.1 - Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings

Test Item(s)	Lead (Pb)		
Permissible Limit (ppm)	90		
Client's Limit (ppm)			40
Specimen Description	Result(s) (ppm)		
 Black w/ pale grey coating on wood (Board) + Light green w/ cream coating on wood (Frame) + Dark blue w/ white coating on wood (Frame) 	6	2	ND
2. White coating on metal (Board)	6	3	ND
3. Red w/ white coating on wood (Holder) w/ Black coating on wood (Lettering) w/ Brown coating on wood (Pattern)	01T-2	1	33
4. Dark red w/ light red coating on wood (Board)	01T-2	2	ND

Note: - ppm = parts per million

- ND = Not Detected (lower than MDL)

- MDL = Method Detection Limit = 10 ppm

-1% = 10000 mg/kg = 10000 ppm

- For composite test: The result(s) is (are) calculated using the minimum specimen weight and the decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Comment.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / insection reports.



Test Report No.: T52110311120TY Date: OCT 30, 2021 Page 14 of 15

CPSIA - Lead in Accessible Substrate Materials

Method (non-metallic materials): With reference to CPSC-CH-E1002-08.3 - Standard Operation Procedure for Determining Total Lead (Pb) in Non-Metal Children Product

Method (metal materials): With reference to CPSC-CH-E1001-08.3 - Standard Operating Procedure for Determining Total Lead (Pb) in Children's Metal Products (Including Children's Metal Jewelry)

Test Item(s) Permissible Limit **(ppm)			Lead (Pb) 100
Specimen Description	Alias No.	Tracing No.	Result(s) (ppm)
 Transparent plastic (Cup) (PP) + Blue plastic (Cover) (PE) + Yellow plastic (Cover) (PE) 	5	1	ND
2. Red plastic (Cover) (PE) + Red plastic (Screw) (ABS)	5	2	ND
3. Dark blue plastic (Screw) + Cream plastic (Screw)	5	3	ND
4. Brown hardboard (Frame) + Light brown hardboard (Board)	5	4	ND
5. Silvery metal big screw	7	1	ND
6. Silvery metal small screw	7	2	ND
7. Silvery metal piece (Board)	7	3	ND

^{**} Permissible Limit applies to a children's product manufactured after 14 August 2011 (Public Law 110-314 (Consumer Product Safety Improvement Act of 2008) and its Amendments Public Law 112-28)

Note: - ppm = parts per million

- ND = Not Detected (lower than MDL)
- MDL = Method Detection Limit = 10 ppm
- 1% = 10000 mg/kg = 10000 ppm
- For composite test: The result(s) is (are) calculated using the minimum specimen weight and the decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Comment.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing / insection report & certificate, please contact us at telephone.@6-755 8307



Test Report No.: T52110311120TY Date: OCT 30, 2021 Page 15 of 15

Remark:

1. Since the data and / or information above division line of front page is provided by the applicant, the relevant results or conclusions of this report are only made for these data and / or information, SGS shall not be responsible for the authenticity and integrity of such data and information and the validity of the results and / or conclusions arising therefrom. Testing results only apply to the sample as received.

2. The statement of conformity has considered the decision rule based on the Guarded acceptance (8.3.2 of ISO/IEC GUIDE 98-4:2012). When the measured value falls within the guard band, only the test data and measurement uncertainty will be reported. The guard band is equal to the expanded measurement uncertainty with a 95% coverage probability(k=2), w = U₉₅. The Probability of False Accept and the Probability of False Reject of the decision rule are 2.5%.

For Upper Tolerance Limit (Tu):

Pass - when the measurement result is below Tu-U95

Fail - when the measurement result is above T_U+U₉₅

Inconclusive - when the measurement result is falling in guard band [Tu-U95, Tu+U95]

For Lower Tolerance Limit (T_L):

Pass - when the measurement result is above T_L+U₉₅

Fail - when the measurement result is below T_L-U₉₅

Inconclusive - when the measurement result is falling in guard band [T_L-U₉₅, T_L+U₉₅]

Sample Photo:



SGS authenticate the photo on original report only

*** End of Report ***



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and its document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alterian, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307