



No.: T52110331240TY

Date: DEC 31, 2021

Page 1 of 16

HAPPY ARTS&CRAFTS(NINGBO)CO.,LTD HAPE INTERNATIONAL (NINGBO) LTD 9-27 NANHAI ROAD, DAGANG INDUSTRIAL CITY, BEILUN, NINGBO, CHINA PC:315800

The following samples were submitted and identified by/on behalf of the client as:

E1065 COGWORKS EXPERIMENTAL PLAYSET

| Item No.                     | : | E1065  |
|------------------------------|---|--------|
| Country of Origin            | : | CHINA  |
| Country of Destination       | : | GLOBAL |
| Client Reference Information | : | E1065A |
| Labeled Age Grading          | : | 3Y     |
| Requested Age Grading        | : | 3+     |
|                              |   |        |

\*\*\*\*\*

| Age Group Assessed by SGS As Per Age | : | OVER 3 YEARS                 |
|--------------------------------------|---|------------------------------|
| Guideline                            |   |                              |
| Age Group Applied in Testing         | : | OVER 3 YEARS                 |
| Sample Receiving Date                | : | DEC 13, 2021                 |
| Testing Period                       | : | DEC 13, 2021 TO DEC 31, 2021 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sqs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at <u>http://www.sqs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the company is does used to the final their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unathorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related for 3 dogs only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sps.com

S6S Bldg, No.4, Jianghao Industrial Park, No.430, Jhua Road, Bantian, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgsgroup.com.cn 中国•深圳•龙岗区坂田吉华路 430 号江灏工业园 4 栋 SGS 大楼 邮编:518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com



No.: T52110331240TY

Date: DEC 31, 2021

Page 2 of 16

| Test | Requested   | Conclusion        |
|------|---|-------------------|
| 1.   | For compliance with the test requirement of ASTM F963-17 Standard Consumer Safety Specification on Toy Safety.  |                   |
|      | ASTM F963-17 Standard Consumer Safety Specification for Toy Safety  | PASS              |
| 2.   | For compliance with test requirement of the Physical & Mechanical, Flammability test requirement of Title 16, Code of Federal Regulations, Chapter II – Consumer Products Safety Commission of U.S.A                              |                   |
|      | Physical and mechanical tests consisting US CPSC 16 CFR 1500.48, US CPSC 16 CFR 1500.49 and US CPSC 16 CFR 1501:  |                   |
|      | <ul> <li>US CPSC 16 CFR 1500.48 – Technical requirements for determining a sharp<br/>point in toys and other articles intended for use by children under 8 years of<br/>ages</li> </ul>   |                   |
|      | <ul> <li>US CPSC 16 CFR 1500.49 – Technical requirements for determining a sharp<br/>metal or glass edge in toys and other articles intended for use by children<br/>under 8 years of age</li> </ul>                              | PASS              |
|      | <ul> <li>US CPSC 16 CFR 1501 – Method for identifying toys and other articles<br/>intended for use by children under 3 years of age which present choking,<br/>aspiration, or ingestion hazards because of small parts</li> </ul> |                   |
|      | US CPSC 16 CFR 1500.19 – Misbranded toys and other articles intended for use by children  | PASS <sup>#</sup> |
|      | *Not misbranded toys or articles intended for use by children   |                   |
|      | US CPSC 16 CFR 1500.44 – Method for determining extremely flammable and flammable solids  | PASS              |
| 3.   | Title 16, Code of Federal Regulations, Chapter II - Consumer Products Safety<br>Commission of U.S.A Part 1303 - Ban of Lead - Containing Paint and Certain<br>Consumer Products Bearing Lead - Containing Paint – Lead Content    | PASS              |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic format documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and urisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the company. Sole responsibility is to its Client and this document does not excore the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related for 30 dos only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com</a>

\$65 Bidg, No.4, Janghao Industrial Park, No.430, Jihua Road, Bantian, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgsgroup.com.cn 中国•深圳•龙岗区坂田吉华路 430 号江灏工业园 4 栋 SGS 大楼 邮编:518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com



# **Test Report** No.: T52110331240TY

Date: DEC 31, 2021

Page 3 of 16

| Test | Requested   | Conclusion |
|------|---|------------|
| 4.   | Tracking label per Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103 tracking labels for children's products. | PASS*      |
| 5.   | CPSIA section 101 - Total Lead content  |            |
|      | CPSIA section 101(f) (1) – Lead in paint/similar surface coating material   | PASS       |
|      | Client's Requirement – Lead in paint/similar surface coating material   | PASS       |
|      | CPSIA section 101(a) (2) – Lead in accessible substrate materials (Including Children's Metal Jewelry)                          | PASS       |
|      | Client's Requirement – Lead in accessible substrate materials (Including Children's Metal Jewelry)                              | PASS       |

Remark: Test item(s) with "\*" is(are) not accredited by CNAS.

\*\*\*\*\*\*\*\* FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) \*\*\*\*\*\*\*\*

Signed for and on behalf of SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Testing Center

Liu Junjie, Tony Section Manager CNAS Approved Signatories

Qu Ping, Kiky Dept. Manager CNAS Approved Signatories





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sqs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at <u>http://www.sqs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the company is does used to the final their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unathorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related for 3 dogs only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sps.com

S6S Bldg, No.4, Jianghao Industrial Park, No.430, Jhua Road, Bantian, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgsgroup.com.cn 中国•深圳•龙岗区坂田吉华路 430 号江灏工业园 4 栋 SGS 大楼 邮编:518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com



No.: T52110331240TY

Date: DEC 31, 2021

Page 4 of 16

**Results:** 

## ASTM F963-17 STANDARD CONSUMER SAFETY SPECIFICATION FOR TOY SAFETY

AS SPECIFIED IN ASTM F963-17 STANDARD CONSUMER SAFETY SPECIFICATION ON TOYS SAFETY

Clauses relevant to the item:

| <u>Clause</u> | Description<br>Setet - Description                                  | Result                           |
|---------------|---|----------------------------------|
| 4<br>4.1      | Safety Requirements<br>Material Quality **                          | Deee                             |
| 4.1<br>4.2    | Flammability Test   | <u>Pass</u><br>Pass              |
| 4.2           | Training Dest   | (See Result Page)                |
| 4.3           | Toxicology  |                                  |
| 4.3.2         | Manufacturing and Packaging of Food                                 | <u>N/A</u>                       |
| 4.3.3         | Indirect Food Additives   | N/A                              |
| 4.3.4         | Cosmetics   | <u>N/A</u>                       |
| 4.3.5         | Heavy Elements  | Daaa                             |
|               | 4.3.5.1 Heavy Elements in Paint/Similar Surface Coating Materials   | <u>Pass</u><br>(See Beeult Bege) |
|               | 4.2.5.2 Heavy Metal in Substrate Materials                          | <u>(See Result Page)</u>         |
|               | 4.3.5.2 Heavy Metal in Substrate Materials                          | <u>Pass</u><br>(See Result Page) |
| 4.3.6         | Cosmetic, Liquids, Pastes, Putties, Gels, Powders and Item of Avian | N/A                              |
| 4.0.0         | Feather Origin  | <u>IN/74</u>                     |
| 4.3.7         | Stuffing Materials  | <u>N/A</u>                       |
| 4.3.8         | DEHP (DOP)  | N/A                              |
| 4.4           | Electrical/Thermal Energy   | N/A                              |
| 4.5           | Sound-Producing Toys  | <u>N/A</u>                       |
| 4.6.1         | Small Objects   | <u>N/A</u>                       |
| 4.6.2         | Mouth-Actuated Toys   | <u>N/A</u>                       |
| 4.6.3         | Labelling Requirements  | Pass                             |
| 4.7           | Accessible Edges  | Pass                             |
| 4.8           | Projections   | <u>N/A</u>                       |
| 4.9           | Accessible Points   | <u>Pass</u>                      |
| 4.10          | Wires or Rods   | <u>N/A</u>                       |
| 4.11          | Nails and Fasteners   | <u>N/A</u>                       |
| 4.12          | Plastic Film  | Pass                             |
| 4.13.1        | Folding Mechanisms  | <u>N/A</u>                       |
| 4.13.2        | Hinge-Line Clearance  | <u>N/A</u>                       |
| 4.14          | Cords, Straps and Elastic   | <u>N/A</u>                       |
| 4.15          | Stability and Over-Load Requirements                                | <u>N/A</u>                       |
| 4.16          | Confined Spaces   | <u>N/A</u>                       |
| 4.17          | Wheels, Tires, and Axles  | <u>N/A</u>                       |
| 4.18          | Holes, Clearance & Accessibility of Mechanisms                      | <u>N/A</u>                       |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sqs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at <u>http://www.sqs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the company is does used to the final their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unathorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related for 3 dogs only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sps.com

S6S Bldg, No.4, Janghao Industrial Park, No.430, Jhua Road, Bantian, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgsgroup.com.cn 中国•深圳•龙岗区坂田吉华路 430 号江源工业园 4 栋 SGS 大楼 邮编:518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com



No.: T52110331240TY

Date: DEC 31, 2021

Page 5 of 16

| <u>Clause</u><br>4.19<br>4.20<br>4.21<br>4.22<br>4.23<br>4.24<br>4.25  | Description<br>Simulated Protective Devices<br>Pacifiers<br>Projectile Toys<br>Teethers and Teething Toys<br>Rattles<br>Squeeze Toys<br>Battery-Operated Toys (Rechargeable battery/Non-rechargeable  | <u>Result</u><br><u>N/A</u><br><u>N/A</u><br><u>N/A</u><br><u>N/A</u><br><u>N/A</u><br><u>N/A</u> |
|--|---|---|
| 4.26<br>4.27<br>4.28<br>4.29<br>4.30<br>4.31<br>4.32<br>4.33<br>4.34<br>4.35<br>4.36<br>4.37<br>4.38<br>4.39 | battery)<br>Toys Intended to be Attached to a Crib or Playpen<br>Stuffed and Beanbag-Type Toys<br>Stroller and Carriage Toys<br>Art Materials<br>Toy Gun Marking<br>Balloons<br>Certain Toys and Nearly Spherical Ends<br>Marbles<br>Balls<br>Pompoms<br>Hemispheric-Shaped Objects<br>Yo Yo Elastic Tether Toys<br>Magnets<br>Jaw Entrapment in Handles and Steering Wheels  | N/A<br>N/A<br>N/A<br>N/A<br>N/A<br>N/A<br>N/A<br>N/A<br>N/A<br>N/A                                |
| 4.40<br>4.41<br>5  | Expanding Materials<br>Toy Chest<br>Safety Labeling Requirements  | <u>N/A</u><br><u>N/A</u>  |
| 5.2<br>5.3<br>5.4<br>5.5<br>5.6<br>5.7<br>5.8<br>5.9<br>5.10<br>5.11<br>5.12<br>5.13<br>5.14<br>5.15<br>5.16 | Age Grading Labeling<br>Safety Labeling Requirements<br>AquaticToys<br>Crib & Playpen Toys<br>Mobile<br>Stroller and Carriage Toys<br>Toys Intended to be Assembled by an Adult<br>Simulated Protective Devices<br>Toys with Functional Sharp Edges and Sharp Points<br>Small Objects, Small Balls, Marbles, and Balloons<br>Toy Caps<br>Art Materials<br>Electric Toys<br>Battery-Operated Toys<br>Promotional Materials | Pass<br>Pass<br>N/A<br>N/A<br>N/A<br>N/A<br>N/A<br>N/A<br>N/A<br>N/A<br>N/A<br>N/A                |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Condition</u>

S6S Bldg, No.4, Jianghao Industrial Park, No.439, Jihua Road, Bantian, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgsgroup.com.cn 中国•深圳•龙岗区坂田吉华路 430 号江灏工业园 4 栋 S6S 大楼 邮编:518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com



| ٦             | Test Report        | No.: T52110331240TY      | Date: DEC 31, 2021 | Page 6 of 16  |
|---------------|--------------------|--------------------------|--------------------|---------------|
| <u>Clause</u> | Description        |                          |                    | <u>Result</u> |
| 5.17          | Magnets            |                          |                    | <u>N/A</u>    |
| 6             | Instructional Lite | rature                   |                    |               |
| 6.2           | Crib & Playpen     | Гоуs                     |                    | <u>N/A</u>    |
| 6.3           | Mobiles            |                          |                    | <u>N/A</u>    |
| 6.4           | Toys Intended to   | be Assembled by an Adult |                    | <u>N/A</u>    |
| 6.5           | Battery-Operate    | d Toys                   |                    | <u>N/A</u>    |
| 6.6           | Battery Powered    | l Ride-on Toys           |                    | <u>N/A</u>    |
| 6.7           | Toys in Contact    | with Food                |                    | <u>N/A</u>    |
| 6.8           | Toy Chests         |                          |                    | <u>N/A</u>    |
| 7             | Producer's Mark    | ings                     |                    |               |
| 7.1           | Producer's Mark    | ings                     |                    | Pass          |
| 7.2           | Battery-Powered    | l Ride-on Toys           |                    | <u>N/A</u>    |
| 7.3           | Toy Chests         |                          |                    | <u>N/A</u>    |
| 8.5           | Normal Use Tes     | ting                     |                    | Pass          |
| 8.7           | Impact Test        |                          |                    | Pass          |
| 8.8           | Torque Test        |                          |                    | Pass          |
| 8.9           | Tension Test       |                          |                    | Pass          |
| 8.10          | Compression Te     | st                       |                    | <u>Pass</u>   |
| 8.12          | Flexure Test       |                          |                    | <u>N/A</u>    |
| 8.16          | Tension Test for   | Pompoms                  |                    | <u>N/A</u>    |

N/A = Not Applicable

\*\* Visual Examination

### Result Page:

Flammability Test (Clause 4.2)

### Flammability Test on Solid

### Sample E1065 COGWORKS EXPERIMENTAL PLAYSET

Burning Rate (inch/sec) 0.02

Requirement: A toy / component is considered a "flammable solid" if it ignites and burns with a self-sustaining flame at a rate greater than 0.10 in/sec along its major axis.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sqs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sqs.com/en/Terms-and-Conditions.Conditions.rems-condecomenta-conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unarthorized alteration, forgery or falsification of the Content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results show in this test report refer only to the sample(s) tested and such sample(s) are related for 30 dors only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(8e-755) 8307 1443, or email: CN.DoccHeck@egs.com

S6S Bldg, No.4, Janghao Industrial Park, No.430, Jhua Road, Bantian, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgsgroup.com.cn 中国•深圳•龙岗区坂田吉华路 430 号江源工业园 4 栋 SGS 大楼 邮编:518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com



## Test Report No.: T52110331240TY Date: DEC 31, 2021 Page 7 of 16

## ASTM F963-17, Clause 4.3.5.1 – Heavy Elements in Paint/Similar Surface Coating Materials

Method: With reference to CPSC-CH-E1003-09.1

Method: With reference to ASTM F963-17 Clause 8.3

Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)

Total Lead Content

| Test Item(s)                              |  |   |   |    |  |  |
|---|--|---|---|----|--|--|
| M   | DL (ppm)   |   |   | 10 |  |  |
| То  | otal Limit (ppm)   |   |   | 90 |  |  |
| Specimen DescriptionAliasTracingNo.No.No. |  |   |   |    |  |  |
| 1.  | Black coating on wood (Body)   | 2 | 1 | ND |  |  |
| 2.  | Transparent lacquer coating on wood (Base) + Cyan w/ white<br>coating on wood (Block) + Multi-color coating on wood (Pattern)            | 2 | 2 | ND |  |  |
| 3.  | Green w/ white coating on wood (Block) + Light pink w/ white coating on wood (Block) + Blue w/ white coating on wood (Block)             | 2 | 3 | ND |  |  |
| 4.  | Yellow-green w/ white coating on wood (Block) + Pink w/ white<br>coating on wood (Block) + Dull pink w/ white coating on wood<br>(Block) | 2 | 4 | ND |  |  |

| Test Item(s)    |              |                |                              | Pb                                 | Sb | As  | Ba   | Cd | Cr | Hg | Se  |
|-----------------|--------------|----------------|------------------------------|------------------------------------|----|-----|------|----|----|----|-----|
| MDL (ppm)       |              |                |                              | 5                                  | 5  | 2.5 | 10   | 5  | 5  | 5  | 10  |
| Migration L     | imit (ppn    | n)             |                              | 90                                 | 60 | 25  | 1000 | 75 | 60 | 60 | 500 |
| Specimen<br>No. | Alias<br>No. | Tracing<br>No. | Mass of trace<br>amount (mg) | Adjusted Migration Result(s) (ppm) |    |     |      |    |    |    |     |
| 1               | 1            | 2              | 77.3                         | ND                                 | ND | ND  | ND   | ND | ND | ND | ND  |
| 2               | 1            | 5              | /                            | ND                                 | ND | ND  | ND   | ND | ND | ND | ND  |
| 3               | 1            | 14             | /                            | ND                                 | ND | ND  | ND   | ND | ND | ND | ND  |
| 4               | 1            | 15             | /                            | ND                                 | ND | ND  | ND   | ND | ND | ND | ND  |
| 5               | 1            | 16             | /                            | ND                                 | ND | ND  | ND   | ND | ND | ND | ND  |
| 6               | 1            | 17             | /                            | ND                                 | ND | ND  | ND   | ND | ND | ND | ND  |
| 7               | 1            | 18             | /                            | ND                                 | ND | ND  | ND   | ND | ND | ND | ND  |
| 8               | 1            | 19             | /                            | ND                                 | ND | ND  | ND   | ND | ND | ND | ND  |
| 9               | 1            | 20             | /                            | ND                                 | ND | ND  | ND   | ND | ND | ND | ND  |
| 10              | 1            | 21             | /                            | ND                                 | ND | ND  | ND   | ND | ND | ND | ND  |

#### Soluble Heavy Metal Content



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a> Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger yor falsification of the content or appearance of this document to report to the tot on by be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(8e-755) 8307 1443.or email: CN.Doccheck@esos.com</a>

S6S Bidg, No.4, Jianghao Industrial Park, No.430, Jihua Road, Bantian, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgsgroup.com.cn 中国•深圳•龙岗区坂田吉华路 430 号江灏工业园 4 栋 SGS 大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com



No.: T52110331240TY

Page 8 of 16

## Specimen Description:

- 1. Transparent lacquer coating on wood (Base)
- 2. Black coating on wood (Body)
- 3. Cyan w/ white coating on wood (Block)
- 4. Multi-color coating on wood (Pattern)
- 5. Green w/ white coating on wood (Block)
- 6. Light pink w/ white coating on wood (Block)
- 7. Blue w/ white coating on wood (Block)
- 8. Yellow-green w/ white coating on wood (Block)
- 9. Pink w/ white coating on wood (Block)
- 10. Dull pink w/ white coating on wood (Block)
- Note: ppm = parts per million
  - 1% = 10000 mg/kg = 10000 ppm = 10000 µg/g
  - MDL = Method Detection Limit
  - ND = Not Detected (lower than MDL)
  - Migration results of eight elements shown are of the adjusted analytical results
  - For Soluble Heavy Metal Content & Total Lead Content in composite: The decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.
  - The result(s) is (are) calculated using the minimum specimen weight for composite test.
  - Total Lead Content: Result(s) of specimen No.1 is(are) extracted from report No.T52110271669TY.
  - Soluble Heavy Metal Content : Result(s) of specimen No.1 is(are) extracted from report No.T52010311476TY. Result(s) of specimen No.2 is(are) extracted from report No.T52110280192TY.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.gpx">http://www.sgs.com/en/Terms-and-Conditions.gpx</a> and, for electronic format documents, subject to Terms and Conditions.gpx and, for electronic format documents, attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unuthorized alteration, forgery or falsification of the company. Any unuthorized alteration for or falsification of the tree or negulations under the transaction for the sub- voltable of the company. Any unuthorized alteration for gory or falsification of the company. Any unuthorized alteration for gory or falsification of the company. Any unuthorized alteration for gory or falsification of the company. Any unuthorized alteration for gory or falsification of the company. Any unuthorized alteration for gory or falsification of the company. Any unuthorized alteration for gory or falsification of the company. Any unuthorized alteration for gory or falsification of the company. Any unauthorized alteration for gory or falsification of the company. Any unauthorized alteration for gory or falsification of the company. Any unauthorized alteration for gory or falsification of the company. Any unauthorized alteration for gory or falsification of the company. Any unauthorized alteration for gory orains angle(s) tested and such sample(s) are r

S6S Bldg, No.4, Jianghao Industrial Park, No.430, Jihua Road, Bantian, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgsgroup.com.cn 中国•深圳•龙岗区坂田吉华路 430 号江灏工业园 4 栋 S6S 大楼 邮编:518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com



# Test Report No.: T52110331240TY Date: DEC 31, 2021 Page 9 of 16

### ASTM F963-17, Clause 4.3.5.2 – Heavy Elements in Substrate Materials

Method (non-metallic materials): With reference to CPSC-CH-E1002-08.3

Method: With reference to ASTM F963-17 Clause 8.3

Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)

**Total Lead Content** 

| Test Item(s)  |              |                |                    |  |  |  |
|---|--------------|----------------|--------------------|--|--|--|
| MDL (ppm)   |              |                | 10                 |  |  |  |
| Total Limit (ppm)   |              |                | 100                |  |  |  |
| Specimen Description  | Alias<br>No. | Tracing<br>No. | Result(s)<br>(ppm) |  |  |  |
| <ol> <li>Cream plywood (Base) + Brown hardboard (Block) + Dark brown<br/>hardborad (Block)</li> </ol>                             | 3            | 1              | ND                 |  |  |  |
| <ol> <li>Transparent plastic film (Card) (PE) + Blue-purple plastic (Body)<br/>(PP) + Blue-purple plastic (Clasp) (PA)</li> </ol> | 3            | 2              | ND                 |  |  |  |
| 3. Red plastic (Pin) (PP) + Blue plastic (Pin) (PP) + Green plastic (Pin) (PP)  | 3            | 3              | ND                 |  |  |  |
| 4. Yellow plastic (Pin) (PP) + Purple plastic (Pin) (PP)  | 3            | 4              | ND                 |  |  |  |

Soluble Heavy Metal Content

| Test Item(s)          |          |          |               | Pb                                 | Sb | As  | Ba  | Cd  | Cr | Hg | Se  |
|-----------------------|----------|----------|---------------|------------------------------------|----|-----|-----|-----|----|----|-----|
| MDL (ppm)             |          |          |               | 5                                  | 5  | 2.5 | 10  | 5   | 5  | 5  | 10  |
| Migration Li<br>Clays | mit (ppr | n) Other | Than Modeling | 90 60 25 1000 75 60 60             |    |     |     | 500 |    |    |     |
| Migration Li          | mit (ppr | n) Model | ing Clays     | 90                                 | 60 | 25  | 250 | 50  | 25 | 25 | 500 |
| Specimen<br>No.       |          |          |               | Adjusted Migration Result(s) (ppm) |    |     |     |     |    |    |     |
| 1                     | 1        | 1        | /             | ND                                 | ND | ND  | ND  | ND  | ND | ND | ND  |
| 2                     | 1        | 3        | /             | ND                                 | ND | ND  | 12  | ND  | ND | ND | ND  |
| 3                     | 1        | 4        | /             | ND                                 | ND | ND  | ND  | ND  | ND | ND | ND  |
| 4                     | 1        | 6        | /             | ND                                 | ND | ND  | ND  | ND  | ND | ND | ND  |
| 5                     | 1        | 7        | /             | ND                                 | ND | ND  | ND  | ND  | ND | ND | ND  |
| 6                     | 1        | 8        | /             | ND                                 | ND | ND  | ND  | ND  | ND | ND | ND  |
| 7                     | 1        | 9        | /             | ND                                 | ND | ND  | ND  | ND  | ND | ND | ND  |
| 8                     | 1        | 10       | /             | ND                                 | ND | ND  | ND  | ND  | ND | ND | ND  |
| 9                     | 1        | 11       | /             | ND                                 | ND | ND  | ND  | ND  | ND | ND | ND  |
| 10                    | 1        | 12       | /             | ND                                 | ND | ND  | ND  | ND  | ND | ND | ND  |
| 11                    | 1        | 13       | /             | ND                                 | ND | ND  | ND  | ND  | ND | ND | ND  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions">http://www.sgs.com/en/Terms-and-Conditions/Terms-Pocument.aspx</a>. Attention is drawn to the limitation of liability, indemnification and uirsidiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related for 30 days only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CNLDocek@sas.com</a>

\$65 Bidg, No.4, Janghao Industrial Park, No.430, Jihua Road, Bantian, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgsgroup.com.cn 中国•深圳•龙岗区坂田吉华路 430 号江灏工业园 4 栋 SGS 大楼 邮编:518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com



No.: T52110331240TY

Date: DEC 31, 2021

Page 10 of 16

Specimen Description:

- 1. Cream plywood (Base)
- 2. Brown hardboard (Block)
- 3. Dark brown hardborad (Block)
- 4. Transparent plastic film (Card) (PE)
- 5. Blue-purple plastic (Body) (PP)
- 6. Blue-purple plastic (Clasp) (PA)
- 7. Red plastic (Pin) (PP)
- 8. Blue plastic (Pin) (PP)
- 9. Green plastic (Pin) (PP)
- 10. Yellow plastic (Pin) (PP)
- 11. Purple plastic (Pin) (PP)
- Note: ppm = parts per million
  - 1% = 10000 mg/kg = 10000 ppm = 10000 µg/g
  - ND = Not Detected (lower than MDL)
  - MDL = Method Detection Limit
  - Migration results of eight elements shown are of the adjusted analytical results
  - For Soluble Heavy Metal Content & Total Lead Content in composite: The decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.
  - The result(s) is (are) calculated using the minimum specimen weight for composite test.
  - Soluble Heavy Metal Content : Result(s) of specimen No.1, No.3 is(are) extracted from report No.T52010321604TY. Result(s) of specimen No.2 is(are) extracted from report No.T52110280192TY.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.gr.wt">http://www.sgs.com/en/Terms-and-Conditions.gr.wt</a>, dr electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions.gr.wt">http://www.sgs.com/en/Terms-and-Conditions.gr.wt</a>, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exorer ate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unattorized alteration, forgery or falsification of the company. Any unattorized alteration for or falsification of the trente of the sole of the document for appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(8e-75) 8307 1443, or email: CN.Doccheck@egs.com

S6S Bidg, No.4, Jianghao Industrial Park, No.430, Jihua Road, Bantian, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgsgroup.com.cn 中国•深圳•龙岗区坂田吉华路 430 号江灏工业园 4 栋 S6S 大楼 邮编:518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com



## Test Report No.: T52110331240TY Date: DE

Date: DEC 31, 2021 Page 11 of 16

### US CPSC

# PHYSICAL AND MECHANICAL TESTS CONSISTING US CPSC 16 CFR 1500.48, US CPSC 16 CFR 1500.49 AND US CPSC 16 CFR 1501

AS SPECIFIED IN PHYSICAL AND MECHANICAL TESTS CONSISTING US CPSC 16 CFR 1500.48, US CPSC 16 CFR 1500.49 AND US CPSC 16 CFR 1501

|                                | No. of | Sharp point | Sharp edge |               |
|--------------------------------|--------|-------------|------------|---------------|
|                                | sample | (16 CFR     | (16 CFR    | Small part    |
|                                | tested | 1500.48)    | 1500.49)   | (16 CFR 1501) |
| As received                    | 2      | Pass        | N/A        | N/A           |
| Impact test (16 CFR 1500.53b)  | 1      | Pass        | N/A        | N/A           |
| Bite test (16 CFR 1500.52c)    | 0      | N/A         | N/A        | N/A           |
| Flexure test (16 CFR 1500.53d) | 0      | N/A         | N/A        | N/A           |
| Torque test (16 CFR 1500.53e)  | 1      | Pass        | N/A        | N/A           |
| Tension test (16 CFR 1500.53f) | 1      | Pass        | N/A        | N/A           |
| Compression test (16 CFR       | 1      | Pass        | N/A        | N/A           |
| 1500.53g)                      |        |             |            |               |

N/A = Not Applicable

# US CPSC 16 CFR 1500.19 – MISBRANDED TOYS AND OTHER ARTICLES INTENDED FOR USE BY CHILDREN

AS SPECIFIED IN US CPSC 16 CFR 1500.19 – MISBRANDED TOYS AND OTHER ARTICLES INTENDED FOR USE BY CHILDREN

Appropriate warning according to 16 CFR 1500.19 was found on the principle display panel of the product's packaging.

# US CPSC 16 CFR 1500.44 – METHOD FOR DETERMINING EXTREMELY FLAMMABLE AND FLAMMABLE SOLIDS

AS SPECIFIED IN US CPSC 16 CFR 1500.44 – METHOD FOR DETERMINING EXTREMELY FLAMMABLE AND FLAMMABLE SOLIDS

Sample

E1065 COGWORKS EXPERIMENTAL PLAYSET

Burning Rate (inch/sec) 0.02

Requirement: A toy / component is considered a "flammable solid" if it ignites and burns with a selfsustaining flame at a rate greater than 0.10 in/sec along its major axis.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sqs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at <u>http://www.sqs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's old responsibility is to its Client and this document does not excore the company solic responsibility is to its Client and this document does not excore the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related for 3 dog so only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 [1443, or email: CNLDoccheck@sgs.com]

S6S Bldg, No.4, Jianghao Industrial Park, No.430, Jihua Road, Bantian, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgsgroup.com.cn 中国•深圳•龙岗区坂田吉华路 430 号江灏工业园 4 栋 S6S 大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com



 Test Report
 No.: T52110331240TY
 Date: DEC 31, 2021
 Page 12 of 16

## CPSC 16 CFR 1303 - Lead in Paint/Similar Surface Coating Materials

Method: With reference to CPSC-CH-E1003-09.1 - Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings

| Test Item(s) Permissible Limit (ppm) |  |   | <b>Lead (Pb)</b><br>90 |                      |
|--------------------------------------|--|---|------------------------|----------------------|
|                                      |  |   |                        | Specimen Description |
| 1.                                   | Black coating on wood (Body)   | 4 | 1                      | ND                   |
| 2.                                   | Transparent lacquer coating on wood (Base) + Cyan w/ white<br>coating on wood (Block) + Multi-color coating on wood<br>(Pattern)   | 4 | 2                      | ND                   |
| 3.                                   | Green w/ white coating on wood (Block) + Light pink w/ white coating on wood (Block) + Blue w/ white coating on wood (Block)       | 4 | 3                      | ND                   |
| 4.                                   | Yellow-green w/ white coating on wood (Block) + Pink w/ white coating on wood (Block) + Dull pink w/ white coating on wood (Block) | 4 | 4                      | ND                   |

Note: - ppm = parts per million

- ND = Not Detected (lower than MDL)
- MDL = Method Detection Limit = 10 ppm
- 1% = 10000 mg/kg = 10000 ppm
- For composite test: The result(s) is (are) calculated using the minimum specimen weight and the decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.
- Result(s) of specimen No.1 is(are) extracted from report No.T52110271669TY.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sqs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at <u>http://www.sqs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's old responsibility is to its Client and this document does not excore the company solic responsibility is to its Client and this document does not excore the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related for 3 dog so only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 [1443, or email: CNLDoccheck@sgs.com]

SGS Bldg, No.4, Jianghao Industrial Park, No.430, Jhua Road, Bantian, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgsgroup.com.cn 中国•深圳•龙岗区坂田吉华路 430 号江灏工业园 4 栋 SGS 大楼 邮编:518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com



# Test Report No.: T52110331240TY Date: DEC 31, 2021 Page 13 of 16

# As specified in Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103 tracking labels for children's products.

| CHINA |
|-------|
|       |
|       |
|       |
|       |
| CHINA |
|       |
|       |
|       |

Note: The tracking label assessment was based on the submitted samples and the information provided by the applicant. There was no verification on the validity of such information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions">http://www.sgs.com/en/Terms-and-Conditions/Terms-Pocument.aspx</a>. Attention is drawn to the limitation of liability, indemnification and uirsidiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related for 30 days only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CNLDocek@sas.com</a>

SGS Bldg, No.4, Jianghao Industrial Park, No.430, Jhua Road, Bantian, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgsgroup.com.cn 中国•深圳•龙岗区坂田吉华路 430 号江灏工业园 4 栋 SGS 大楼 邮编:518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com



## Test Report No.: T52110331240TY Date: DEC 31, 2021 Page 14 of 16

### **CPSIA - Lead in Paint/Similar Surface Coating Materials**

Method: With reference to CPSC-CH-E1003-09.1 - Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings

| Те                   | <b>Lead (Pb)</b><br>90   |                |                    |    |
|----------------------|--|----------------|--------------------|----|
| Pe                   |  |                |                    |    |
| Cli                  | Client's Limit (ppm)   |                |                    | 40 |
| Specimen Description |  | Tracing<br>No. | Result(s)<br>(ppm) |    |
| 1.                   | Black coating on wood (Body)   | 6              | 1                  | ND |
| 2.                   | Transparent lacquer coating on wood (Base) + Cyan w/ white coating on wood (Block) + Multi-color coating on wood (Pattern)         | 6              | 2                  | ND |
| 3.                   | Green w/ white coating on wood (Block) + Light pink w/ white coating on wood (Block) + Blue w/ white coating on wood (Block)       | 6              | 3                  | ND |
| 4.                   | Yellow-green w/ white coating on wood (Block) + Pink w/ white coating on wood (Block) + Dull pink w/ white coating on wood (Block) | 6              | 4                  | ND |

Note: - ppm = parts per million

- ND = Not Detected (lower than MDL)
- MDL = Method Detection Limit = 10 ppm
- 1% = 10000 mg/kg = 10000 ppm
- For composite test: The result(s) is (are) calculated using the minimum specimen weight and the decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.
- Result(s) of specimen No.1 is(are) extracted from report No.T52110271669TY.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format document as advised that information contained herein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of lis intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconsible parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related for 3 dos only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(8e-755) 8307 1443, or email: CN.Doccheck@sgs.com

S6S Bldg, No.4, Jianghao Industrial Park, No.430, Jhua Road, Bantian, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgsgroup.com.cn 中国•深圳•龙岗区坂田吉华路 430 号江灏工业园 4 栋 SGS 大楼 邮编:518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com



## Test Report No.: T52110331240TY Date: DEC 31, 2021 Page 15 of 16

#### **CPSIA - Lead in Accessible Substrate Materials**

Method (non-metallic materials): With reference to CPSC-CH-E1002-08.3 - Standard Operation Procedure for Determining Total Lead (Pb) in Non-Metal Children Product

| Test Item(s)  | Lead (Pb)<br>100<br>40 |                |                    |
|---|------------------------|----------------|--------------------|
| Permissible Limit **(ppm)   |                        |                |                    |
| Client's Limit (ppm)  |                        |                |                    |
| Specimen Description  | Alias<br>No.           | Tracing<br>No. | Result(s)<br>(ppm) |
| 1. Cream plywood (Base) + Brown hardboard (Block) + Dark brown hardborad (Block)  | 5                      | 1              | ND                 |
| <ol> <li>Transparent plastic film (Card) (PE) + Blue-purple plastic (Body)<br/>(PP) + Blue-purple plastic (Clasp) (PA)</li> </ol> | 5                      | 2              | ND                 |
| <ol> <li>Red plastic (Pin) (PP) + Blue plastic (Pin) (PP) + Green plastic<br/>(Pin) (PP)</li> </ol>                               | 5                      | 3              | ND                 |
| 4. Yellow plastic (Pin) (PP) + Purple plastic (Pin) (PP)  | 5                      | 4              | ND                 |

\*\* Permissible Limit applies to a children's product manufactured after 14 August 2011 (Public Law 110-314 (Consumer Product Safety Improvement Act of 2008) and its Amendments Public Law 112-28)

- Note: ppm = parts per million
  - ND = Not Detected (lower than MDL)
  - MDL = Method Detection Limit = 10 ppm
  - 1% = 10000 mg/kg = 10000 ppm
  - For composite test: The result(s) is (are) calculated using the minimum specimen weight and the decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.
- N.B.: Only applicable clauses were shown.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format document as advised that information contained herein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of lis intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconsible parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related for 3 dos only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(8e-755) 8307 1443, or email: CN.Doccheck@sgs.com

S6S Bldg, No.4, Jianghao Industrial Park, No.430, Jihua Road, Bantian, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgsgroup.com.cn 中国•深圳•龙岗区坂田吉华路 430 号江源工业园 4 栋 SGS 大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com



# Test Report No.: T52110331240TY Date: DEC 31, 2021 Page 16 of 16

#### Remark:

- 1. Since the data and / or information above division line of front page is provided by the applicant, the relevant results or conclusions of this report are only made for these data and / or information, SGS shall not be responsible for the authenticity and integrity of such data and information and the validity of the results and / or conclusions arising therefrom. Testing results only apply to the sample as received.
- 2. The statement of conformity has considered the decision rule based on the Guarded acceptance (8.3.2 of ISO/IEC GUIDE 98-4:2012). When the measured value falls within the guard band, only the test data and measurement uncertainty will be reported. The guard band is equal to the expanded measurement uncertainty with a 95% coverage probability(k=2), w = U<sub>95</sub>. The Probability of False Accept and the Probability of False Reject of the decision rule are 2.5%. For Upper Tolerance Limit (T<sub>U</sub>): Pass when the measurement result is below T<sub>U</sub>-U<sub>95</sub>

Fail - when the measurement result is above  $T_U+U_{95}$ Inconclusive - when the measurement result is falling in guard band  $[T_U-U_{95}, T_U+U_{95}]$ For Lower Tolerance Limit ( $T_L$ ): Pass - when the measurement result is above  $T_L+U_{95}$ Fail - when the measurement result is below  $T_L-U_{95}$ 

Inconclusive - when the measurement result is falling in guard band  $[T_L-U_{95}, T_L+U_{95}]$ 

### Sample Photo:



SGS authenticate the photo on original report only

\*\*\* End of Report \*\*\*



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.gr.wt">http://www.sgs.com/en/Terms-and-Conditions.gr.wt</a>, dr electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions.gr.wt">http://www.sgs.com/en/Terms-and-Conditions.gr.wt</a>, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exorer ate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unattorized alteration, forgery or falsification of the company. Any unattorized alteration for or falsification of the trente of the sole of the document for appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(8e-75) 8307 1443, or email: CN.Doccheck@egs.com

S65 Bidg, No.4, Jianghao Industrial Park, No.430, Jihua Road, Bantian, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgsgroup.com.cn 中国•深圳•龙岗区坂田吉华路 430 号江源工业园 4 栋 SGS 大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com