

SGS United Kingdom Ltd.
Consumer Testing Services
Units 41 & 43, Listerhills Park of Science and Commerce,
Campus Road, Bradford,
West Yorkshire, United Kingdom
BD7 1HR

Tel: +44 (0)1274-303080 Fax:+44 (0)1274-303098

CERTIFICATE OF COMPLIANCE

SGS United Kingdom A UKAS Accredited Test House

Client Name : HAPPY ARTS&CRAFTS(NINGBO)CO.,LTD HAPE INTERNATIONAL

(NINGBO) LTD

Test Report Number : T52110322665TY

Reference Number : WSZ-UK5211320164TY

Sample Description : E1635 HUMAN BODY PUZZLE

Date of Issue : DEC 21, 2021

Applied Standards	<u>Result</u>
1) EN 71-1:2014+A1:2018 – Safety of toys – Part 1: Mechanical and Physical Properties	<u>Pass</u>
2) EN 71-2:2011+A1:2014 – Safety of toys – Part 2: Flammability	<u>Pass</u>
3) EN 71-2:2020 – Safety of toys – Part 2: Flammability	<u>Pass</u>
4) Directive 2009/48/FC and its amendment Council Directive (FLI) 2017/738. Commission	

- Directive 2009/48/EC and its amendment Council Directive (EU) 2017/738, Commission
 Directive (EU) 2018/725, Commission Directive (EU) 2019/1922 EN 71-3:2019 Migration of Pass certain elements
- 5) Directive 2009/48/EC and its amendment Council Directive (EU) 2017/738, Commission Directive (EU) 2018/725, Commission Directive (EU) 2019/1922 EN 71-3:2019 + A1:2021 Pass Migration of certain elements

This certificate of compliance must not be used without the attached reference test report.

Qu Ping, Kiky Dept. Manager SGS SHENZHEN

.. . . .



Nina Pratt

Senior Technologist

SGS UNITED KINGDOM LTD.

The report attached to this certificate has been checked and approved by SGS United Kingdom Ltd who holds a copy of the relevant documentation in its office. This certificate confirms test results by another SGS entity without SGS UK Ltd having done the testing itself. This Certificate is issued by SGS UK Ltd. under its General Conditions of Service accessible at http://www.sgs.com/en/Terms-and-conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. It cannot be reproduced other than in full and with the prior approval of SGS U K Ltd..

Member of SGS Group (SGS SA)



Member of SGS Group (SGS SA)

Registered in England No. 1193985. Rossmore Business Park, Ellesmere Port, Cheshire CH65 3EN

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's significant of the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307

\$6\$ Bldg, No.4, lianghao Industrial Park, No.430, lihua Road, Bantian, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgsgroup.com.cn 中国•深圳•龙岗区坂田吉华路 430 号江瀬工业园 4 栋 SGS 大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com





Test Report No.: T52110322665TY Date: DEC 21, 2021 Page 1 of 21

HAPPY ARTS&CRAFTS(NINGBO)CO.,LTD HAPE INTERNATIONAL (NINGBO) LTD 9-27 NANHAI ROAD, DAGANG INDUSTRIAL CITY, BEILUN, NINGBO, CHINA PC:315800

The following samples were submitted and identified by/on behalf of the client as:

E1635 HUMAN BODY PUZZLE

Item No.: E1635Country of Origin: CHINACountry of Destination: GLOBALClient Reference Information: E1635ALabeled Age Grading: 4Y+Requested Age Grading: 4Y+

Age Group Assessed by SGS As Per Age : OVER 4 YEARS

Guideline

Age Group Applied in Testing : OVER 4 YEARS Sample Receiving Date : NOV 30, 2021

Testing Period : NOV 30, 2021 TO DEC 21, 2021





Test Report No.: T52110322665TY Date: DEC 21, 2021 Page 2 of 21

Test	Requested	Conclusion					
1.	For compliance with the European standard on Safety of toys:-						
	EN 71-1:2014+A1:2018 – Safety of toys – Part 1: Mechanical and Physical Properties						
	EN 71-2:2011+A1:2014 - Safety of toys - Part 2: Flammability	PASS					
	EN 71-2: 2020 – Safety of toys – Part 2: Flammability						
	Labeling requirement (Washing/Cleaning Label, CE mark, importer / manufacturer mark (name, address), product identification) according to Informative Annex A.26 and A.33 of the European standard on Safety of toys EN 71-1:2014+A1:2018 and the Directive 2009/48/EC-Safety of toys						
	Directive 2009/48/EC and its amendment Council Directive (EU) 2017/738, Commission Directive (EU) 2018/725, Commission Directive (EU) 2019/1922 – EN 71-3:2019 – Migration of certain elements (All conclusive testing)	PASS					
	Directive 2009/48/EC and its amendment Council Directive (EU) 2017/738, Commission Directive (EU) 2018/725, Commission Directive (EU) 2019/1922 – EN 71-3:2019 + A1:2021 – Migration of certain elements (All conclusive testing)	PASS*					

Remark: Test item(s) with "*" is(are) not accredited by CNAS

******* FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) ********

Signed for and on behalf of SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Testing Center

Liu Junjie, Tony Section Manager

CNAS Approved Signatories

Qu Ping, Kiky
Dept. Manager
CNAS Approved Signatories





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) testiand for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307

S65 Bldg, No.4, Jianghao Industrial Park, No.430, Jihua Road, Bantian, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgsgroup.com.cn 中国•深圳•龙岗区坂田吉华路 430 号江瀬工业园 4 栋 SGS 大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com



Test Report No.: T52110322665TY Date: DEC 21, 2021 Page 3 of 21

Result:

EUROPEAN STANDARD ON SAFETY OF TOYS

EN 71-1:2014 + A1:2018 - SAFETY OF TOYS - PART 1: MECHANICAL AND PHYSICAL PROPERTIES

AS SPECIFIED IN EN 71-1:2014 + A1:2018 – SAFETY OF TOYS – PART 1: MECHANICAL AND PHYSICAL PROPERTIES

Clauses relevant to the item:

<u>Clause</u>	<u>Descripti</u>	i <u>on</u>	Result
4	General	requirements	
4.1	Material	cleanliness	<u>Pass</u>
4.2	Assembl	у	N/A
4.3	Flexible	plastics sheeting	N/A
4.4	Toy bags	3	<u>N/A</u>
4.5	Glass		<u>N/A</u>
4.6	Expandir	ng materials	<u>N/A</u>
4.7	Edges		<u>Pass</u>
4.8	Points ar	nd metallic wires	<u>Pass</u>
4.9	Protrudir	ng parts	N/A
4.10	Parts mo	oving against each other:	
	4.10.1	Folding and sliding mechanisms	N/A
	4.10.2	Driving mechanisms	N/A
	4.10.3	Hinges	<u>N/A</u>
	4.10.4	Springs	N/A
4.11	Mouth-ad	ctuated toys and other toys intended to be put in the mouth	<u>N/A</u>
4.12	Balloons		N/A
4.13	Cords of	toy kites and other flying toys	N/A
4.14	Enclosur	res:	
	4.14.1	Toys which a child can enter	<u>N/A</u>
	4.14.2	Masks and helmets	<u>N/A</u>
4.15	Toys inte	ended to bear the mass of a child:	
	4.15.1	Toys propelled by the child or by other means	<u>N/A</u>
	4.15.2	Toy bicycles	<u>N/A</u>
	4.15.3	Rocking horses and similar toys	<u>N/A</u>
	4.15.4	Toys not propelled by a child	<u>N/A</u>
	4.15.5	Toys scooters	<u>N/A</u>
4.16	Heavy im	nmobile toys	<u>N/A</u>



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307

S65 Bldg, No.4, Jianghao Industrial Park, No.40, Jihua Road, Bantian, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgsgroup.com.cn 中国•深圳•龙岗区坂田吉华路 430 号江瀬工业园 4 栋 SGS 大楼 邮编:518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com



Test	Report	No.: T52110322665TY Date:	DEC 21, 2021	Page 4 of 21
Clause	Description	<u>1</u>		Result
4.17	Projectile			<u>N/A</u>
4.18	Aquatic to	<u>N/A</u>		
4.19	Percussio percussio	n caps specifically designed for use in toys caps	and toys using	<u>N/A</u>
4.20	Acoustics			<u>N/A</u>
4.21	Toys conf	iining a non-electrical heat source		<u>N/A</u>
4.22	Small bal			<u>N/A</u>
4.23	Magnets			<u>N/A</u>
4.24	Yoyo ball			<u>N/A</u>
4.25	Toys atta	hed to food		<u>N/A</u>
4.26	Toy disgu	se costumes		<u>N/A</u>
4.27	Flying toy			<u>N/A</u>
5	Toys inter	ded for children under 36 months		
5.1		quirements:		
	5.1a	Small part requirement on toys & removal	ble	
		Components (Test method 8.2)		<u>N/A</u>
	5.1b	Torque test (Test method 8.3)		<u>N/A</u>
		Tension test (Test method 8.4)		<u>N/A</u>
		Drop test (Test method 8.5)		<u>N/A</u>
		Tip over test (Test method 8.6)		<u>N/A</u>
		Impact test (Test method 8.7)		<u>N/A</u>
		Compression test (Test method 8.8)		<u>N/A</u>
		Sharp edge (Test method 8.11)		<u>N/A</u>
		Sharp point (Test method 8.12)		<u>N/A</u>
		Tension test for magnets (Test method 8.	•	N/A
	5.1c	Potential hazardous metal points and wire 2mm or less	es with a cross section	of <u>N/A</u>
	5.1d	Large and bulky toys		<u>N/A</u>
	5.1e	Glued wooden toys and toys with glued o	•	<u>N/A</u>
	5.1f	The casing of toys intended for children to unaided	oo young to sit up	<u>N/A</u>
	5.1g	Foam toys and toys containing accessible	foam components	<u>N/A</u>
5.2	Soft-filled	oys and soft-filled parts of a toy		<u>N/A</u>
5.3	Plastic sh	_		<u>N/A</u>
5.4		ins and electrical cable in toys		<u>N/A</u>
5.5	Liquid fille	•		<u>N/A</u>
5.6	•	tation of electrically driven toys		<u>N/A</u>
5.7	Glass and	•		<u>N/A</u>
5.8	Shape an	size of certain toys		<u>N/A</u>



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are related for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307

S65 Bldg, No.4, Jianghao Industrial Park, No.409, Jihua Road, Bantian, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgsgroup.com.cn 中国•深圳•龙岗区坂田吉华路 430 号江瀬工业园 4 栋 SGS 大楼 邮编:518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com



Test Report

16311	Report No.: 1521103226651Y Date: DEC 21, 2021 Pag	ge 5 of 21
<u>Clause</u>	Description	Result
5.9	Toys comprising monofilament fibres	<u>N/A</u>
5.10	Small balls	<u>N/A</u>
5.11	Play figures	<u>N/A</u>
5.12	Hemispheric shaped toys	<u>N/A</u>
5.13	Suction cups	<u>N/A</u>
5.14	Straps intended to be used fully or partially around the neck	<u>N/A</u>
5.15	Sledges with cords for pulling	<u>N/A</u>
6	Packaging	<u>Pass</u>
7	Warnings, markings and instructions for use	
7.1	General Requirements Please note that for assessing the visibility and legibility of warnings CEN has introduced good practice in the informative Annex 33 by addressing the following aspects: a) Emphasising the warning; b) Contrast, background and colours; c) Reflecting surfaces and obscuring material; d) Font type; e) Font size; f) Logical direction of text. For more details see EN 71-1	<u>Pass</u>
7.2	Toys not intended for children under 36 months (Remark: The toy contains small part. It is acceptable because appropriate	Pass See Remark
	warning is found on packaging.)	
7.3	Latex Balloon	N/A
7.4	Aquatic toys	<u>N/A</u>
7.5	Functional Toys	<u>N/A</u>
7.6	Hazardous sharp functional edges and points	<u>N/A</u>
7.7	Projectiles	<u>N/A</u>
7.8	Imitation protective masks and helmets	N/A
7.9	Toy kites	<u>N/A</u>
7.10	Roller skates, inline skates and toy skateboards and certain other ride-on toys	<u>N/A</u>
7.11	Toys intended to be strung across a cradle, cot, or perambulator	<u>N/A</u>
7.12	Liquid filled teethers	<u>N/A</u>
7.13	Percussion caps specifically designed for use in toys	<u>N/A</u>
7.14	Acoustics	<u>N/A</u>
7.15	Toys bicycle	<u>N/A</u>
7.16	Toys intended to bear the mass of a child	<u>N/A</u>
7.17	Toys comprising monofilament fibres	<u>N/A</u>
7.18	Toy scooters	<u>N/A</u>

No.: T52110322665TY

Date: DEC 21, 2021

Page 5 of 21



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sas.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sas.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or enail: CN.Doccheck@sgs.com

S65 Bldg, No.4, Jianghao Industrial Park, No.40, Jihua Road, Bantian, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgsgroup.com.cn 中国•深圳•龙岗区坂田吉华路 430 号江瀬工业园 4 栋 SGS 大楼 邮编:518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com



Test Report

Test Report Clause Description		No.: T52110322665TY	Date: DEC 21, 2021	Page 6 of 21
Clause	Description			Result
7.19	Rocking hors	ses and similar toys		<u>N/A</u>
7 20	Magnetic/ele	ectrical experimental sets		NI/Δ

7.20	Magnetic/electrical experimental sets	N/A
7.21	Toys with electrical cables exceeding 300 mm in length	<u>N/A</u>
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	<u>N/A</u>
7.23	Toys intended to be attached to a cradle, cot or perambulator	N/A
7.24	Sledges with cords for pulling	N/A
7.25	Flying toys	N/A

According to 2009/48/EC, warnings and safety instructions shall be written in a language or languages easily understood by consumers.

N/A = Not Applicable

7.26

EN 71-2:2011+A1:2014 - SAFETY OF TOYS - PART 2: FLAMMABILITY

Improvised projectiles

AS SPECIFIED IN EN 71-2:2011+A1:2014 - SAFETY OF TOYS - PART 2: FLAMMABILITY

Clauses relevant to the item:

<u>Clause</u>	<u>Description</u>	Result
4.1	General requirements	<u>Pass</u>
4.2.2	Beards, moustaches, wigs etc., made from hair, pile or material with similar features (e.g. free-hanging ribbons, paper or cloth strands or other flowing elements), which protrude 50mm or more from the surface of the toy	Not Applicable
4.2.3	Beards, moustaches, wigs etc. made from hair, pile or material with similar features (e.g. free-hanging ribbons, paper ,cloth strands or other flowing elements), which protrude less than 50mm from the surface of the toy	Not Applicable
4.2.4	Full or partial moulded head masks	Not Applicable
4.2.5	Flowing elements of toys to be worn on the head (except those covered by 4.2.2 and 4.2.3), hoods, head-dresses etc. and masks not covered by 4.2.4 which partially or fully cover the head (e.g. fabric and cardboard masks ,eye masks, face masks), but excluding those items covered by 4.3	Not Applicable
4.3	Toy disguise costumes and toys intended to be worn by a child in play	Not Applicable
4.4	Toys intended to be entered by a child	Not Applicable
4.5	Soft filled toys	Not Applicable

Type of gas: Butane gas used in the test burner



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-75) 8307

S65 Bldg, No.4, Jianghao Industrial Park, No.430, Jihua Road, Bantian, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgsgroup.com.cn 中国•深圳•龙岗区坂田吉华路 430 号江瀬工业园 4 栋 SGS 大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com

N/A



Test Report No.: T52110322665TY Date: DEC 21, 2021 Page 7 of 21

EN 71-2: 2020 - SAFETY OF TOYS - PART 2: FLAMMABILITY

AS SPECIFIED IN EN 71-2: 2020 - SAFETY OF TOYS - PART 2: FLAMMABILITY

Clauses relevant to the item:

<u>Clause</u>	<u>Description</u>	Result
4.1	General requirements	<u>Pass</u>
4.2.2	Beards, moustaches, wigs, etc., made from pile or flowing elements which protrude 50 mm or more from the surface of the toy	Not Applicable
4.2.3	Beards, moustaches, wigs, etc., made from pile or flowing elements which protrude less than 50 mm from the surface of the toy	Not Applicable
4.2.4	Full or partial moulded head masks	Not Applicable
4.2.5	Toys to be worn on the head (except those covered by 4.2.2 and 4.2.3), hoods, headdresses including upward protruding items and masks not covered by 4.2.4 which partially or fully cover the head (e.g. fabric and paperboard masks, eye masks, face masks), but excluding those items covered by 4.3	Not Applicable
4.3	Toy disguise costumes and toys intended to be worn by a child in play	Not Applicable
4.4	Toys intended to be entered by a child	Not Applicable
4.5	Soft filled toys	Not Applicable

Type of gas: Butane gas used in the test burner





Test Report No.: T52110322665TY Date: DEC 21, 2021 Page 8 of 21

LABELING REQUIREMENT (WASHING/CLEANING INSTRUCTION, CE MARK, IMPORTER / MANUFACTURER NAME AND ADDRESS, PRODUCT IDENTIFICATION) ACCORDING TO INFORMATIVE ANNEX A.26 AND A.33 OF THE EUROPEAN STANDARD ON SAFETY OF TOYS EN 71-1:2014+A1:2018 AND THE DIRECTIVE 2009/48/EC – SAFETY OF TOYS

Summary table:

	Observation Result	Location
Washing/Cleaning instruction	Not applicable	
CE mark	Present	Packaging
Importer's Name & Address	Present	Packaging
Manufacturer's Name & Address	Present	Packaging
Product ID	Present	Packaging

Note:

- 1. According to Directive 2009/48/EC, a toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. A textile toy must, to this end, be washable, except if it contains a mechanism that may be damaged if soak washed. The manufacturer should, if applicable, provide instructions on how the toy has to be cleaned. According to the GUIDANCE DOCUMENT ON THE APPLICATION OF DIRECTIVE 2009/48/EC ON THE SAFETY OF TOYS, manufacturer shall not label "surface washing" on textile toys which, under the TSD, need to be soak washable."
- 2. CE marking should be visible from outside the packaging and its height must be at least 5mm.
- 3. Manufacturer's and Importer's name, registered trade name or registered trade mark and the address at which the manufacturer can be contacted must be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy.
- 4. Manufacturers must ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.





Test Report No.: T52110322665TY Date: DEC 21, 2021 Page 9 of 21

<u>Directive 2009/48/EC and its amendment Council Directive (EU) 2017/738, Commission Directive (EU) 2018/725, Commission Directive (EU) 2019/1922 – EN 71-3:2019 – Migration of certain elements</u>

Category III: Scraped-off toy material

Method: With reference to EN 71-3:2019. Analysis of general elements was performed by ICP-OES. Chromium (III) was obtained by calculation, chromium (VI) was analyzed by IC-UV-Vis / LC-ICP-MS and organic tin was analyzed by GC-MS.

Test Item(s)				Result(s)		MDL	Permissible Limit
Specimen No.			1	2	3		
Mass of trace amount		(mg)	/	55.0	89.3		
Soluble Aluminium	(AI)	(mg/kg)	58	1822	108	50	28130
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium+	(Cr)	(mg/kg)	ND	0.42	0.44	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	55	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	ND	205	50	46000





Test Report No.: T52110322665TY Date: DEC 21, 2021 Page 10 of 21

Test Item(s)				Result(s)		MDL	Permissible Limit
Specimen No.			4	5	6		
Mass of trace amount		(mg)	/	/	/		
Soluble Aluminium	(AI)	(mg/kg)	178	71	213	50	28130
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium+	(Cr)	(mg/kg)	2.34	0.57	0.38	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	2.34	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	95	174	122	50	46000





Test Report No.: T52110322665TY Date: DEC 21, 2021 Page 11 of 21

Test Item(s)				Result(s)		MDL	Permissible Limit
Specimen No.			7	8	9		
Mass of trace amount		(mg)	/	/	39.0		
Soluble Aluminium	(AI)	(mg/kg)	122	129	ND	50	28130
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium+	(Cr)	(mg/kg)	0.46	0.67	0.18	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	114	92	110	50	46000





Test Report No.: T52110322665TY Date: DEC 21, 2021 Page 12 of 21

Test Item(s)				Result(s)		MDL	Permissible Limit
Specimen No.			10	11	12		
Mass of trace amount		(mg)	/	1	/		
Soluble Aluminium	(AI)	(mg/kg)	529	104	ND	50	28130
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium+	(Cr)	(mg/kg)	0.43	ND	ND	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese	(Mn)	(mg/kg)	ND	190	122	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	ND	ND	50	46000





Test Report No.: T52110322665TY Date: DEC 21, 2021 Page 13 of 21

Test Item(s)			Resu	ılt(s)	MDL	Permissible Limit
Specimen No.			13	14		
Mass of trace amount		(mg)	11.6	/		
Soluble Aluminium	(AI)	(mg/kg)	54	ND	50	28130
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	5	17
Soluble Chromium+	(Cr)	(mg/kg)	0.16	0.32	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	2.3	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	85	ND	50	46000

Specimen Description:

- 1. White paper sheet w/ multi-color coating (Instruction)
- 2. Multi-color coating on wood (Body)
- 3. Red coating on wood (Body)
- 4. Orange coating on wood (Body)
- 5. Light red coating on wood (Body)
- 6. Yellow coating on wood (Body)
- 7. Purple-red coating on wood (Body)
- 8. Light blue coating on wood (Body)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-75) 8307

S65 Bldg, No.4, Jianghao Industrial Park, No.40, Jihua Road, Bantian, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgsgroup.com.cn 中国•深圳•龙岗区坂田吉华路 430 号江瀬工业园 4 栋 SGS 大楼 邮编:518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com



Test Report No.: T52110322665TY Date: DEC 21, 2021 Page 14 of 21

Specimen Description:

- 9. Purple coating on wood (Body)
- 10. White surfaced brown paper board w/ multi-color coating (Puzzle)
- 11. Brown hardboard (Body)
- 12. Dark brown hardboard (Body)
- 13. White coating on wood (Body)
- 14. Black coating

Note: - mg/kg = milligram per kilogram

- mg = milligram
- ND = Not Detected (lower than MDL)
- MDL = Method Detection Limit
- 1% = 10000 mg/kg = 10000 ppm
- + Soluble Chromium is not restricted by EN 71-3:2019, results shown only for reference
- Result(s) of specimen No.11, No.14 is(are) extracted from report No. T52110280191TY.
 Result(s) of specimen No.12 is(are) extracted from report No. T52010321603TY.
 Result(s) of specimen No.13 is(are) extracted from report No. T52110311129TY.





Test Report No.: T52110322665TY Date: DEC 21, 2021 Page 15 of 21

<u>Directive 2009/48/EC and its amendment Council Directive (EU) 2017/738, Commission Directive (EU) 2018/725, Commission Directive (EU) 2019/1922 – EN 71-3:2019+A1:2021 – Migration of certain elements</u>

Category III: Scraped-off toy material

Method: With reference to EN 71-3:2019+A1:2021. Analysis of general elements was performed by ICP-OES. Chromium (III) was obtained by calculation, chromium (VI) was analyzed by IC-UV-Vis / LC-ICP-MS and organic tin was analyzed by GC-MS.

Test Item(s)				Result(s)		MDL	Permissible Limit
Specimen No.			1	2	3		
Mass of trace amount		(mg)	/	55.0	89.3		
Soluble Aluminium	(AI)	(mg/kg)	58	1822	108	50	28130
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium+	(Cr)	(mg/kg)	ND	0.42	0.44	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	55	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	ND	205	50	46000





Test Report No.: T52110322665TY Date: DEC 21, 2021 Page 16 of 21

Test Item(s)				Result(s)		MDL	Permissible Limit
Specimen No.			4	5	6		
Mass of trace amount		(mg)	/	/	/		
Soluble Aluminium	(AI)	(mg/kg)	178	71	213	50	28130
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium+	(Cr)	(mg/kg)	2.34	0.57	0.38	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	2.34	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	95	174	122	50	46000





Test Report No.: T52110322665TY Date: DEC 21, 2021 Page 17 of 21

Test Item(s)				Result(s)		MDL	Permissible Limit
Specimen No.			7	8	9		
Mass of trace amount		(mg)	/	/	39.0		
Soluble Aluminium	(AI)	(mg/kg)	122	129	ND	50	28130
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium+	(Cr)	(mg/kg)	0.46	0.67	0.18	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	114	92	110	50	46000





Test Report No.: T52110322665TY Date: DEC 21, 2021 Page 18 of 21

Test Item(s)				Result(s)		MDL	Permissible Limit
Specimen No.			10	11	12		
Mass of trace amount		(mg)	/	/	/		
Soluble Aluminium	(AI)	(mg/kg)	529	104	ND	50	28130
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	ND	5	17
Soluble Chromium+	(Cr)	(mg/kg)	0.43	ND	ND	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	ND	2.3	23
Soluble Manganese	(Mn)	(mg/kg)	ND	190	122	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	ND	ND	ND	50	46000





Test Report No.: T52110322665TY Date: DEC 21, 2021 Page 19 of 21

Test Item(s)			Resi	ult(s)	MDL	Permissible Limit
Specimen No.			13	14	-	
Mass of trace amount		(mg)	11.6	/		
Soluble Aluminium	(AI)	(mg/kg)	54	ND	50	28130
Soluble Antimony	(Sb)	(mg/kg)	ND	ND	10	560
Soluble Arsenic	(As)	(mg/kg)	ND	ND	10	47
Soluble Barium	(Ba)	(mg/kg)	ND	ND	50	18750
Soluble Boron	(B)	(mg/kg)	ND	ND	50	15000
Soluble Cadmium	(Cd)	(mg/kg)	ND	ND	5	17
Soluble Chromium+	(Cr)	(mg/kg)	0.16	0.32	0.15	
Soluble Chromium (III)	(Cr (III))	(mg/kg)	ND	ND	1	460
Soluble Chromium (VI)	(Cr (VI))	(mg/kg)	ND	ND	0.010	0.053
Soluble Cobalt	(Co)	(mg/kg)	ND	ND	10	130
Soluble Copper	(Cu)	(mg/kg)	ND	ND	50	7700
Soluble Lead	(Pb)	(mg/kg)	ND	ND	2.3	23
Soluble Manganese	(Mn)	(mg/kg)	ND	ND	50	15000
Soluble Mercury	(Hg)	(mg/kg)	ND	ND	10	94
Soluble Nickel	(Ni)	(mg/kg)	ND	ND	10	930
Soluble Selenium	(Se)	(mg/kg)	ND	ND	10	460
Soluble Strontium	(Sr)	(mg/kg)	ND	ND	50	56000
Soluble Tin	(Sn)	(mg/kg)	ND	ND	3.0	180000
Soluble Organic Tin		(mg/kg)	ND	ND		12
Soluble Zinc	(Zn)	(mg/kg)	85	ND	50	46000

Specimen Description:

- 1. White paper sheet w/ multi-color coating (Instruction)
- 2. Multi-color coating on wood (Body)
- 3. Red coating on wood (Body)
- 4. Orange coating on wood (Body)
- 5. Light red coating on wood (Body)
- 6. Yellow coating on wood (Body)
- 7. Purple-red coating on wood (Body)
- 8. Light blue coating on wood (Body)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issued defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-75) 8307

S65 Bldg, No.4, Jianghao Industrial Park, No.430, Jihua Road, Bantian, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgsgroup.com.cn 中国•深圳•龙岗区坂田吉华路 430 号江瀬工业园 4 栋 SGS 大楼 邮编: 518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com



Test Report No.: T52110322665TY Date: DEC 21, 2021 Page 20 of 21

Specimen Description:

- 9. Purple coating on wood (Body)
- 10. White surfaced brown paper board w/ multi-color coating (Puzzle)
- 11. Brown hardboard (Body)
- 12. Dark brown hardboard (Body)
- 13. White coating on wood (Body)
- 14. Black coating

Note: - mg/kg = milligram per kilogram

- mg = milligram
- ND = Not Detected (lower than MDL)
- MDL = Method Detection Limit
- -1% = 10000 mg/kg = 10000 ppm
- + Soluble Chromium is not restricted by EN 71-3:2019+A1:2021, results shown only for reference
- Result(s) of specimen No.11, No.14 is(are) extracted from report No. T52110280191TY.

Result(s) of specimen No.12 is(are) extracted from report No. T52010321603TY.

Result(s) of specimen No.13 is(are) extracted from report No. T52110311129TY.

Remark:

- Since the data and / or information above division line of front page is provided by the applicant, the
 relevant results or conclusions of this report are only made for these data and / or information, SGS shall
 not be responsible for the authenticity and integrity of such data and information and the validity of the
 results and / or conclusions arising therefrom. Testing results only apply to the sample as received.
- 2. The statement of conformity has considered the decision rule based on the Guarded acceptance (8.3.2 of ISO/IEC GUIDE 98-4:2012). When the measured value falls within the guard band, only the test data and measurement uncertainty will be reported. The guard band is equal to the expanded measurement uncertainty with a 95% coverage probability(k=2), w = U₉₅. The Probability of False Accept and the Probability of False Reject of the decision rule are 2.5%.

For Upper Tolerance Limit (Tu):

Pass - when the measurement result is below T_{U} - U_{95}

Fail - when the measurement result is above T_U+U_{95}

Inconclusive - when the measurement result is falling in guard band [Tu-U95, Tu+U95]

For Lower Tolerance Limit (T_L):

Pass - when the measurement result is above T_L+U₉₅

Fail - when the measurement result is below T_L - U_{95}

Inconclusive - when the measurement result is falling in guard band [T_L-U₉₅, T_L+U₉₅]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tailed for 3d days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307

S6S Bldg, No.4, Jianghao Industrial Park, No.430, Jihua Road, Bantian, Longgang District, Shenzhen, China 518129 t (86-755) 25328888 f (86-755) 83106190 www.sgsgroup.com.cn 中国•深圳•龙岗区坂田吉华路 430 号江瀬工业园 4 栋 SGS 大楼 邮编:518129 t (86-755) 25328888 f (86-755) 83106190 e sgs.china@sgs.com



Test Report

No.: T52110322665TY

Date: DEC 21, 2021

Page 21 of 21

Sample Photo:



SGS authenticate the photo on original report only

*** End of Report ***

