



No.: T52210262151TY

Date: MAY 25, 2022

Page 1 of 18

HAPPY ARTS&CRAFTS(NINGBO)CO.,LTD HAPE INTERNATIONAL (NINGBO) LTD 9-27 NANHAI ROAD, DAGANG INDUSTRIAL CITY, BEILUN, NINGBO, CHINA PC:315800

The following samples were submitted and identified by/on behalf of the client as:

E3707 SUPER EXPANSION RAIL PACK E3826 RAINBOW PUZZLE RAILWAY		
Item No.	:	E3707, E3826
Country of Destination	:	GLOBAL
Client Reference Information	:	E3707A,E3826A
Labeled Age Grading	:	18M+/3+
Requested Age Grading	:	18M+/3Y+
********	*****	******************
Age Group Assessed by SGS As Per Age	:	OVER 18 MONTHS FOR ITEM NO. E3826, OVER 3
Guideline		YEARS FOR ITEM NO. E3707
Age Group Applied in Testing	:	OVER 18 MONTHS FOR ITEM NO. E3826, OVER 3
		YEARS FOR ITEM NO. E3707
Sample Receiving Date	:	YEARS FOR ITEM NO. E3707 APR 25, 2022
Sample Receiving Date Last Submission Sample Date	:	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format document as advised that information contained herein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of lis intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconsible parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related for 3 dos only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(8e-755) 8307 1443, or email: CN.Doccheck@sgs.com

1946。 (19 email: A Boom 101, Pearl 2 & Boom 319-64) 1 & Boom 319-601, Panta 1, Jianghao (Bantian) Industrial Plant Ana, No. 301, Jihua Road, Bantian Streit, Longang District, Shenzhen, Guangkong, China 518129 www.sgsgroup.com.cn 中国・广东深圳市龙岗区坂田街道坂田社区吉华路 430 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 郎编: 518129 1 (86-755) 25328888 sgs.com.ina@sgs.com



TY Date: MAY 25, 2022

#### Page 2 of 18

Test	Test Requested			
1.	For compliance with the test requirement of ASTM F963-17 Standard Consumer Safety Specification on Toy Safety.			
	ASTM F963-17 Standard Consumer Safety Specification for Toy Safety	PASS		
2.	For compliance with test requirement of the Physical & Mechanical, Flammability test requirement of Title 16, Code of Federal Regulations, Chapter II – Consumer Products Safety Commission of U.S.A			
	Physical and mechanical tests consisting US CPSC 16 CFR 1500.48, US CPSC 16 CFR 1500.49 and US CPSC 16 CFR 1501:			
	<ul> <li>US CPSC 16 CFR 1500.48 – Technical requirements for determining a sharp point in toys and other articles intended for use by children under 8 years of ages</li> </ul>			
	<ul> <li>US CPSC 16 CFR 1500.49 – Technical requirements for determining a sharp metal or glass edge in toys and other articles intended for use by children under 8 years of age</li> </ul>	PASS		
	<ul> <li>US CPSC 16 CFR 1501 – Method for identifying toys and other articles intended for use by children under 3 years of age which present choking, aspiration, or ingestion hazards because of small parts</li> </ul>			
	US CPSC 16 CFR 1500.44 – Method for determining extremely flammable and flammable solids	PASS		
3.	Title 16, Code of Federal Regulations, Chapter II - Consumer Products Safety Commission of U.S.A Part 1303 - Ban of Lead - Containing Paint and Certain Consumer Products Bearing Lead - Containing Paint – Lead Content	PASS		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the company is do bligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unathorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CNLDoccheK@sgs.com

Room 101-991, Pam 4 & Room 101, Pam 2 & Room 101, Pam 3 & Room 301-901, Plam 3, Jacophao (Barrian) Industrial Plant Area, No. X01, Jhua Road, Barrian Chmunity, Barrian Street, Longgang District, Stenzhen, Guangdong, China 518129 www.sgsgroup.com.cn 中国。广东·深圳市龙岗区坂田街道坂田社区吉华路 430 号江灏(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 邮编:518129 t (86-755) 25328888 sgs.com



Date: MAY 25, 2022

Page 3 of 18

Test I	Test Requested			
4.	Tracking label per Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103 tracking labels for children's products.	PASS*		
5.	CPSIA section 101 - Total Lead content			
E 4	CPSIA section 101(f) (1) – Lead in paint/similar surface coating material	PASS		
5.1	Client's Requirement – Lead in paint/similar surface coating material	PASS		
5.2	CPSIA section 101(a) (2) – Lead in accessible substrate materials (Including Children's Metal Jewelry)	PASS		
	Client's Requirement – Lead in accessible substrate materials (Including Children's Metal Jewelry)	PASS		

Remark: Test item(s) with "\*" is(are) not accredited by CNAS.

\*\*\*\*\*\*\*\* FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) \*\*\*\*\*\*\*\*

Signed for and on behalf of SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Testing Center

Huang Yao, Lucy Section Head CNAS Approved Signatories

Qu Ping, Kiky Dept. Manager CNAS Approved Signatories





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exorer ate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CNNDocheck@sgs.com

1945。の emile: On-Doccheck eggs com Acon 101-90、Pan 14 Soo m17, Pan 13 Soo m17-bit 13 Soo m3F-017, Pan 13, Jianghao (Bantian) Industrial Plant Asa, No. 430, Jihua Road, Bantian Chmunity, Bantian Sinet, Longgarg District, Shenzhen, Guangdong, China 518129 www.sgsgroup.com.cr 中国・广东・深圳市龙岗区坂田街道坂田社区吉华路 430 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 単编: 518129 t (86-755) 25328888 ggs.com



Date: MAY 25, 2022 Page 4 of 18

**Results:** 

### ASTM F963-17 STANDARD CONSUMER SAFETY SPECIFICATION FOR TOY SAFETY

AS SPECIFIED IN ASTM F963-17 STANDARD CONSUMER SAFETY SPECIFICATION ON TOYS SAFETY

Clauses relevant to the item:

<u>Clause</u>	Description	<u>Result</u>
4	Safety Requirements	
4.1	Material Quality **	Pass
4.2	Flammability Test	Pass
		(See Result Page)
4.3	Toxicology	
4.3.2	Manufacturing and Packaging of Food	<u>N/A</u>
4.3.3	Indirect Food Additives	<u>N/A</u>
4.3.4	Cosmetics	<u>N/A</u>
4.3.5	Heavy Elements	
	4.3.5.1 Heavy Elements in Paint/Similar Surface Coating Materials	<u>Pass</u>
		(See Result Page)
	4.3.5.2 Heavy Metal in Substrate Materials	Pass
		(See Result Page)
4.3.6	Cosmetic, Liquids, Pastes, Putties, Gels, Powders and Item of Avian Feather Origin	<u>N/A</u>
4.3.7	Stuffing Materials	<u>N/A</u>
4.3.8	DEHP (DOP)	<u>N/A</u>
4.4	Electrical/Thermal Energy	<u>N/A</u>
4.5	Sound-Producing Toys	Pass
4.6.1	Small Objects (For item No. E3826)	Pass
4.6.2	Mouth-Actuated Toys	<u>N/A</u>
4.6.3	Labelling Requirements	<u>N/A</u>
	Remark: The toy does not contain as-received small part.	<u>(See Remark)</u>
4.7	Accessible Edges	<u>Pass</u>
4.8	Projections	<u>Pass</u>
4.9	Accessible Points	Pass
4.10	Wires or Rods	Pass
4.11	Nails and Fasteners	Pass
4.12	Plastic Film	<u>Pass*</u>
	*Retest samples were submitted on May 12, 2022.	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the company is do bligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unathorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CNLDoccheK@sgs.com

Room 101-901, Pamt 4 & Room 101, Pamt 2 & Room 101, Pamt 3 & Room 301-501, Plant 3, Jianghao (Banian) Industrial Plant Ana, No. 500, Jihua Road, Banian Comunity, Banian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgsgroup.com.cn 中国•广东•深圳市龙岗区坂田街道坂田社区吉华路 430 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 邮编:518129 t (86-755) 25328888 sgs.com



No.: T52210262151TY

Date: MAY 25, 2022

Page 5 of 18

<u>Clause</u>	Description	<u>Result</u>
4.13.1	Folding Mechanisms	<u>N/A</u>
4.13.2	Hinge-Line Clearance	<u>N/A</u>
4.14	Cords, Straps and Elastic	<u>N/A</u>
4.15	Stability and Over-Load Requirements	<u>N/A</u>
4.16	Confined Spaces	<u>N/A</u>
4.17	Wheels, Tires, and Axles	Pass
4.18	Holes, Clearance & Accessibility of Mechanisms	<u>N/A</u>
4.19	Simulated Protective Devices	<u>N/A</u>
4.20	Pacifiers	<u>N/A</u>
4.21	Projectile Toys	<u>N/A</u>
4.22	Teethers and Teething Toys	<u>N/A</u>
4.23	Rattles	<u>N/A</u>
4.24	Squeeze Toys	<u>N/A</u>
4.25	Battery-Operated Toys (Rechargeable battery/Non-rechargeable battery)	<u>N/A</u>
4.26	Toys Intended to be Attached to a Crib or Playpen	<u>N/A</u>
4.27	Stuffed and Beanbag-Type Toys	<u>N/A</u>
4.28	Stroller and Carriage Toys	<u>N/A</u>
4.29	Art Materials	<u>N/A</u>
4.30	Toy Gun Marking	<u>N/A</u>
4.31	Balloons	<u>N/A</u>
4.32	Certain Toys and Nearly Spherical Ends	<u>N/A</u>
4.33	Marbles	<u>N/A</u>
4.34	Balls	<u>N/A</u>
4.35	Pompoms	<u>N/A</u>
4.36	Hemispheric-Shaped Objects	<u>N/A</u>
4.37	Yo Yo Elastic Tether Toys	<u>N/A</u>
4.38	Magnets	Pass
4.39	Jaw Entrapment in Handles and Steering Wheels	<u>N/A</u>
4.40	Expanding Materials	<u>N/A</u>
4.41	Toy Chest	<u>N/A</u>
5	Safety Labeling Requirements	
5.2	Age Grading Labeling	Pass
5.3	Safety Labeling Requirements	N/A
5.4	AquaticToys	N/A
5.5	Crib & Playpen Toys	N/A
5.6	Mobile	N/A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the company is do bligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unathorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CNLDoccheK@sgs.com

Room 101-991, Pam 4 & Room 101, Pam 2 & Room 101, Pam 3 & Room 301-901, Plam 3, Jacophao (Barrian) Industrial Plant Area, No. X01, Jhua Road, Barrian Chmunity, Barrian Street, Longgang District, Stenzhen, Guangdong, China 518129 www.sgsgroup.com.cn 中国。广东·深圳市龙岗区坂田街道坂田社区吉华路 430 号江灏(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 邮编:518129 t (86-755) 25328888 sgs.com



-	Test Report	No.: T52210262151TY	Date: MAY 25, 2022	Page 6 of 18
<u>Clause</u>	Description			<u>Result</u>
5.7	Stroller and Carr	iage Toys		<u>N/A</u>
5.8	Toys Intended to	be Assembled by an Adult		<u>N/A</u>
5.9	Simulated Protect	ctive Devices		<u>N/A</u>
5.10	Toys with Function	onal Sharp Edges and Sharp P	Points	<u>N/A</u>
5.11	Small Objects, S	mall Balls, Marbles, and Balloc	ons	<u>N/A</u>
5.12	Toy Caps			<u>N/A</u>
5.13	Art Materials			<u>N/A</u>
5.14	Electric Toys			<u>N/A</u>
5.15	Battery-Operated	d Toys		<u>N/A</u>
5.16	Promotional Mate	erials		Pass
5.17	Magnets			<u>N/A</u>
6	Instructional Liter	rature		
6.2	Crib & Playpen T	oys		<u>N/A</u>
6.3	Mobiles			<u>N/A</u>
6.4	Toys Intended to	be Assembled by an Adult		<u>N/A</u>
6.5	Battery-Operated	d Toys		<u>N/A</u>
6.6	Battery Powered	Ride-on Toys		<u>N/A</u>
6.7	Toys in Contact v	with Food		<u>N/A</u>
6.8	Toy Chests			<u>N/A</u>
7	Producer's Marki	ings		
7.1	Producer's Marki	ings		Pass
7.2	Battery-Powered	Ride-on Toys		<u>N/A</u>
7.3	Toy Chests			<u>N/A</u>
8.5	Normal Use Test	ing		Pass
8.7	Impact Test			Pass
8.8	Torque Test			Pass
8.9	Tension Test			Pass
8.10	Compression Te	st		Pass
8.12	Flexure Test			Pass
8.16	Tension Test for	Pompoms		<u>N/A</u>

N/A = Not Applicable

\*\* Visual Examination



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sqs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sqs.com/en/Terms-and-Conditions/Terms-and-Condite</u>

Room 101-991, Pam 4 & Room 101, Pam 2 & Room 101, Pam 3 & Room 301-901, Plam 3, Jacophao (Barrian) Industrial Plant Area, No. X01, Jhua Road, Barrian Chmunity, Barrian Street, Longgang District, Stenzhen, Guangdong, China 518129 www.sgsgroup.com.cn 中国。广东·深圳市龙岗区坂田街道坂田社区吉华路 430 号江灏(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 邮编:518129 t (86-755) 25328888 sgs.com



Burning Rate (inch/sec)

0.03

Result Page:

Flammability Test (Clause 4.2)

Flammability Test on Solid

Sample

E3707 SUPER EXPANSION RAIL PACK

E3826 RAINBOW PUZZLE RAILWAY

Requirement: A toy / component is considered a "flammable solid" if it ignites and burns with a self-sustaining flame at a rate greater than 0.10 in/sec along its major axis.

### ASTM F963-17, Clause 4.3.5.1 – Heavy Elements in Paint/Similar Surface Coating Materials

Method: With reference to CPSC-CH-E1003-09.1 / ASTM F963-17 Clause 8.3 Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)

Total Lead Content

Test Item(s)								
	MDL (ppm)							
То	tal Limit (ppm)			90				
Sp	Specimen DescriptionAliasTracingNo.No.No.							
1.	Dark red coating on metal (Rod) + Dark blue coating on metal (Rod)	4	1	14				
2.	Yellow coating on metal (Plate) + Orange coating on metal (Plate)	4	2	ND				
3.	Green coating on metal (Plate) + Pale blue coating on metal (Plate) + Blue coating on metal (Plate)	4	3	ND				
4.	Red coating on wood (Tracks, block) w/ Brown coating on wood (Logo), black coating on wood (Lettering, pattern), white coating on wood (Logo, pattern), dull light blue coating on wood (Train), dull blue coating on wood (Pattern of block)	4	4	ND				
5.	Yellow coating on wood (Tracks, base) w/ Dark red, orange, green, blue, light yellow, light green, light orange, light blue coating on wood (Pattern of base, organ)	4	5	ND				
6.	Light red coating on wood (Train, block) + Light green coating on wood (Train) + Light yellow coating on wood (Train)	4	6	ND				
7.	Blue coating on wood (Train) + Bright blue coating on wood (Train) + Transparent lacquer w/ dark green coating on wood (Block)	4	7	ND				
8.	Transparent lacquer w/ light green coating on wood (Block) + Transparent lacquer w/ dull orange coating on wood (Block) w/ Transparent lacquer w/ dull yellow coating on wood (Block)	4	8	ND				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sqs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at <u>http://www.sqs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's old responsibility is to its Client and this document does not excore the company solic responsibility is to its Client and this document does not excore the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related for ago ago only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 [1443, or email: CNLDoccheck@sgs.com]

Acon 111-401, Barr & & Room 101, Paint 2 & Room 114 701, Paint 3 & Room 314-011, Paint 3, Jianghao (Barrian) Industrial Plant Ana, No. 300, Jihua Road, Barrian Smeril, Longgang District, Shenzhen, Guangkong, China 518129 www.sgsgroup.com.cn 中国・广东•深圳市龙岗区坂田街道坂田社区吉华路 430 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 邮编: 518129 t (86-755) 25328888 sgs.cchina@sgs.com



No.: T52210262151TY

#### Date: MAY 25, 2022

Page 8 of 18

Test Item(s)						
MDL (ppm)			10			
Total Limit (ppm)			90			
Specimen Description Alias Tracing No. No.						
<ol> <li>Transparent lacquer w/ light orange coating on wood (Block) w/ Transparent lacquer w/ light blue, blue coating on wood (Block) + Blue coating on wood (Tracks)</li> </ol>	4	9	(ppm) ND			
10. Transparent lacquer coating on wood (Body) + Light blue coating on wood (Train) + Green coating on wood (Tracks)	4	10	ND			

#### Soluble Heavy Metal Content

Test Item(s)	)			Pb	Sb	As	Ва	Cd	Cr	Hg	Se
MDL (ppm)				5 5 2.5 10 5 5 5 <sup>2</sup>			10				
Migration Li	imit (ppn	n)		90	60	25	1000	75	60	60	500
Specimen	Alias	Tracing	Mass of trace		ih∆	usted N	Vigratio	n Resu	ult(s) (n	nm)	
No.	No.	No.	amount (mg)				-		. ,	Piii)	
1	1	14	/	ND	ND	ND	228	ND	ND	ND	ND
2	1	15	/	ND	ND	ND	72	ND	ND	ND	ND
3	1	16	/	ND	ND	ND	18	ND	ND	ND	ND
4	1	17	/	ND	ND	ND	91	ND	ND	ND	ND
5	1	18	/	ND	ND	ND	22	ND	ND	ND	ND
6	1	19	/	ND	ND	ND	20	ND	ND	ND	ND
7	1	20	/	ND	ND	ND	22	ND	ND	ND	ND
8	1	21	/	ND	ND	ND	ND	ND	ND	ND	ND
9	1	22	/	ND	ND	ND	ND	ND	ND	ND	ND
10	1	23	/	ND	ND	ND	ND	ND	ND	ND	ND
11	1	24	/	ND	ND	ND	ND	ND	ND	ND	ND
12	1	25	/	ND	ND	ND	ND	ND	ND	ND	ND
13	1	26	/	ND	ND	ND	ND	ND	ND	ND	ND
14	1	27	/	ND	ND	ND	ND	ND	ND	ND	ND
15	1	28	41.7	ND	ND	ND	ND	ND	ND	ND	ND
16	1	29	33.1	ND	ND	ND	ND	ND	ND	ND	ND
17	1	37	/	ND	ND	ND	ND	ND	ND	ND	ND
18	1	38	99.8	ND	ND	ND	ND	ND	ND	ND	ND
19	1	39	/	ND	ND	ND	ND	ND	ND	ND	ND
20	1	40	/	ND	ND	ND	ND	ND	ND	ND	ND
21	1	41	42.8	ND	ND	ND	ND	ND	ND	ND	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the company is do bligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unathorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CNLDoccheK@sgs.com

Room 101-901, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianphao (Bantian) Industrial Plant Ana, No. A01, Jihua Road, Bantian Chmunity, Bantian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgsgroup.com.cn 中国•广东•豫训市龙岗区坂田街道坂田社区吉华路 430 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 邮编:518129 t (86-755) 25328888 sgs.com



No.: T52210262151TY

Date: MAY 25, 2022

Page 9 of 18

### Specimen Description:

- 1. Dark red coating on metal (Rod)
- 2. Dark blue coating on metal (Rod)
- 3. Yellow coating on metal (Plate)
- 4. Orange coating on metal (Plate)
- 5. Green coating on metal (Plate)
- 6. Pale blue coating on metal (Plate)
- 7. Blue coating on metal (Plate)
- 8. Red coating on wood (Tracks, block)
- 9. Yellow coating on wood (Tracks, base)
- 10. Light red coating on wood (Train, block)
- 11. Light green coating on wood (Train)
- 12. Light yellow coating on wood (Train)
- 13. Blue coating on wood (Train)
- 14. Bright blue coating on wood (Train)
- 15. Transparent lacquer w/ dark green coating on wood (Block)
- 16. Transparent lacquer w/ light green coating on wood (Block)
- 17. Transparent lacquer w/ light blue, blue coating on wood (Block)
- 18. Blue coating on wood (Tracks)
- 19. Transparent lacquer coating on wood (Body)
- 20. Light blue coating on wood (Train)
- 21. Green coating on wood (Tracks)

#### Note: - ppm = parts per million

- 1% = 10000 mg/kg = 10000 ppm =10000 μg/g
- MDL = Method Detection Limit
- ND = Not Detected (lower than MDL)
- Soluble Heavy Metal Content
  - Result(s) of specimen No.17- No.18 is(are) extracted from report No. T52210241079TY Result(s) of specimen No.19 is(are) extracted from report No. T52110321297TY
  - Result(s) of specimen No.20 is(are) extracted from report No. T52110271669TY
  - Result(s) of specimen No.21 is(are) extracted from report No. T52110300913TY



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sqs.com/en/Terms-and-Conditions.grw.and</u>, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sqs.com/en/Terms-and-Conditions.grw.a-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document for advised that information contained hereon reflects the Company's indigs at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is the sample(s) testing by prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone;(8c-755) 8307 1443, or email: CN.Doccheck@sgs.com

1945.01 Entrain. CHE-DOCCTEARCH age.com Acom 101947, Frank 18 Acom 119, Paris 18 Acom 119, Paris 3, Janghao Bankian Jindustrial Plant Area, No.03, Jihua Read, Bankian Chmunity, Bankian Sinet, Longang District, Shenzhen, Guangdong, China 18129 www.sogsgroup.com.cn 中国・广东•深圳市龙岗区坂田街道坂田社区吉华路 430 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 301-501 单编:518129 t (86-755) 25328888 sgs.com



## Test Report No.: T52210262151TY Date: MAY 25, 2022 Page 10 of 18

Remark: As received, below test portion(s) is(are) less than 10 mg, therefore such component(s) was(were) not tested for certain migration elements, as specified in ASTM F963-17 Clause 8.3.3.6 (2) – Selection of Test Portions

Transparent lacquer w/ dull orange coating on wood (Block)

Transparent lacquer w/ dull yellow coating on wood (Block)

Transparent lacquer w/ light orange coating on wood (Block)

Brown coating on wood (Logo), black coating on wood (Lettering, pattern), white coating on wood (Logo, pattern), dull light blue coating on wood (Train), dull blue coating on wood (Pattern of block)

Dark red, orange, green, blue, light yellow, light green, light orange, light blue coating on wood (Pattern of base, organ)

#### ASTM F963-17, Clause 4.3.5.2 – Heavy Elements in Substrate Materials

Method: With reference to CPSC-CH-E1002-08.3 / CPSC-CH-E1001-08.3 / ASTM F963-17 Clause 8.3 / CPSC-CH-E1004-11

Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)/ Inductively Coupled Plasma Mass Spectrometer (ICP-MS)

Total Lead Content

Test Item(s)							
MDL (ppm) Total Limit (ppm)							
							Specimen DescriptionAliasTracingNo.No.No.
1. Silvery metal rod	2	1	ND				
2. Silvery metal plate	2	2	ND				
3. Silvery metal small screw	2	3	ND				
4. Silvery metal large screw (Hand drums)	2	4	ND				
5. Silvery metal axle (Hand drums)	2	5	ND				
6. Silvery metal plate (Hand drums)	2	6	ND				
7. Silvery metal long axle (Wheel)	2	7	ND				
8. Silvery metal short axle (Wheel)	2	8	ND				
9. Silvery metal rivet (Magnet cover)	2	9	ND				
10. Yellow plastic (Hand drums, bead) (ABS) + Blue plastic (Hand drums, bead) (ABS) + Light green plastic (Bead) (ABS)	3	1	ND				
11. Black plastic (Base) (ABS) + Black soft plastic (Washer) + Orange plastic (Bead) (ABS)	3	2	ND				
12. Dark red plastic (Organ) (ABS) + Black plastic (Magnet cover) (PE) + Red plastic (Hand drums, bead) (ABS)	3	3	ND				
<ul> <li>13. Transparent plastic (Cover) (PC) + White plastic (Mirror) (ABS)</li> <li>+ Transparent plastic (Mirror) (PMMA)</li> </ul>	3	4	ND				
14. Red plastic (Wheel) (PP) + Green plastic (Wheel) (PP) + Yellow plastic (Wheel) (PP)	3	5	ND				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions">http://www.sgs.com/en/Terms-and-Conditions</a>. And, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions">http://www.sgs.com/en/Terms-and-Conditions</a>. And, for electronic Documents, subject to Terms and Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and uirsidiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related for 30 days only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CNLDocek@esa.com</a>

Acon 11/1-90, Harr & A Scon 11/1, Pant 2 & Room 11/1 Alon 31/30/11/ Pant 3, Jianghao (Bantian) Industrial Plant Ana, No. 300, Jihua Road, Bantian Tomunity, Bantian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgsgroup.com.cn 中国・广东•深圳市龙岗区坂田街道坂田柱区吉华路 430 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 邮编:518129 t (86-755) 25328888 sgs.com



No.: T52210262151TY

2022 Page 11 of 18

Soluble Heavy Metal Content

Test Item(s)				Pb Sb As Ba Cd Cr Hg			Se				
MDL (ppm)				5 5 2.5 10 5 5 5			5	10			
Migration Li Clays	ration Limit (ppm) Other Than Modeling			<b>9</b> 90 60 25 1000 7			75	60	60	500	
Migration Li	mit (ppr	n) Model	ling Clays	90 60 25 250 50 25 25				500			
Specimen No.	Alias No.	Tracing No.	Mass of trace amount (mg)		Adj	usted I	Aigratio	n Resu	lt(s) (p	pm)	
1	1	1	/	ND	ND	ND	ND	ND	ND	ND	ND
2	1	2	/	ND	ND	ND	ND	ND	ND	ND	ND
3	1	3	/	ND	ND	ND	ND	ND	ND	ND	ND
4	1	4	/	ND	ND	ND	ND	ND	ND	ND	ND
5	1	5	/	ND	ND	ND	ND	ND	ND	ND	ND
6	1	6	/	ND	ND	ND	ND	ND	ND	ND	ND
7	1	7	/	ND	ND	ND	ND	ND	ND	ND	ND
8	1	8	/	ND	ND	ND	ND	ND	ND	ND	ND
9	1	9	/	ND	ND	ND	ND	ND	ND	ND	ND
10	1	10	/	ND	ND	ND	ND	ND	ND	ND	ND
11	1	11	/	ND	ND	ND	ND	ND	ND	ND	ND
12	1	12	/	ND	ND	ND	ND	ND	ND	ND	ND
13	1	13	/	ND	ND	ND	ND	ND	ND	ND	ND
14	1	35	/	ND	ND	ND	ND	ND	ND	ND	ND
15	1	36	/	ND	ND	ND	ND	ND	ND	ND	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and <u>unisdiction issues</u> defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the company is diverged in full, without prior written approval of the Company. Any unathorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related of 304 as only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CNLDocchecle@sps.com

Room 101-901, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3, Jianphao (Bantian) Industrial Plant Ana, No. A01, Jihua Road, Bantian Chmunity, Bantian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgsgroup.com.cn 中国•广东•豫训市龙岗区坂田街道坂田社区吉华路 430 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 邮编:518129 t (86-755) 25328888 sgs.com



No.: T52210262151TY

Date: MAY 25, 2022 P

Page 12 of 18

Specimen Description:

- 1. Yellow plastic (Hand drums, bead) (ABS)
- 2. Blue plastic (Hand drums, bead) (ABS)
- 3. Light green plastic (Bead) (ABS)
- 4. Black plastic (Base) (ABS)
- 5. Dark red plastic (Organ) (ABS)
- 6. Black soft plastic (Washer)
- 7. Transparent plastic (Cover) (PC)
- 8. White plastic (Mirror) (ABS)
- 9. Transparent plastic (Mirror) (PMMA)
- 10. Red plastic (Wheel) (PP)
- 11. Green plastic (Wheel) (PP)
- 12. Yellow plastic (Wheel) (PP)
- 13. Black plastic (Magnet cover) (PE)
- 14. Red plastic (Hand drums, bead) (ABS)
- 15. Orange plastic (Bead) (ABS)
- Note: ppm = parts per million
  - µg/component = microgramme per component
  - $1\% = 10000 \text{ mg/kg} = 10000 \text{ ppm} = 10000 \text{ } \mu\text{g/g}$
  - ND = Not Detected (lower than MDL)
  - MDL = Method Detection Limit
  - Soluble Heavy Metal Content
     Result(s) of specimen No.14- No.15 is(are) extracted from report No. T52210241079TY



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.gr.wt">http://www.sgs.com/en/Terms-and-Conditions.gr.wt</a>, dr electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions.gr.wt">http://www.sgs.com/en/Terms-and-Conditions.gr.wt</a>, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exorer ate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unattorized alteration, forgery or falsification of the company. Any unattorized alteration for or falsification of the trente of the sole of the document for appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(8e-75) 8307 1443, or email: CN.Doccheck@esp.com

1945.01 Entail: United Section (1) Rent 3 Boom 31/601, Plant 3, Jangkao Bankian Jindustrial Plant Asea, No. 03, Jihua Read, Bankian Simet, Longang District, Shenzhen, Guangdong, China 318129 www.soggroup.com.cn 中国・广东·深圳市龙岗区坂田街道坂田社区吉华路 430 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 301-501 单编:518129 t (86-755) 25328888 sgs.com



#### Test Report No.: T52210262151TY Date: MAY 25, 2022 Page 13 of 18

#### **US CPSC**

#### PHYSICAL AND MECHANICAL TESTS CONSISTING US CPSC 16 CFR 1500.48, US CPSC 16 CFR 1500.49 AND US CPSC 16 CFR 1501

AS SPECIFIED IN PHYSICAL AND MECHANICAL TESTS CONSISTING US CPSC 16 CFR 1500.48, US CPSC 16 CFR 1500.49 AND US CPSC 16 CFR 1501

#### FOR ITEM NO. E3826

	No. of	Sharp point	Sharp edge	
	sample	(16 CFR	(16 CFR	Small part
	tested	<u>1500.48)</u>	<u>1500.49)</u>	<u>(16 CFR 1501)</u>
As received	1	Pass	Pass	Pass
Impact test (16 CFR 1500.52b)	1	Pass	Pass	Pass
Bite test (16 CFR 1500.52c)	1	N/A	N/A	N/A
Flexure test (16 CFR 1500.53d)	1	Pass	Pass	Pass
Torque test (16 CFR 1500.53e)	1	Pass	Pass	Pass
Tension test (16 CFR 1500.52f)	1	Pass	Pass	Pass
Compression test (16 CFR	1	Pass	Pass	Pass
1500.53g)				

#### FOR ITEM NO. E3707

	No. of	Sharp point	Sharp edge	
	sample	<u>(16 CFR</u>	(16 CFR	Small part
	tested	<u>1500.48)</u>	<u>1500.49)</u>	<u>(16 CFR 1501)</u>
As received	1	Pass	N/A	N/A
Impact test (16 CFR 1500.53b)	1	Pass	N/A	N/A
Bite test (16 CFR 1500.52c)	0	N/A	N/A	N/A
Flexure test (16 CFR 1500.53d)	0	N/A	N/A	N/A
Torque test (16 CFR 1500.53e)	1	Pass	N/A	N/A
Tension test (16 CFR 1500.53f)	1	Pass	N/A	N/A
Compression test (16 CFR	0	N/A	N/A	N/A
1500.53g)				

N/A = Not Applicable



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sqs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sqs.com/en/Terms-and-Conditions/Terms-And-Conditions/Terms-and-Condition</u> at teler none:(86-755) 8307

Acon 101-001 Hand & Boom 101, Pear 2 & Boom 101, Pear 2 & Boom 301-001, Pear 3, Jacoba (Bantian) Industrial Parr Ates, No. 501, Uhua Road, Bantian Tomunity, Bantian Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgsgroup.com.cn 中国・広・深圳市龙岗区坂田街道坂田社区吉华路 430 号江灏(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 邮编:518129 1 (86-755) 25328888 sgs.com



## Test Report No.: T52210262151TY Date: MAY 25, 2022 Page 14 of 18

# US CPSC 16 CFR 1500.44 – METHOD FOR DETERMINING EXTREMELY FLAMMABLE AND FLAMMABLE SOLIDS

AS SPECIFIED IN US CPSC 16 CFR 1500.44 – METHOD FOR DETERMINING EXTREMELY FLAMMABLE AND FLAMMABLE SOLIDS

Sample E3707 SUPER EXPANSION RAIL PACK E3826 RAINBOW PUZZLE RAILWAY Burning Rate (inch/sec) 0.03

Requirement: A toy / component is considered a "flammable solid" if it ignites and burns with a selfsustaining flame at a rate greater than 0.10 in/sec along its major axis.

#### CPSC 16 CFR 1303 - Lead in Paint/Similar Surface Coating Materials

Method: With reference to CPSC-CH-E1003-09.1 - Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings

Те	st Item(s)			Lead (Pb)
Permissible Limit (ppm)			90	
Sp	ecimen Description	Alias No.	Tracing No.	Result(s) (ppm)
1.	Dark red coating on metal (Rod) + Dark blue coating on metal (Rod)	5	1	14
2.	Yellow coating on metal (Plate) + Orange coating on metal (Plate)	5	2	ND
3.	Green coating on metal (Plate) + Pale blue coating on metal (Plate) + Blue coating on metal (Plate)	5	3	ND
4.	Red coating on wood (Tracks, block) w/ Brown coating on wood (Logo), black coating on wood (Lettering, pattern), white coating on wood (Logo, pattern), dull light blue coating on wood (Train), dull blue coating on wood (Pattern of block)	5	4	ND
5.	Yellow coating on wood (Tracks, base) w/ Dark red, orange, green, blue, light yellow, light green, light orange, light blue coating on wood (Pattern of base, organ)	5	5	ND
6.	Light red coating on wood (Train, block) + Light green coating on wood (Train) + Light yellow coating on wood (Train)	5	6	ND
7.	Blue coating on wood (Train) + Bright blue coating on wood (Train) + Transparent lacquer w/ dark green coating on wood (Block)	5	7	ND
8.	Transparent lacquer w/ light green coating on wood (Block) + Transparent lacquer w/ dull orange coating on wood (Block) w/ Transparent lacquer w/ dull yellow coating on wood (Block)	5	8	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions">http://www.sgs.com/en/Terms-and-Conditions</a>. And, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions">http://www.sgs.com/en/Terms-and-Conditions</a>. And, for electronic Documents, subject to Terms and Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and uirsidiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related for 30 days only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CNLDocek@esa.com</a>

Accon 11/149, Fant 4 & Koon 117, Pant 2 & Koon 117, Pant 3 & Koon 31/169, Plant 3, Jianghan (Bantian) Industrial Plant Ana, No. 40, Jihua Road, Bantian Chmunity, Bantian Street, Longang District, Shenzhen, Guangbong, China 518129 www.sgsgroup.com.cn 中国・广东•波利市龙岗区坂田街道坂田社区吉华路 430 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 301-501 郎塢: 518129 t (86-755) 25328888 sgs.china@sgs.com



#### Date: MAY 25, 2022

Page 15 of 18

Test Item(s) Permissible Limit (ppm)			<b>Lead (Pb)</b> 90
<ul> <li>9. Transparent lacquer w/ light orange coating on wood (Block) w/ Transparent lacquer w/ light blue, blue coating on wood (Block)</li> <li>+ Blue coating on wood (Tracks)</li> </ul>	5	9	ND
10. Transparent lacquer coating on wood (Body) + Light blue coating on wood (Train) + Green coating on wood (Tracks)	5	10	ND

#### Note: - ppm = parts per million

- ND = Not Detected (lower than MDL)
- MDL = Method Detection Limit = 10 ppm
- 1% = 10000 mg/kg = 10000 ppm

# As specified in Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103 tracking labels for children's products.

<ul> <li>Tracking label found on the packagir</li> </ul>	ng:
--	-----

1) Name:	HAPE TNTERNATIONAL AG
2) Location:	MADE IN CHINA.
	P2122401848NBCN07/2021;
	P2122402392NBCN09/2021
3) Date:	P2122401848NBCN07/2021;
	P2122402392NBCN09/2021
<ol><li>Cohort information:</li></ol>	P2122401848NBCN07/2021;
	P2122402392NBCN09/2021
- Tracking label found on the	product:
1) Name:	HAPE TNTERNATIONAL AG
2) Location:	P2122401848NBCN07/2021;
,	P2122402392NBCN09/2021
3) Date:	P2122401848NBCN07/2021;
,	P2122402392NBCN09/2021
4) Cohort information:	P2122401848NBCN07/2021;
·	P2122402392NBCN09/2021

Note: The tracking label assessment was based on the submitted samples and the information provided by the applicant. There was no verification on the validity of such information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sqs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sqs.com/en/Terms-and-Conditions.Conditions.rems-condecomenta.</u> Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unarthorized alteration, forgery or falsification of the Content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results show in this test report refer only to the sample(s) tested and such sample(s) are related for 30 dors only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(8e-755) 8307 1443, or email: CN.DoccHeck@egs.com

Acon 11/9-09, Panel & Boom 101, Panet 2 Boom 11/9-01 Stoom 31/9/01, Plant 3, Jacophao (Bantian) Industrial Plant Ana, No. 300, Jihua Road, Bantian Chmunity, Bantian Street, Longgang District, Shenzhen, Guangtong, China 518129 www.sgsgroup.com.cn 中国・广东・深圳市龙岗区坂田街道坂田社区吉华路 430 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 郎塢: 518129 1 (86-755) 25328888 sgs.cchina@sgs.com



Test Report No.: T52210262151TY Date: MAY 25, 2022 Page 16 of 18

#### CPSIA - Lead in Paint/Similar Surface Coating Materials

Method: With reference to CPSC-CH-E1003-09.1 - Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings

Test It				Lead (Pb)
Permissible Limit (ppm)			90	
Client'	Client's Limit (ppm)			40
Specin	nen Description	Alias No.	Tracing No.	Result(s) (ppm)
1. Dai (Ro	rk red coating on metal (Rod) + Dark blue coating on metal od)	7	1	14
	low coating on metal (Plate) + Orange coating on metal ate)	7	2	ND
	een coating on metal (Plate) + Pale blue coating on metal ate) + Blue coating on metal (Plate)	7	3	ND
(Lo on	d coating on wood (Tracks, block) w/ Brown coating on wood go), black coating on wood (Lettering, pattern), white coating wood (Logo, pattern), dull light blue coating on wood (Train), I blue coating on wood (Pattern of block)	7	4	ND
gre	llow coating on wood (Tracks, base) w/ Dark red, orange, en, blue, light yellow, light green, light orange, light blue ating on wood (Pattern of base, organ)	7	5	ND
6. Lig	ht red coating on wood (Train, block) + Light green coating wood (Train) + Light yellow coating on wood (Train)	7	6	ND
7. Blu (Tra	e coating on wood (Train) + Bright blue coating on wood ain) + Transparent lacquer w/ dark green coating on wood ock)	7	7	ND
Tra	Insparent lacquer w/ light green coating on wood (Block) + Insparent lacquer w/ dull orange coating on wood (Block) w/ Insparent lacquer w/ dull yellow coating on wood (Block)	7	8	ND
Tra	Insparent lacquer w/ light orange coating on wood (Block) w/ Insparent lacquer w/ light blue, blue coating on wood (Block) Blue coating on wood (Tracks)	7	9	ND
10. Tra	Insparent lacquer coating on wood (Body) + Light blue ating on wood (Train) + Green coating on wood (Tracks)	7	10	ND

Note: - ppm = parts per million

- 1% = 10000 mg/kg = 10000 ppm
- MDL = Method Detection Limit = 10 ppm
- ND = Not Detected (lower than MDL)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sqs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at <u>http://www.sqs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's old responsibility is to its Client and this document does not excore the company solic responsibility is to its Client and this document does not excore the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related for ago ago only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 [1443, or email: CNLDoccheck@sgs.com]

Accons 111-901, Part # 18 Acons 1117, Part 28 Acons 1176,107, Part 3, Jianghao (Banian) Industrial Plant Ana, No. 400, Jihua Road, Banian Chmunity, Banian Street, Longang District, Shenzhen, Guangbong, China 518129 www.sgsgroup.com.cn 中国・广东•深圳市龙岗区坂田街道坂田社区吉华路 4300 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 郎塢: 518129 t (86-755) 25328888 sgs.cchina@sgs.ccm



#### Test Report No.: T52210262151TY Date: MAY 25, 2022 Page 17 of 18

#### **CPSIA - Lead in Accessible Substrate Materials**

Method (non-metallic materials): With reference to CPSC-CH-E1002-08.3 - Standard Operation Procedure for Determining Total Lead (Pb) in Non-Metal Children Product

Method (metal materials): With reference to CPSC-CH-E1001-08.3 - Standard Operating Procedure for Determining Total Lead (Pb) in Children's Metal Products (Including Children's Metal Jewelry)

Test Item(s)			Lead (Pb)
Permissible Limit **(ppm) Client's Limit (ppm)			100
			40
Specimen Description	Alias No.	Tracing No.	Result(s) (ppm)
1. Silvery metal rod	6	1	ND
2. Silvery metal plate	6	2	ND
3. Silvery metal small screw	6	3	ND
4. Silvery metal large screw (Hand drums)	6	4	ND
5. Silvery metal axle (Hand drums)	6	5	ND
6. Silvery metal plate (Hand drums)	6	6	ND
7. Silvery metal long axle (Wheel)	6	7	ND
8. Silvery metal short axle (Wheel)	6	8	ND
9. Silvery metal rivet (Magnet cover)	6	9	ND
<ol> <li>Yellow plastic (Hand drums, bead) (ABS) + Blue plastic (Hand drums, bead) (ABS) + Light green plastic (Bead) (ABS)</li> </ol>	8	1	ND
11. Black plastic (Base) (ABS) + Black soft plastic (Washer) + Orange plastic (Bead) (ABS)	8	2	ND
12. Dark red plastic (Organ) (ABS) + Black plastic (Magnet cover) (PE) + Red plastic (Hand drums, bead) (ABS)	8	3	ND
13. Transparent plastic (Cover) (PC) + White plastic (Mirror) (ABS) + Transparent plastic (Mirror) (PMMA)	8	4	ND
14. Red plastic (Wheel) (PP) + Green plastic (Wheel) (PP) + Yellow plastic (Wheel) (PP)	8	5	ND

\*\* Permissible Limit applies to a children's product manufactured after 14 August 2011 (Public Law 110-314 (Consumer Product Safety Improvement Act of 2008) and its Amendments Public Law 112-28)

- Note: - ppm = parts per million
  - ND = Not Detected (lower than MDL)
  - MDL = Method Detection Limit = 10 ppm
  - 1% = 10000 mg/kg = 10000 ppm

N.B.: - Only applicable clauses were shown.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sqs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sqs.com/en/Terms-and-Conditions/Terms-And-Conditions/Terms-and-Condition</u>

Acom Mitherit, Banar 4 & Room Mit, Pan 2 & Room Mit, Pan 3, Janyhao (Banian) Industrial Plant Anza, No. 50, Jhua Road, Bantian Chmunih, Bantian Street, Longgang District, Shenzhen, Guangtong, China 518129 www.sagsgroup.com.cn 中国・广东•深圳市龙岗区坂田街道坂田社区吉华路 430 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 邮第:518129 t (86-755) 25328888 sgs.com



## Test Report No.: T52210262151TY Date: MAY 25, 2022 Page 18 of 18

#### Remark:

- Since the data and / or information above division line of front page is provided by the applicant, the relevant results or conclusions of this report are only made for these data and / or information, SGS shall not be responsible for the authenticity and integrity of such data and information and the validity of the results and / or conclusions arising therefrom. Testing results only apply to the sample as received.
- The statement of conformity has considered the decision rule based on the Guarded acceptance (8.3.2 of ISO/IEC GUIDE 98-4:2012). When the measured value falls within the guard band, only the test data and measurement uncertainty will be reported. The guard band is equal to the expanded measurement uncertainty with a 95% coverage probability(k=2), w = U<sub>95</sub>. The Probability of False Accept and the Probability of False Reject of the decision rule are 2.5%. For Upper Tolerance Limit (T<sub>U</sub>):

Pass - when the measurement result is below  $T_U-U_{95}$ 

Fail - when the measurement result is above  $T_U+U_{95}$ 


Inconclusive - when the measurement result is falling in guard band  $[T_U-U_{95}, T_U+U_{95}]$ 

For Lower Tolerance Limit (T<sub>L</sub>):

Pass - when the measurement result is above  $T_{\rm L} + U_{\rm 95}$ 

Fail - when the measurement result is below  $T_L$ - $U_{95}$ 

Inconclusive - when the measurement result is falling in guard band  $[T_L-U_{95}, T_L+U_{95}]$ 



SGS authenticate the photo on original report only

\*\*\* End of Report \*\*\*



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions/Terms-en/Conditions/Te

Accon 11/947, Fare 1.8 Koom 117, Pare 1.2 Koom 117, Pare 1.3 Koom 31/947, Plant 3, Jangkao, Bankial Plant Alea, No. CQ, Jhua Read, Bankian Smuniy, Bankian Siret, Longang District, Shenzhen, Guangdong, China 138129 www.segoroup.com.cn 中国・广东•深圳市龙岗区坂田街道坂田社区吉华路 430 号江源 (坂田) 工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 単编:518129 t (86-755) 25328888 sg.schina@sg.scom