

No.: T52210271828TY

Date: JUN 23, 2022 Page

Page 1 of 27

HAPPY ARTS&CRAFTS(NINGBO)CO.,LTD HAPE INTERNATIONAL (NINGBO) LTD 9-27 NANHAI ROAD, DAGANG INDUSTRIAL CITY, BEILUN, NINGBO, CHINA PC:315800

The following samples were submitted and identified by/on behalf of the client as:

E3823 RAILWAY PLAY TABLE, E3807 JUNGLE JOURNEY TRAIN, E3824,E3801 JUNGLE ADVENTURE RAILWAY TABLE, E3821 NUTTY SQUIRREL RAILWAY, E3808 WHISTLING PARROT ENGINE, E3822 SENSORY RAILWAY, E3825 MUSIC AND MONKEYS RAILWAY

| Item No. | : E3823, E3807, E3824, E3801, E3821, E3808, E3822, |
|------------------------------|--|
| | E3825 |
| Country of Destination | : GLOBAL |
| Client Reference Information | : E3823A,E3807A,E3824A,E3801A,E3821A,E3808A, |
| | E3822A,E3825A |
| Labeled Age Grading | : 18M+ |
| Requested Age Grading | : 18M+ |
| | |

| Age Group Assessed by SGS As Per Age Guideline | : OVER 18 MONTHS | |
|---|-------------------------------|----|
| Guideinie | | |
| Age Group Applied in Testing | : OVER 18 MONTHS | |
| Sample Receiving Date | : MAY 25, 2022 | |
| Last Submission Sample Date | : JUN 16, 2022 | |
| | | |
| Further Information Date | : JUN 22, 2022 | |
| Testing Period | : MAY 25, 2022 TO JUN 22, 202 | 22 |
| | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sqs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sqs.com/en/Terms-and-Conditions.Conditions.rems-chocument.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations unarthorized alteration, forger yor falsification to the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report fere only to the sample(s) tested and such sample(s) are relatined for 30 days only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.DoccHeck@spac.com

Rom 1014-01, Paral 4 & Rom 101, Paral 2 & Rom 101, Paral 1 & Rom 301-001, Paral 3, Janghao (Bantian) Industrial Parat Ana, No. 301, Juha Road, Bantian Smreit, Longgang District, Shenzhen, Guangtong, China 518129 www.sgsgroup.com.cn 中国・广东深圳市龙岗区坂田街道坂田社区吉华路 430 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 郎塢: 518129 1 (86-755) 25328888 sgs.com.ina@sgs.com



No.: T52210271828TY

Page 2 of 27

| Test | Test Requested | | | | | |
|------|--|------|--|--|--|--|
| 1. | For compliance with the European standard on Safety of toys:- | | | | | |
| | EN 71-1:2014+A1:2018 – Safety of toys – Part 1: Mechanical and Physical Properties | | | | | |
| | EN 71-2: 2020 – Safety of toys – Part 2: Flammability | | | | | |
| | Labeling requirement (Washing/Cleaning Label, CE mark, importer / manufacturer mark (name, address), product identification) according to Informative Annex A.26 and A.33 of the European standard on Safety of toys EN 71-1:2014+A1:2018 and the Directive 2009/48/EC-Safety of toys | | | | | |
| | Directive 2009/48/EC and its amendment Council Directive (EU) 2017/738, Commission Directive (EU) 2018/725, Commission Directive (EU) 2019/1922 – EN 71-3:2019 + A1:2021 – Migration of certain elements (All conclusive testing) | PASS | | | | |

******** FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) ********

Signed for and on behalf of SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Testing Center

Qu Ping, Kiky Dept. Manager

Huang Yao, Lucy

Section Head





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sqs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at <u>http://www.sqs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's old responsibility is to its Client and this document does not excore the company solic responsibility is to its Client and this document does not excore the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related for ago ago only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 [1443, or email: CNLDoccheck@sgs.com]

1443, of effnant: いいしのCCTIECK @ 955.com かのの11940, Frank 14 Som 11/ Frant 13 Som 11/ Frant 3. Janpha (Bantian) Industrial Plant Asa, No. 40, Jihua Road, Bantian Simeal, Longgang District, Shenzhen, Guangdong, China 518129 www.sgsgroup.com.cn 中国・广东・深圳市龙岗区坂田街道坂田社区吉华路 430 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 単編: 518129 t (86-755) 25328888 sgs.com



| Fest Report No.: T52210271828TY | Date: JUN 23, 2022 | Page 3 of 27 |
|--|--------------------|--------------|
|--|--------------------|--------------|

Results:

EUROPEAN STANDARD ON SAFETY OF TOYS

EN 71-1:2014 + A1:2018 - SAFETY OF TOYS - PART 1: MECHANICAL AND PHYSICAL PROPERTIES

AS SPECIFIED IN EN 71-1:2014 + A1:2018 – SAFETY OF TOYS – PART 1: MECHANICAL AND PHYSICAL PROPERTIES

Clauses relevant to the item:

| <u>Clause</u> | <u>Descripti</u> | on | <u>Result</u> |
|---------------|------------------|---|---------------|
| 4 | General | requirements | |
| 4.1 | Material | cleanliness | Pass |
| 4.2 | Assembl | у | Pass |
| 4.3 | Flexible | plastics sheeting | <u>N/A</u> |
| 4.4 | Toy bags | 3 | <u>N/A</u> |
| 4.5 | Glass | | <u>N/A</u> |
| 4.6 | Expandir | ng materials | <u>N/A</u> |
| 4.7 | Edges | | Pass |
| 4.8 | Points ar | nd metallic wires | Pass |
| 4.9 | Protrudin | ng parts | <u>N/A</u> |
| 4.10 | Parts mo | oving against each other: | |
| | 4.10.1 | Folding and sliding mechanisms | <u>N/A</u> |
| | 4.10.2 | Driving mechanisms | <u>N/A</u> |
| | 4.10.3 | Hinges | <u>N/A</u> |
| | 4.10.4 | Springs | Pass |
| 4.11 | Mouth-ad | ctuated toys and other toys intended to be put in the mouth | Pass |
| 4.12 | Balloons | | <u>N/A</u> |
| 4.13 | Cords of | toy kites and other flying toys | <u>N/A</u> |
| 4.14 | Enclosur | es: | |
| | 4.14.1 | Toys which a child can enter | <u>N/A</u> |
| | 4.14.2 | Masks and helmets | <u>N/A</u> |
| 4.15 | Toys inte | ended to bear the mass of a child: | |
| | 4.15.1 | Toys propelled by the child or by other means | <u>N/A</u> |
| | 4.15.2 | Toy bicycles | <u>N/A</u> |
| | 4.15.3 | Rocking horses and similar toys | <u>N/A</u> |
| | 4.15.4 | Toys not propelled by a child | <u>N/A</u> |
| | 4.15.5 | Toys scooters | <u>N/A</u> |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Condition</u>



| | Test Repo | t No.: T52210271828TY | Date: JUN 23, 2022 | Page 4 of 27 |
|-------------------------------|---|---|---------------------------|---|
| <u>Clause</u> 4.16 4.17 | Projectiles | nobile toys | | <u>Result</u> Pass N/A |
| 4.18 4.19 | • | ys and inflatable toys n caps specifically designed for us n caps | e in toys and toys using | <u>N/A</u> <u>N/A</u> |
| 4.20 4.21 | Acoustics | aining a non-electrical heat source | | <u>Pass</u> <u>N/A</u> |
| 4.22 4.23 | Small balls Magnets | - | | <u>N/A</u> Pass |
| 4.24 4.25 | Yoyo balls | hed to food | | <u>N/A</u> N/A |
| 4.26 4.27 | • | se costumes | | <u>N/A</u> N/A |
| 5 5.1 | Toys inten | ded for children under 36 months equirements: | | |
| | 5.1a | Small part requirement on toys & Components (Test method 8.2) | removable | Pass |
| | 5.1b | Torque test (Test method 8.3) Tension test (Test method 8.4) Drop test (Test method 8.5) Tip over test (Test method 8.6) | | <u>Pass</u> <u>Pass</u> <u>Pass</u> Pass |
| | | Impact test (Test method 8.7) Compression test (Test method 8 Sharp edge (Test method 8.11) Sharp point (Test method 8.12) | | <u>Pass</u> <u>Pass</u> <u>Pass</u> Pass |
| | 5.1c | Tension test for magnets (Test m Potential hazardous metal points 2mm or less | , | Pass of <u>N/A</u> |
| | 5.1d 5.1e 5.1f | Large and bulky toys Glued wooden toys and toys with The casing of toys intended for c | | <u>Pass</u> <u>Pass</u> <u>N/A</u> |
| 5.2 5.3 5.4 5.5 | Plastic she Cords, cha Liquid fille | ains and electrical cable in toys | ccessible foam components | <u>N/A</u> <u>N/A</u> Pass <u>N/A</u> |
| 5.6 | Speed lim | tation of electrically driven toys | | <u>N/A</u> |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related for 30 dos only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sps.com



| | Test Report | No.: T52210271828TY | Date: JUN 23, 2022 | Page 5 of 27 |
|---------------|--------------------------------|--|--------------------------------|---------------|
| <u>Clause</u> | Description | | | <u>Result</u> |
| 5.7 | Glass and porce | | | <u>N/A</u> |
| 5.8 | Shape and size | • | | <u>N/A</u> |
| 5.9 | | g monofilament fibres | | <u>N/A</u> |
| 5.10 | Small balls | | | Pass |
| 5.11 | Play figures | | | <u>N/A</u> |
| 5.12 | Hemispheric sha | aped toys | | <u>N/A</u> |
| 5.13 | Suction cups | | | <u>N/A</u> |
| 5.14 | | to be used fully or partially are | ound the neck | <u>N/A</u> |
| 5.15 | Sledges with co | rds for pulling | | <u>N/A</u> |
| 6 | Packaging | | | Pass* |
| _ | | s were submitted on Jun 22, 20 |)22. | |
| 7 | 0 | ings and instructions for use | | _ |
| 7.1 | General Require | ements t for assessing the visibility and | d logibility of worpings CEN k | Pass |
| | | practice in the informative An | | 185 |
| | following aspect | • | | |
| | a) Emphasisir | ng the warning; | | |
| | | ackground and colours; | | |
| | , | surfaces and obscuring materia | al; | |
| | d) Font type; e) Font size; | | | |
| | , | ection of text. | | |
| | For more details | | | |
| 7.2 | Toys not intende | ed for children under 36 month | S | <u>N/A</u> |
| 7.3 | Latex Balloon | | | <u>N/A</u> |
| 7.4 | Aquatic toys | | | <u>N/A</u> |
| 7.5 | Functional Toys | | | <u>N/A</u> |
| 7.6 | Hazardous shar | p functional edges and points | | <u>N/A</u> |
| 7.7 | Projectiles | | | <u>N/A</u> |
| 7.8 | Imitation protect | ive masks and helmets | | <u>N/A</u> |
| 7.9 | Toy kites | | | <u>N/A</u> |
| 7.10 | Roller skates, in toys | line skates and toy skateboard | ls and certain other ride-on | <u>N/A</u> |
| 7.11 | Toys intended to | b be strung across a cradle, co | t, or perambulator | <u>N/A</u> |
| 7.12 | Liquid filled teet | | | <u>N/A</u> |
| 7.13 | Percussion cape | s specifically designed for use | in toys | <u>N/A</u> |
| 7.14 | Acoustics | | | <u>N/A</u> |
| 7.15 | Toys bicycle | | | <u>N/A</u> |
| 7.16 | Toys intended to | bear the mass of a child | | <u>N/A</u> |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and uirsidiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the company. Sole responsibility is to its Client and this document does not excore the reproduced except in full, without prior written approval of the Company. Any unathorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related for 3 dos only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CNLDoccheck@sps.com



| | Test Report | No.: T52210271828TY | Date: JUN 23, 2022 | Page 6 of 27 |
|---------------|-----------------------------------|-------------------------------------|-----------------------------|---------------|
| <u>Clause</u> | Description | | | <u>Result</u> |
| 7.17 | Toys comprising | g monofilament fibres | | <u>N/A</u> |
| 7.18 | Toy scooters | | | <u>N/A</u> |
| 7.19 | Rocking horses | and similar toys | | <u>N/A</u> |
| 7.20 | Magnetic/electri | cal experimental sets | | <u>N/A</u> |
| 7.21 | Toys with electr | ical cables exceeding 300 mn | n in length | <u>N/A</u> |
| 7.22 | Toys with cords under 36 month | or chains intended for childre s | n of 18 months and over but | <u>N/A</u> |
| 7.23 | Toys intended to | b be attached to a cradle, cot | or perambulator | <u>N/A</u> |
| 7.24 | Sledges with co | rds for pulling | | <u>N/A</u> |
| 7.25 | Flying toys | | | <u>N/A</u> |
| 7.26 | Improvised proj | ectiles | | <u>N/A</u> |

According to 2009/48/EC, warnings and safety instructions shall be written in a language or languages easily understood by consumers.

N/A = Not Applicable

EN 71-2: 2020 - SAFETY OF TOYS - PART 2: FLAMMABILITY

AS SPECIFIED IN EN 71-2: 2020 - SAFETY OF TOYS - PART 2: FLAMMABILITY

Clauses relevant to the item:

| <u>Clause</u> | Description | <u>Result</u> |
|---------------|--|-----------------------|
| 4.1 | General requirements | Pass |
| 4.2.2 | Beards, moustaches, wigs, etc., made from pile or flowing elements which protrude 50 mm or more from the surface of the toy | Not Applicable |
| 4.2.3 | Beards, moustaches, wigs, etc., made from pile or flowing elements which protrude less than 50 mm from the surface of the toy | Not Applicable |
| 4.2.4 | Full or partial moulded head masks | Not Applicable |
| 4.2.5 | Toys to be worn on the head (except those covered by 4.2.2 and 4.2.3), hoods, headdresses including upward protruding items and masks not covered by 4.2.4 which partially or fully cover the head (e.g. fabric and paperboard masks, eye masks, face masks), but excluding those items covered by 4.3 | <u>Not Applicable</u> |
| 4.3 | Toy disguise costumes and toys intended to be worn by a child in play | Not Applicable |
| 4.4 | Toys intended to be entered by a child | Not Applicable |
| 4.5 | Soft filled toys | Not Applicable |

Type of gas: Butane gas used in the test burner



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sqs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sqs.com/en/Terms-and-Conditions.rems-end-Condition</u> at teler one:(86-755) 8307

Acom Mitherit, Banar 4 & Room Mit, Pan 2 & Room Mit, Pan 3, Janyhao (Banian) Industrial Plant Anza, No. 50, Jhua Road, Bantian Chmunih, Bantian Street, Longgang District, Shenzhen, Guangtong, China 518129 www.sagsgroup.com.cn 中国・广东•深圳市龙岗区坂田街道坂田社区吉华路 430 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 邮第:518129 t (86-755) 25328888 sgs.com



Test Report No.: T52210271828TY Date: JUN 23, 2022

LABELING REQUIREMENT (WASHING/CLEANING INSTRUCTION, CE MARK, IMPORTER / MANUFACTURER NAME AND ADDRESS, PRODUCT IDENTIFICATION) ACCORDING TO INFORMATIVE ANNEX A.26 AND A.33 OF THE EUROPEAN STANDARD ON SAFETY OF TOYS EN 71-1:2014+A1:2018 AND THE DIRECTIVE 2009/48/EC – SAFETY OF TOYS

Summary table:

| | Observation Result | Location |
|-------------------------------|--------------------|-----------------|
| Washing/Cleaning instruction | Not applicable | |
| CE mark | Present | Packaging |
| Importer's Name & Address | Present | Toy & Packaging |
| Manufacturer's Name & Address | Present | Toy & Packaging |
| Product ID | Present | Toy & Packaging |

Note:

- According to Directive 2009/48/EC, a toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. A textile toy must, to this end, be washable, except if it contains a mechanism that may be damaged if soak washed. The manufacturer should, if applicable, provide instructions on how the toy has to be cleaned. According to the GUIDANCE DOCUMENT ON THE APPLICATION OF DIRECTIVE 2009/48/EC ON THE SAFETY OF TOYS, manufacturer shall not label "surface washing" on textile toys which, under the TSD, need to be soak washable."
- 2. CE marking should be visible from outside the packaging and its height must be at least 5mm.
- 3. Manufacturer's and Importer's name, registered trade name or registered trade mark and the address at which the manufacturer can be contacted must be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy.
- 4. Manufacturers must ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sqs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sqs.com/en/Terms-and-Conditions.com/terms-and-Conditions.rems-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions.rems-and-Condition</u>

1946。の1911年18 Concitify Part 28 Konn 1917年18 Konn 1914917 Part 3, Jianphao (Bantan) Industrial Pant Ana, No. X0, Jihua Road, Bandan Chmunity, Bandan Street, Longang District, Shenzhen, Guangdong, China 198129 www.sogsgroup.com.cn 中国・広・深圳市龙岗区坂田街道坂田社区吉华路 430 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 301-501 単編:518129 t (86-755) 25328888 sgs.cohina@sgs.com

Page 7 of 27



Test Report No.: T52210271828TY Date: J

Date: JUN 23, 2022

Page 8 of 27

Directive 2009/48/EC and its amendment Council Directive (EU) 2017/738, Commission Directive (EU) 2018/725, Commission Directive (EU) 2019/1922 – EN 71-3:2019+A1:2021 – Migration of certain elements

Category III: Scraped-off toy material

Method: With reference to EN 71-3:2019+A1:2021. Analysis of general elements was performed by ICP-OES / Chromium (III) was obtained by calculation, chromium (VI) was analyzed by IC-UV-Vis or LC-ICP-MS / organic tin was analyzed by GC-MS.

| Test Item(s) | | | | Result(s) | | | Permissible Limit |
|-------------------------------|------------|---------|-----|-----------|----|-------|----------------------|
| Specimen No. | | | 1 | 2 | 3 | | |
| Mass of trace amount | | (mg) | / | / | / | | |
| Soluble Aluminium | (Al) | (mg/kg) | 452 | 756 | 71 | 50 | 28130 |
| Soluble Antimony | (Sb) | (mg/kg) | ND | ND | ND | 10 | 560 |
| Soluble Arsenic | (As) | (mg/kg) | ND | ND | ND | 10 | 47 |
| Soluble Barium | (Ba) | (mg/kg) | ND | ND | ND | 50 | 18750 |
| Soluble Boron | (B) | (mg/kg) | ND | ND | ND | 50 | 15000 |
| Soluble Cadmium | (Cd) | (mg/kg) | ND | ND | ND | 5 | 17 |
| Soluble Chromium ⁺ | (Cr) | (mg/kg) | ND | ND | 1 | 1 | |
| Soluble Chromium (III) | (Cr (III)) | (mg/kg) | ND | ND | 1 | 1 | 460 |
| Soluble Chromium (VI) | (Cr (VI)) | (mg/kg) | ND | ND | ND | 0.010 | 0.053 |
| Soluble Cobalt | (Co) | (mg/kg) | ND | ND | ND | 10 | 130 |
| Soluble Copper | (Cu) | (mg/kg) | ND | ND | ND | 50 | 7700 |
| Soluble Lead | (Pb) | (mg/kg) | ND | ND | ND | 2.3 | 23 |
| Soluble Manganese | (Mn) | (mg/kg) | ND | ND | ND | 50 | 15000 |
| Soluble Mercury | (Hg) | (mg/kg) | ND | ND | ND | 10 | 94 |
| Soluble Nickel | (Ni) | (mg/kg) | ND | ND | ND | 10 | 930 |
| Soluble Selenium | (Se) | (mg/kg) | ND | ND | ND | 10 | 460 |
| Soluble Strontium | (Sr) | (mg/kg) | ND | ND | ND | 50 | 56000 |
| Soluble Tin | (Sn) | (mg/kg) | ND | ND | ND | 3.0 | 180000 |
| Soluble Organic Tin | | (mg/kg) | ND | ND | ND | | 12 |
| Soluble Zinc | (Zn) | (mg/kg) | 69 | 175 | ND | 50 | 46000 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic format documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents.aspx. Attention is drawn to the limitation of liability, indemnification and µirsidiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excone the parties to a transaction from exercising all their rights and obligations under the transaction documents. This document to extend to excone to excone at possibility is to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related for 30 days only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Acon 11/9-09, Panit & & Soon 101, Panit 2 & Room 11/9 Anit 2 & Room 31/9/01, Planit 3, Lianghao (Banian) Industrial Planit Ana, No. 300, Jihua Road, Banian Chmunity, Banian Street, Longgang District, Shenzhen, Guangtong, China 518129 www.sgsgroup.com.cn 中国・广东・深圳市龙岗区坂田街道坂田社区吉华路 430 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 郎塢: 518129 1 (86-755) 25328888 sgs.cchina@sgs.com



No.: T52210271828TY

Date: JUN 23, 2022

Page 9 of 27

| Test Item(s) | | | | Result(s) | | MDL | Permissible Limit |
|-------------------------------|------------|---------|----|-----------|----|-------|----------------------|
| Specimen No. | | | 4 | 5 | 6 | | |
| Mass of trace amount | | (mg) | / | / | / | | |
| Soluble Aluminium | (Al) | (mg/kg) | 82 | ND | ND | 50 | 28130 |
| Soluble Antimony | (Sb) | (mg/kg) | ND | ND | ND | 10 | 560 |
| Soluble Arsenic | (As) | (mg/kg) | ND | ND | ND | 10 | 47 |
| Soluble Barium | (Ba) | (mg/kg) | ND | ND | ND | 50 | 18750 |
| Soluble Boron | (B) | (mg/kg) | ND | ND | ND | 50 | 15000 |
| Soluble Cadmium | (Cd) | (mg/kg) | ND | ND | ND | 5 | 17 |
| Soluble Chromium ⁺ | (Cr) | (mg/kg) | ND | ND | ND | 1 | |
| Soluble Chromium (III) | (Cr (III)) | (mg/kg) | ND | ND | ND | 1 | 460 |
| Soluble Chromium (VI) | (Cr (VI)) | (mg/kg) | ND | ND | ND | 0.010 | 0.053 |
| Soluble Cobalt | (Co) | (mg/kg) | ND | ND | ND | 10 | 130 |
| Soluble Copper | (Cu) | (mg/kg) | ND | ND | ND | 50 | 7700 |
| Soluble Lead | (Pb) | (mg/kg) | ND | ND | ND | 2.3 | 23 |
| Soluble Manganese | (Mn) | (mg/kg) | ND | ND | ND | 50 | 15000 |
| Soluble Mercury | (Hg) | (mg/kg) | ND | ND | ND | 10 | 94 |
| Soluble Nickel | (Ni) | (mg/kg) | ND | ND | ND | 10 | 930 |
| Soluble Selenium | (Se) | (mg/kg) | ND | ND | ND | 10 | 460 |
| Soluble Strontium | (Sr) | (mg/kg) | ND | ND | ND | 50 | 56000 |
| Soluble Tin | (Sn) | (mg/kg) | ND | ND | ND | 3.0 | 180000 |
| Soluble Organic Tin | | (mg/kg) | ND | ND | ND | | 12 |
| Soluble Zinc | (Zn) | (mg/kg) | ND | ND | ND | 50 | 46000 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format document is advised that information contained hereon reflects the Company's infungs at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. Sind solutions of the content or appearance of this document is of the document is proval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is three of this document is stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-75) 8307 at tele one:(86-755) 8307



No.: T52210271828TY

```
Date: JUN 23, 2022
```

2022 Page 10 of 27

| Test Item(s) | Test Item(s) | | | Result(s) | MDL | Permissible Limit | |
|-------------------------------|--------------|---------|-----|-----------|-----|----------------------|--------|
| Specimen No. | | | 7 | 8 | 9 | | |
| Mass of trace amount | | (mg) | / | / | / | | |
| Soluble Aluminium | (Al) | (mg/kg) | 384 | ND | ND | 50 | 28130 |
| Soluble Antimony | (Sb) | (mg/kg) | ND | ND | ND | 10 | 560 |
| Soluble Arsenic | (As) | (mg/kg) | ND | ND | ND | 10 | 47 |
| Soluble Barium | (Ba) | (mg/kg) | ND | ND | ND | 50 | 18750 |
| Soluble Boron | (B) | (mg/kg) | ND | ND | ND | 50 | 15000 |
| Soluble Cadmium | (Cd) | (mg/kg) | ND | ND | ND | 5 | 17 |
| Soluble Chromium ⁺ | (Cr) | (mg/kg) | ND | ND | ND | 1 | |
| Soluble Chromium (III) | (Cr (III)) | (mg/kg) | ND | ND | ND | 1 | 460 |
| Soluble Chromium (VI) | (Cr (VI)) | (mg/kg) | ND | ND | ND | 0.010 | 0.053 |
| Soluble Cobalt | (Co) | (mg/kg) | ND | ND | ND | 10 | 130 |
| Soluble Copper | (Cu) | (mg/kg) | ND | ND | ND | 50 | 7700 |
| Soluble Lead | (Pb) | (mg/kg) | ND | ND | ND | 2.3 | 23 |
| Soluble Manganese | (Mn) | (mg/kg) | ND | ND | ND | 50 | 15000 |
| Soluble Mercury | (Hg) | (mg/kg) | ND | ND | ND | 10 | 94 |
| Soluble Nickel | (Ni) | (mg/kg) | ND | ND | ND | 10 | 930 |
| Soluble Selenium | (Se) | (mg/kg) | ND | ND | ND | 10 | 460 |
| Soluble Strontium | (Sr) | (mg/kg) | ND | ND | ND | 50 | 56000 |
| Soluble Tin | (Sn) | (mg/kg) | ND | ND | ND | 3.0 | 180000 |
| Soluble Organic Tin | | (mg/kg) | ND | ND | ND | | 12 |
| Soluble Zinc | (Zn) | (mg/kg) | 248 | 78 | ND | 50 | 46000 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the company is do bligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unathorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CNLDoccheK@sgs.com



No.: T52210271828TY

Date: JUN 23, 2022

Page 11 of 27

| Test Item(s) | Test Item(s) | | | Result(s) | MDL | Permissible Limit | |
|-------------------------------|--------------|---------|----|-----------|-----|----------------------|--------|
| Specimen No. | | | 10 | 11 | 12 | | |
| Mass of trace amount | | (mg) | / | / | / | | |
| Soluble Aluminium | (Al) | (mg/kg) | ND | ND | ND | 50 | 28130 |
| Soluble Antimony | (Sb) | (mg/kg) | ND | ND | ND | 10 | 560 |
| Soluble Arsenic | (As) | (mg/kg) | ND | ND | ND | 10 | 47 |
| Soluble Barium | (Ba) | (mg/kg) | ND | ND | ND | 50 | 18750 |
| Soluble Boron | (B) | (mg/kg) | ND | ND | ND | 50 | 15000 |
| Soluble Cadmium | (Cd) | (mg/kg) | ND | ND | ND | 5 | 17 |
| Soluble Chromium ⁺ | (Cr) | (mg/kg) | ND | ND | ND | 1 | |
| Soluble Chromium (III) | (Cr (III)) | (mg/kg) | ND | ND | ND | 1 | 460 |
| Soluble Chromium (VI) | (Cr (VI)) | (mg/kg) | ND | ND | ND | 0.010 | 0.053 |
| Soluble Cobalt | (Co) | (mg/kg) | ND | ND | ND | 10 | 130 |
| Soluble Copper | (Cu) | (mg/kg) | ND | ND | ND | 50 | 7700 |
| Soluble Lead | (Pb) | (mg/kg) | ND | ND | ND | 2.3 | 23 |
| Soluble Manganese | (Mn) | (mg/kg) | ND | ND | ND | 50 | 15000 |
| Soluble Mercury | (Hg) | (mg/kg) | ND | ND | ND | 10 | 94 |
| Soluble Nickel | (Ni) | (mg/kg) | ND | ND | ND | 10 | 930 |
| Soluble Selenium | (Se) | (mg/kg) | ND | ND | ND | 10 | 460 |
| Soluble Strontium | (Sr) | (mg/kg) | ND | ND | ND | 50 | 56000 |
| Soluble Tin | (Sn) | (mg/kg) | ND | ND | ND | 3.0 | 180000 |
| Soluble Organic Tin | | (mg/kg) | ND | ND | ND | | 12 |
| Soluble Zinc | (Zn) | (mg/kg) | ND | ND | ND | 50 | 46000 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sqs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sqs.com/en/Terms-and-Conditions.rems-end-Condition</u> at tele one:(86-755) 8307



No.: T52210271828TY

Date: JUN 23, 2022

Page 12 of 27

| Test Item(s) | | | | Result(s) | MDL | Permissible Limit | |
|-------------------------------|------------|---------|-----|-----------|-----|----------------------|--------|
| Specimen No. | | | 13 | 14 | 15 | | |
| Mass of trace amount | | (mg) | / | / | / | | |
| Soluble Aluminium | (Al) | (mg/kg) | 120 | ND | ND | 50 | 28130 |
| Soluble Antimony | (Sb) | (mg/kg) | ND | 22 | ND | 10 | 560 |
| Soluble Arsenic | (As) | (mg/kg) | ND | ND | ND | 10 | 47 |
| Soluble Barium | (Ba) | (mg/kg) | ND | ND | ND | 50 | 18750 |
| Soluble Boron | (B) | (mg/kg) | ND | ND | ND | 50 | 15000 |
| Soluble Cadmium | (Cd) | (mg/kg) | ND | ND | ND | 5 | 17 |
| Soluble Chromium ⁺ | (Cr) | (mg/kg) | ND | ND | ND | 1 | |
| Soluble Chromium (III) | (Cr (III)) | (mg/kg) | ND | ND | ND | 1 | 460 |
| Soluble Chromium (VI) | (Cr (VI)) | (mg/kg) | ND | ND | ND | 0.010 | 0.053 |
| Soluble Cobalt | (Co) | (mg/kg) | ND | ND | ND | 10 | 130 |
| Soluble Copper | (Cu) | (mg/kg) | ND | ND | ND | 50 | 7700 |
| Soluble Lead | (Pb) | (mg/kg) | ND | ND | ND | 2.3 | 23 |
| Soluble Manganese | (Mn) | (mg/kg) | ND | ND | ND | 50 | 15000 |
| Soluble Mercury | (Hg) | (mg/kg) | ND | ND | ND | 10 | 94 |
| Soluble Nickel | (Ni) | (mg/kg) | ND | ND | ND | 10 | 930 |
| Soluble Selenium | (Se) | (mg/kg) | ND | ND | ND | 10 | 460 |
| Soluble Strontium | (Sr) | (mg/kg) | ND | ND | ND | 50 | 56000 |
| Soluble Tin | (Sn) | (mg/kg) | ND | ND | ND | 3.0 | 180000 |
| Soluble Organic Tin | | (mg/kg) | ND | ND | ND | | 12 |
| Soluble Zinc | (Zn) | (mg/kg) | 177 | ND | ND | 50 | 46000 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sqs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sqs.com/en/Terms-and-Conditions.rems-end-Condition</u> at tele ne:(86-755) 8307



No.: T52210271828TY

Date: JUN 23, 2022

2 Page 13 of 27

| Test Item(s) | | | | Result(s) | MDL | Permissible Limit | |
|-------------------------------|------------|---------|------|-----------|-----|----------------------|--------|
| Specimen No. | | | 16 | 17 | 18 | | |
| Mass of trace amount | | (mg) | 48.3 | / | / | | |
| Soluble Aluminium | (Al) | (mg/kg) | ND | ND | 177 | 50 | 28130 |
| Soluble Antimony | (Sb) | (mg/kg) | ND | ND | ND | 10 | 560 |
| Soluble Arsenic | (As) | (mg/kg) | ND | ND | ND | 10 | 47 |
| Soluble Barium | (Ba) | (mg/kg) | ND | ND | ND | 50 | 18750 |
| Soluble Boron | (B) | (mg/kg) | ND | ND | ND | 50 | 15000 |
| Soluble Cadmium | (Cd) | (mg/kg) | ND | ND | ND | 5 | 17 |
| Soluble Chromium ⁺ | (Cr) | (mg/kg) | ND | ND | ND | 1 | |
| Soluble Chromium (III) | (Cr (III)) | (mg/kg) | ND | ND | ND | 1 | 460 |
| Soluble Chromium (VI) | (Cr (VI)) | (mg/kg) | ND | ND | ND | 0.010 | 0.053 |
| Soluble Cobalt | (Co) | (mg/kg) | ND | ND | ND | 10 | 130 |
| Soluble Copper | (Cu) | (mg/kg) | ND | ND | ND | 50 | 7700 |
| Soluble Lead | (Pb) | (mg/kg) | ND | ND | ND | 2.3 | 23 |
| Soluble Manganese | (Mn) | (mg/kg) | ND | ND | ND | 50 | 15000 |
| Soluble Mercury | (Hg) | (mg/kg) | ND | ND | ND | 10 | 94 |
| Soluble Nickel | (Ni) | (mg/kg) | ND | ND | ND | 10 | 930 |
| Soluble Selenium | (Se) | (mg/kg) | ND | ND | ND | 10 | 460 |
| Soluble Strontium | (Sr) | (mg/kg) | ND | ND | ND | 50 | 56000 |
| Soluble Tin | (Sn) | (mg/kg) | ND | ND | ND | 3.0 | 180000 |
| Soluble Organic Tin | | (mg/kg) | ND | ND | ND | | 12 |
| Soluble Zinc | (Zn) | (mg/kg) | ND | ND | 108 | 50 | 46000 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the company is do bligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unathorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CNLDoccheK@sgs.com



No.: T52210271828TY

Date: JUN 23, 2022

2 Page 14 of 27

| Test Item(s) | | | | Result(s) | MDL | Permissible Limit | |
|------------------------|------------|---------|------|-----------|-----|----------------------|--------|
| Specimen No. | | | 19 | 20 | 21 | | |
| Mass of trace amount | | (mg) | 18.6 | / | / | | |
| Soluble Aluminium | (AI) | (mg/kg) | ND | ND | ND | 50 | 28130 |
| Soluble Antimony | (Sb) | (mg/kg) | ND | ND | ND | 10 | 560 |
| Soluble Arsenic | (As) | (mg/kg) | ND | ND | ND | 10 | 47 |
| Soluble Barium | (Ba) | (mg/kg) | ND | ND | ND | 50 | 18750 |
| Soluble Boron | (B) | (mg/kg) | ND | ND | ND | 50 | 15000 |
| Soluble Cadmium | (Cd) | (mg/kg) | ND | ND | ND | 5 | 17 |
| Soluble Chromium+ | (Cr) | (mg/kg) | ND | ND | ND | 1 | |
| Soluble Chromium (III) | (Cr (III)) | (mg/kg) | ND | ND | ND | 1 | 460 |
| Soluble Chromium (VI) | (Cr (VI)) | (mg/kg) | ND | ND | ND | 0.010 | 0.053 |
| Soluble Cobalt | (Co) | (mg/kg) | ND | ND | ND | 10 | 130 |
| Soluble Copper | (Cu) | (mg/kg) | ND | ND | ND | 50 | 7700 |
| Soluble Lead | (Pb) | (mg/kg) | ND | ND | ND | 2.3 | 23 |
| Soluble Manganese | (Mn) | (mg/kg) | ND | ND | ND | 50 | 15000 |
| Soluble Mercury | (Hg) | (mg/kg) | ND | ND | ND | 10 | 94 |
| Soluble Nickel | (Ni) | (mg/kg) | ND | ND | ND | 10 | 930 |
| Soluble Selenium | (Se) | (mg/kg) | ND | ND | ND | 10 | 460 |
| Soluble Strontium | (Sr) | (mg/kg) | ND | ND | ND | 50 | 56000 |
| Soluble Tin | (Sn) | (mg/kg) | ND | ND | ND | 3.0 | 180000 |
| Soluble Organic Tin | | (mg/kg) | ND | ND | ND | | 12 |
| Soluble Zinc | (Zn) | (mg/kg) | ND | ND | ND | 50 | 46000 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the company is do bligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unathorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CNLDoccheK@sgs.com



No.: T52210271828TY

```
Date: JUN 23, 2022
```

22 Page 15 of 27

| Test Item(s) | | | | Result(s) | MDL | Permissible Limit | |
|-------------------------------|------------|---------|----|-----------|-----|----------------------|--------|
| Specimen No. | | | 22 | 23 | 24 | | |
| Mass of trace amount | | (mg) | / | / | / | | |
| Soluble Aluminium | (Al) | (mg/kg) | ND | ND | ND | 50 | 28130 |
| Soluble Antimony | (Sb) | (mg/kg) | ND | ND | ND | 10 | 560 |
| Soluble Arsenic | (As) | (mg/kg) | ND | ND | ND | 10 | 47 |
| Soluble Barium | (Ba) | (mg/kg) | ND | ND | ND | 50 | 18750 |
| Soluble Boron | (B) | (mg/kg) | ND | ND | ND | 50 | 15000 |
| Soluble Cadmium | (Cd) | (mg/kg) | ND | ND | ND | 5 | 17 |
| Soluble Chromium ⁺ | (Cr) | (mg/kg) | ND | ND | ND | 1 | |
| Soluble Chromium (III) | (Cr (III)) | (mg/kg) | ND | ND | ND | 1 | 460 |
| Soluble Chromium (VI) | (Cr (VI)) | (mg/kg) | ND | ND | ND | 0.010 | 0.053 |
| Soluble Cobalt | (Co) | (mg/kg) | ND | ND | ND | 10 | 130 |
| Soluble Copper | (Cu) | (mg/kg) | ND | ND | ND | 50 | 7700 |
| Soluble Lead | (Pb) | (mg/kg) | ND | ND | ND | 2.3 | 23 |
| Soluble Manganese | (Mn) | (mg/kg) | ND | ND | ND | 50 | 15000 |
| Soluble Mercury | (Hg) | (mg/kg) | ND | ND | ND | 10 | 94 |
| Soluble Nickel | (Ni) | (mg/kg) | ND | ND | ND | 10 | 930 |
| Soluble Selenium | (Se) | (mg/kg) | ND | ND | ND | 10 | 460 |
| Soluble Strontium | (Sr) | (mg/kg) | ND | ND | ND | 50 | 56000 |
| Soluble Tin | (Sn) | (mg/kg) | ND | ND | ND | 3.0 | 180000 |
| Soluble Organic Tin | | (mg/kg) | ND | ND | ND | | 12 |
| Soluble Zinc | (Zn) | (mg/kg) | ND | ND | ND | 50 | 46000 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and <u>unisdiction issues</u> defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the company is do bligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related of as only song. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CNLDoccheck@sgs.com



No.: T52210271828TY

```
Date: JUN 23, 2022
```

2 Page 16 of 27

| Test Item(s) | | | | Result(s) | MDL | Permissible Limit | |
|-------------------------------|------------|---------|----|-----------|-----|----------------------|--------|
| Specimen No. | | | 25 | 26 | 27 | | |
| Mass of trace amount | | (mg) | / | / | / | | |
| Soluble Aluminium | (Al) | (mg/kg) | ND | ND | 75 | 50 | 28130 |
| Soluble Antimony | (Sb) | (mg/kg) | ND | ND | ND | 10 | 560 |
| Soluble Arsenic | (As) | (mg/kg) | ND | ND | ND | 10 | 47 |
| Soluble Barium | (Ba) | (mg/kg) | ND | ND | ND | 50 | 18750 |
| Soluble Boron | (B) | (mg/kg) | ND | ND | ND | 50 | 15000 |
| Soluble Cadmium | (Cd) | (mg/kg) | ND | ND | ND | 5 | 17 |
| Soluble Chromium ⁺ | (Cr) | (mg/kg) | ND | ND | ND | 1 | |
| Soluble Chromium (III) | (Cr (III)) | (mg/kg) | ND | ND | ND | 1 | 460 |
| Soluble Chromium (VI) | (Cr (VI)) | (mg/kg) | ND | ND | ND | 0.010 | 0.053 |
| Soluble Cobalt | (Co) | (mg/kg) | ND | ND | ND | 10 | 130 |
| Soluble Copper | (Cu) | (mg/kg) | ND | ND | ND | 50 | 7700 |
| Soluble Lead | (Pb) | (mg/kg) | ND | ND | ND | 2.3 | 23 |
| Soluble Manganese | (Mn) | (mg/kg) | ND | ND | ND | 50 | 15000 |
| Soluble Mercury | (Hg) | (mg/kg) | ND | ND | ND | 10 | 94 |
| Soluble Nickel | (Ni) | (mg/kg) | ND | ND | ND | 10 | 930 |
| Soluble Selenium | (Se) | (mg/kg) | ND | ND | ND | 10 | 460 |
| Soluble Strontium | (Sr) | (mg/kg) | ND | ND | ND | 50 | 56000 |
| Soluble Tin | (Sn) | (mg/kg) | ND | ND | ND | 3.0 | 180000 |
| Soluble Organic Tin | | (mg/kg) | ND | ND | ND | | 12 |
| Soluble Zinc | (Zn) | (mg/kg) | ND | ND | ND | 50 | 46000 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and <u>unisdiction issues</u> defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the company is do bligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related of as only song. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CNLDoccheck@sgs.com



No.: T52210271828TY

Date: JUN 23, 2022

22 Page 17 of 27

| Test Item(s) | Test Item(s) | | | Result(s) | Result(s) | | | | |
|-------------------------------|--------------|---------|------|-----------|-----------|-------|--------|--|--|
| Specimen No. | | | 28 | 29 | 30 | | - | | |
| Mass of trace amount | | (mg) | 77.5 | / | / | | | | |
| Soluble Aluminium | (Al) | (mg/kg) | 180 | ND | 68 | 50 | 28130 | | |
| Soluble Antimony | (Sb) | (mg/kg) | ND | ND | ND | 10 | 560 | | |
| Soluble Arsenic | (As) | (mg/kg) | ND | ND | ND | 10 | 47 | | |
| Soluble Barium | (Ba) | (mg/kg) | ND | ND | ND | 50 | 18750 | | |
| Soluble Boron | (B) | (mg/kg) | ND | ND | ND | 50 | 15000 | | |
| Soluble Cadmium | (Cd) | (mg/kg) | ND | ND | ND | 5 | 17 | | |
| Soluble Chromium ⁺ | (Cr) | (mg/kg) | ND | ND | ND | 1 | | | |
| Soluble Chromium (III) | (Cr (III)) | (mg/kg) | ND | ND | ND | 1 | 460 | | |
| Soluble Chromium (VI) | (Cr (VI)) | (mg/kg) | ND | ND | ND | 0.010 | 0.053 | | |
| Soluble Cobalt | (Co) | (mg/kg) | ND | ND | ND | 10 | 130 | | |
| Soluble Copper | (Cu) | (mg/kg) | ND | ND | ND | 50 | 7700 | | |
| Soluble Lead | (Pb) | (mg/kg) | ND | ND | ND | 2.3 | 23 | | |
| Soluble Manganese | (Mn) | (mg/kg) | ND | ND | ND | 50 | 15000 | | |
| Soluble Mercury | (Hg) | (mg/kg) | ND | ND | ND | 10 | 94 | | |
| Soluble Nickel | (Ni) | (mg/kg) | ND | ND | ND | 10 | 930 | | |
| Soluble Selenium | (Se) | (mg/kg) | ND | ND | ND | 10 | 460 | | |
| Soluble Strontium | (Sr) | (mg/kg) | ND | ND | ND | 50 | 56000 | | |
| Soluble Tin | (Sn) | (mg/kg) | 5.1 | ND | ND | 3.0 | 180000 | | |
| Soluble Organic Tin | | (mg/kg) | ND | ND | ND | | 12 | | |
| Soluble Zinc | (Zn) | (mg/kg) | ND | ND | ND | 50 | 46000 | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the company is do bligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unathorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CNLDoccheK@sgs.com



No.: T52210271828TY

Date: JUN 23, 2022

Page 18 of 27

| Test Item(s) | Test Item(s) | | | Result(s) | MDL | Permissible Limit | |
|-------------------------------|--------------|---------|----|-----------|-----|----------------------|--------|
| Specimen No. | | | 31 | 32 | 33 | | |
| Mass of trace amount | | (mg) | / | / | / | | |
| Soluble Aluminium | (Al) | (mg/kg) | ND | ND | 104 | 50 | 28130 |
| Soluble Antimony | (Sb) | (mg/kg) | ND | ND | ND | 10 | 560 |
| Soluble Arsenic | (As) | (mg/kg) | ND | ND | ND | 10 | 47 |
| Soluble Barium | (Ba) | (mg/kg) | ND | ND | ND | 50 | 18750 |
| Soluble Boron | (B) | (mg/kg) | ND | ND | ND | 50 | 15000 |
| Soluble Cadmium | (Cd) | (mg/kg) | ND | ND | ND | 5 | 17 |
| Soluble Chromium ⁺ | (Cr) | (mg/kg) | ND | ND | ND | 1 | |
| Soluble Chromium (III) | (Cr (III)) | (mg/kg) | ND | ND | ND | 1 | 460 |
| Soluble Chromium (VI) | (Cr (VI)) | (mg/kg) | ND | ND | ND | 0.010 | 0.053 |
| Soluble Cobalt | (Co) | (mg/kg) | ND | ND | ND | 10 | 130 |
| Soluble Copper | (Cu) | (mg/kg) | ND | ND | ND | 50 | 7700 |
| Soluble Lead | (Pb) | (mg/kg) | ND | ND | ND | 2.3 | 23 |
| Soluble Manganese | (Mn) | (mg/kg) | ND | ND | 190 | 50 | 15000 |
| Soluble Mercury | (Hg) | (mg/kg) | ND | ND | ND | 10 | 94 |
| Soluble Nickel | (Ni) | (mg/kg) | ND | ND | ND | 10 | 930 |
| Soluble Selenium | (Se) | (mg/kg) | ND | ND | ND | 10 | 460 |
| Soluble Strontium | (Sr) | (mg/kg) | ND | ND | ND | 50 | 56000 |
| Soluble Tin | (Sn) | (mg/kg) | ND | ND | ND | 3.0 | 180000 |
| Soluble Organic Tin | | (mg/kg) | ND | ND | ND | | 12 |
| Soluble Zinc | (Zn) | (mg/kg) | ND | ND | ND | 50 | 46000 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sqs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sqs.com/en/Terms-and-Conditions.rems-end-Condition</u> at tele one:(86-755) 8307



No.: T52210271828TY

Date: JUN 23, 2022

Page 19 of 27

| Test Item(s) | | | | Result(s) | MDL | Permissible Limit | |
|-------------------------------|------------|---------|----|-----------|-----|----------------------|--------|
| Specimen No. | | | 34 | 35 | 36 | | |
| Mass of trace amount | | (mg) | / | / | / | | |
| Soluble Aluminium | (Al) | (mg/kg) | ND | ND | ND | 50 | 28130 |
| Soluble Antimony | (Sb) | (mg/kg) | ND | ND | ND | 10 | 560 |
| Soluble Arsenic | (As) | (mg/kg) | ND | ND | ND | 10 | 47 |
| Soluble Barium | (Ba) | (mg/kg) | ND | ND | ND | 50 | 18750 |
| Soluble Boron | (B) | (mg/kg) | ND | ND | ND | 50 | 15000 |
| Soluble Cadmium | (Cd) | (mg/kg) | ND | ND | ND | 5 | 17 |
| Soluble Chromium ⁺ | (Cr) | (mg/kg) | ND | ND | ND | 1 | |
| Soluble Chromium (III) | (Cr (III)) | (mg/kg) | ND | ND | ND | 1 | 460 |
| Soluble Chromium (VI) | (Cr (VI)) | (mg/kg) | ND | ND | ND | 0.010 | 0.053 |
| Soluble Cobalt | (Co) | (mg/kg) | ND | ND | ND | 10 | 130 |
| Soluble Copper | (Cu) | (mg/kg) | ND | ND | ND | 50 | 7700 |
| Soluble Lead | (Pb) | (mg/kg) | ND | ND | ND | 2.3 | 23 |
| Soluble Manganese | (Mn) | (mg/kg) | ND | ND | ND | 50 | 15000 |
| Soluble Mercury | (Hg) | (mg/kg) | ND | ND | ND | 10 | 94 |
| Soluble Nickel | (Ni) | (mg/kg) | ND | ND | ND | 10 | 930 |
| Soluble Selenium | (Se) | (mg/kg) | ND | ND | ND | 10 | 460 |
| Soluble Strontium | (Sr) | (mg/kg) | ND | ND | ND | 50 | 56000 |
| Soluble Tin | (Sn) | (mg/kg) | ND | ND | ND | 3.0 | 180000 |
| Soluble Organic Tin | | (mg/kg) | ND | ND | ND | | 12 |
| Soluble Zinc | (Zn) | (mg/kg) | ND | ND | ND | 50 | 46000 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sqs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sqs.com/en/Terms-and-Conditions.rems-end-Condition</u> at tele one:(86-755) 8307



No.: T52210271828TY

Date: JUN 23, 2022

Page 20 of 27

| Test Item(s) | | | | Result(s) | MDL | Permissible Limit | |
|------------------------|------------|---------|-----|-----------|-----|----------------------|--------|
| Specimen No. | | | 37 | 38 | 39 | | |
| Mass of trace amount | | (mg) | / | / | / | | |
| Soluble Aluminium | (Al) | (mg/kg) | 183 | ND | ND | 50 | 28130 |
| Soluble Antimony | (Sb) | (mg/kg) | ND | ND | ND | 10 | 560 |
| Soluble Arsenic | (As) | (mg/kg) | ND | ND | ND | 10 | 47 |
| Soluble Barium | (Ba) | (mg/kg) | ND | ND | ND | 50 | 18750 |
| Soluble Boron | (B) | (mg/kg) | ND | ND | ND | 50 | 15000 |
| Soluble Cadmium | (Cd) | (mg/kg) | ND | ND | ND | 5 | 17 |
| Soluble Chromium+ | (Cr) | (mg/kg) | ND | ND | ND | 1 | |
| Soluble Chromium (III) | (Cr (III)) | (mg/kg) | ND | ND | ND | 1 | 460 |
| Soluble Chromium (VI) | (Cr (VI)) | (mg/kg) | ND | ND | ND | 0.010 | 0.053 |
| Soluble Cobalt | (Co) | (mg/kg) | ND | ND | ND | 10 | 130 |
| Soluble Copper | (Cu) | (mg/kg) | ND | ND | ND | 50 | 7700 |
| Soluble Lead | (Pb) | (mg/kg) | ND | ND | ND | 2.3 | 23 |
| Soluble Manganese | (Mn) | (mg/kg) | ND | ND | ND | 50 | 15000 |
| Soluble Mercury | (Hg) | (mg/kg) | ND | ND | ND | 10 | 94 |
| Soluble Nickel | (Ni) | (mg/kg) | ND | ND | ND | 10 | 930 |
| Soluble Selenium | (Se) | (mg/kg) | ND | ND | ND | 10 | 460 |
| Soluble Strontium | (Sr) | (mg/kg) | ND | ND | ND | 50 | 56000 |
| Soluble Tin | (Sn) | (mg/kg) | ND | ND | ND | 3.0 | 180000 |
| Soluble Organic Tin | | (mg/kg) | ND | ND | ND | | 12 |
| Soluble Zinc | (Zn) | (mg/kg) | 59 | ND | ND | 50 | 46000 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sqs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sqs.com/en/Terms-and-Conditions.rems-end-Condition</u> at tele one:(86-755) 8307



No.: T52210271828TY

Date: JUN 23, 2022

2 Page 21 of 27

| Test Item(s) | | | | Result(s) | MDL | Permissible Limit | |
|-------------------------------|------------|---------|-----|-----------|-----|----------------------|--------|
| Specimen No. | | | 40 | 41 | 42 | | |
| Mass of trace amount | | (mg) | / | / | / | | |
| Soluble Aluminium | (Al) | (mg/kg) | ND | ND | 53 | 50 | 28130 |
| Soluble Antimony | (Sb) | (mg/kg) | ND | ND | ND | 10 | 560 |
| Soluble Arsenic | (As) | (mg/kg) | ND | ND | ND | 10 | 47 |
| Soluble Barium | (Ba) | (mg/kg) | 130 | ND | ND | 50 | 18750 |
| Soluble Boron | (B) | (mg/kg) | ND | ND | ND | 50 | 15000 |
| Soluble Cadmium | (Cd) | (mg/kg) | ND | ND | ND | 5 | 17 |
| Soluble Chromium ⁺ | (Cr) | (mg/kg) | 1 | 1 | ND | 1 | |
| Soluble Chromium (III) | (Cr (III)) | (mg/kg) | 1 | 1 | ND | 1 | 460 |
| Soluble Chromium (VI) | (Cr (VI)) | (mg/kg) | ND | ND | ND | 0.010 | 0.053 |
| Soluble Cobalt | (Co) | (mg/kg) | ND | ND | ND | 10 | 130 |
| Soluble Copper | (Cu) | (mg/kg) | ND | ND | ND | 50 | 7700 |
| Soluble Lead | (Pb) | (mg/kg) | ND | ND | ND | 2.3 | 23 |
| Soluble Manganese | (Mn) | (mg/kg) | ND | ND | ND | 50 | 15000 |
| Soluble Mercury | (Hg) | (mg/kg) | ND | ND | ND | 10 | 94 |
| Soluble Nickel | (Ni) | (mg/kg) | ND | ND | ND | 10 | 930 |
| Soluble Selenium | (Se) | (mg/kg) | ND | ND | ND | 10 | 460 |
| Soluble Strontium | (Sr) | (mg/kg) | ND | ND | ND | 50 | 56000 |
| Soluble Tin | (Sn) | (mg/kg) | ND | ND | ND | 3.0 | 180000 |
| Soluble Organic Tin | | (mg/kg) | ND | ND | ND | | 12 |
| Soluble Zinc | (Zn) | (mg/kg) | ND | ND | ND | 50 | 46000 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and <u>unisdiction issues</u> defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the company is do bligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related of as only song. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CNLDoccheck@sgs.com



No.: T52210271828TY

Date: JUN 23, 2022

22 Page 22 of 27

| Test Item(s) | | | Result(s) | | | MDL | Permissible Limit |
|-------------------------------|------------|---------|-----------|-----|-----|-------|----------------------|
| Specimen No. | | | 43 | 44 | 45 | | |
| Mass of trace amount | | (mg) | / | / | / | | |
| Soluble Aluminium | (Al) | (mg/kg) | ND | 124 | 151 | 50 | 28130 |
| Soluble Antimony | (Sb) | (mg/kg) | ND | ND | ND | 10 | 560 |
| Soluble Arsenic | (As) | (mg/kg) | ND | ND | ND | 10 | 47 |
| Soluble Barium | (Ba) | (mg/kg) | ND | ND | ND | 50 | 18750 |
| Soluble Boron | (B) | (mg/kg) | ND | ND | ND | 50 | 15000 |
| Soluble Cadmium | (Cd) | (mg/kg) | ND | ND | ND | 5 | 17 |
| Soluble Chromium ⁺ | (Cr) | (mg/kg) | 2 | ND | ND | 1 | |
| Soluble Chromium (III) | (Cr (III)) | (mg/kg) | 2 | ND | ND | 1 | 460 |
| Soluble Chromium (VI) | (Cr (VI)) | (mg/kg) | ND | ND | ND | 0.010 | 0.053 |
| Soluble Cobalt | (Co) | (mg/kg) | ND | ND | ND | 10 | 130 |
| Soluble Copper | (Cu) | (mg/kg) | ND | ND | ND | 50 | 7700 |
| Soluble Lead | (Pb) | (mg/kg) | ND | ND | ND | 2.3 | 23 |
| Soluble Manganese | (Mn) | (mg/kg) | ND | ND | ND | 50 | 15000 |
| Soluble Mercury | (Hg) | (mg/kg) | ND | ND | ND | 10 | 94 |
| Soluble Nickel | (Ni) | (mg/kg) | ND | ND | ND | 10 | 930 |
| Soluble Selenium | (Se) | (mg/kg) | ND | ND | ND | 10 | 460 |
| Soluble Strontium | (Sr) | (mg/kg) | ND | ND | ND | 50 | 56000 |
| Soluble Tin | (Sn) | (mg/kg) | ND | ND | ND | 3.0 | 180000 |
| Soluble Organic Tin | | (mg/kg) | ND | ND | ND | | 12 |
| Soluble Zinc | (Zn) | (mg/kg) | ND | 188 | 159 | 50 | 46000 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the company is do bligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unathorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CNLDoccheK@sgs.com



No.: T52210271828TY

Date: JUN 23, 2022

Page 23 of 27

Specimen Description:

- 1. Multi-color coating on wood (Board, accessory)
- 2. White coating on wood (Board, accessory)
- 3. White coating on metal (Leg)
- 4. Light brown hardboard
- 5. Dark grey plastic (PP) (Wheel)
- 6. Blue plastic (PP) (Wheel)
- 7. Transparent lacquer w/ light sky-blue coating on wood (Board, accessory, button)
- 8. Light blue coating on metal (Rod)
- 9. Yellow coating on metal (Rod, key)
- 10. Dark orange plastic (ABS) (Bead)
- 11. Green plastic (ABS) (Bead)
- 12. Dark blue plastic (ABS) (Bead)
- 13. Transparent lacquer w/ red coating on wood (Logo, board, bead, train, track, block)
- 14. Dark green felt
- 15. Yellow-green felt
- 16. Red woven cord
- 17. Bright dark blue plastic (ABS) (Holder, track)
- 18. Transparent lacquer w/ yellow-green coating (Ball, button)
- 19. Red coating on plastic (Train)
- 20. Black soft plastic (Base)
- 21. Dark red plastic (ABS) (Xylophone, base)
- 22. Brown plastic (ABS) (Monkey)
- 23. Dull green plastic (ABS) (Base)
- 24. Dark cream plastic (PC) (Buckle)
- 25. Black plastic (Connector)
- 26. Bright red plastic (PP) (Wheel)
- 27. Dull dark green coating on wood (Block)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excert expertise to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(8c-75) 8307 1443, or email: CN.Doccheck@egs.com

1948、の19 Entran. On Exposite December and a sequence of the sequence of the



No.: T52210271828TY

Date: JUN 23, 2022

Page 24 of 27

Specimen Description:

- 28. Dark green coating on wood (Block, base)
- 29. Cream polywood (Leg)
- 30. Transparent lacquer w/ green coating on wood (Bead, train, block, edge, ball, button, track)
- 31. Transparent lacquer coating on wood
- 32. Cream wood
- 33. Brown Hardboard
- 34. Yellow plastic (ABS) (Bead, track, holder, train)
- 35. Black plastic (ABS) (Buckle)
- 36. Yellow plastic (PP) (Wheel)
- 37. Light yellow coating on wood (Bead, button, track)
- 38. Red plastic (ABS) (Bead, track, holder, bead)
- 39. Green plastic (Wheel) (PP)
- 40. Orange coating on metal (Key)
- 41. Green coating on metal (Key)
- 42. Pale blue coating on metal (Key)
- 43. Blue coating on metal (Key)
- 44. Transparent lacquer w/ orange coating on wood (Train, bead, button)
- 45. Transparent lacquer w/ dark blue coating on wood (Train, bead, button)
- Note: mg/kg = milligram per kilogram
 - mg = milligram
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit
 - 1% = 10000 mg/kg = 10000 ppm
 - + Soluble Chromium is not restricted by EN 71-3:2019+A1:2021, results shown only for reference
 - Result(s) of specimen No.24 & No. 29 is(are) extracted from report No. T52210251513TY
 - Result(s) of specimen No.30 is(are) extracted from report No. T52210261843TY
 - Result(s) of specimen No.31 is(are) extracted from report No. T52110321296TY
 - Result(s) of specimen No.32 is(are) extracted from report No. T52110311129TY



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sqs.com/en/Terms-and-Conditions.genz</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sqs.com/en/Terms-and-Conditions.genz-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document far advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(8c-755) 8307 1443, or email: CN.Doccheck@sgs.com



Test Report No.: T52210271828TY Date: JUN 23, 2022

e: JUN 23, 2022 Page 25 of 27

Note: - mg/kg = milligram per kilogram

- Result(s) of specimen No.33 is(are) extracted from report No. T52110280191TY
- Result(s) of specimen No.34- No.37 & No.39- No.43 is(are) extracted from report No. T52210262150TY
- Result(s) of specimen No.38, No.44 & No.45 is(are) extracted from report No. T52210241078TY

Remark: As received, below test portion(s) is(are) less than 10 mg, therefore such component(s) was(were) not tested for migration of certain elements, as specified in EN 71-3:2019+A1:2021.

Pale red (Button, bead), dark red (Bead), light blue (Bead, train), black (Bead, train, lettering), brown, dull yellow (Train, button) coating on wood

Dull red, dull dark red, apricot coating on wood (Ball) White, grey-black coating on plastic (Train, monkey) Light brown coating on plastic (Monkey) Dark green coating on plastic (Base)

N.B.: - Only applicable clauses were shown.

Remark:

- 1. Since the data and / or information above division line of front page is provided by the applicant, the relevant results or conclusions of this report are only made for these data and / or information, SGS shall not be responsible for the authenticity and integrity of such data and information and the validity of the results and / or conclusions arising therefrom. Testing results only apply to the sample as received.
- 2. The statement of conformity has considered the decision rule based on the Guarded acceptance (8.3.2 of ISO/IEC GUIDE 98-4:2012). When the measured value falls within the guard band, only the test data and measurement uncertainty will be reported. The guard band is equal to the expanded measurement uncertainty with a 95% coverage probability(k=2), w = U₉₅. The Probability of False Accept and the Probability of False Reject of the decision rule are 2.5%.

For Upper Tolerance Limit (T_U): Pass - when the measurement result is below T_U-U₉₅ Fail - when the measurement result is above T_U+U₉₅ Inconclusive - when the measurement result is falling in guard band $[T_U-U_{95}, T_U+U_{95}]$ For Lower Tolerance Limit (T_L):

Pass - when the measurement result is above $T_{\rm L} + U_{\rm 95}$

Fail - when the measurement result is below T_L-U₉₅

Inconclusive - when the measurement result is falling in guard band $[T_L-U_{95}, T_L+U_{95}]$



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sqs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sqs.com/en/Terms-and-Conditions/Terms-and-Condition</u>

Acom Mitherity, Bank 4 & Room Mith Plan 2 & Room Mith Plan 3, Jangkao (Bankan) Industrial Plan 4 Area, Na.40, Jhua Road, Bankia Chmunih, Bankia Street, Longgang District, Shenzhen, Guangdong, China 518129 www.sgsgroup.com.cn 中国・广东•深圳市龙岗区坂田街道坂田社区吉华路 430 号江源(坂田)工业厂区厂房 4 号 101-901、2 号 101、3 号 101、3 号 301-501 前编: 518129 t (86-755) 25328888 ggs.com



Sample Picture (As received) Pic.1 Pic.2 E3821 E3825 Figure (As received) E3825

Date: JUN 23, 2022

Page 26 of 27

No.: T52210271828TY



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and <u>unisdiction issues</u> defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the company is do bligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related of as only song. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CNLDoccheck@sgs.com





SGS authenticate the photo on original report only

*** End of Report ***



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sqs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at <u>http://www.sqs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore the company is does used to the final their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unathorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related for 3 dogs only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sps.com